

## Non-linearity of baroreceptor

Ottesen, Johnny Tom

*Publication date:*  
1996

*Document Version*  
Publisher's PDF, also known as Version of record

*Citation for published version (APA):*  
Ottesen, J. T. (1996). *Non-linearity of baroreceptor*. Roskilde Universitet. Tekster fra IMFUFA No. 324  
<http://milne.ruc.dk/ImfufaTekster/>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

### Take down policy

If you believe that this document breaches copyright please contact [rucforsk@kb.dk](mailto:rucforsk@kb.dk) providing details, and we will remove access to the work immediately and investigate your claim.

**TEKST NR 324**

**1996**

**Non-linearity of  
Baroreceptor Nerves**

**By Johnny T. Ottesen**

**TEKSTER fra**

**IMFUFA**

**ROSKILDE UNIVERSITETSCENTER**  
INSTITUT FOR STUDIET AF MATEMATIK OG FYSIK SAMT DERES  
FUNKTIONER I UNDERVISNING, FORSKNING OG ANVENDELSER

IMFUFA, Roskilde University, Postboks 260, DK-4000 Roskilde, Denmark

Non-linearity of Baroreceptor Nerves

By: Johnny T. Ottesen

IMFUFA-tekst nr. 324/96

18 pages

ISSN 0106-6242

---

**Abstract:**

Denne tekst er blevet til på baggrund af et foredrag givet ved symposiet "Mathematical Models in Physiology, the Cardiovascular System and its Regulation" der blev afholdt som en del af ECMI96 konferencen. Det er tanken at nærværende tekst skal danne baggrund for en egentlig publicerbar artikel.

Det ikke lineære respons i nerveaktivitet ved et tryk-input i Carotid Sinus Arterien modelleres vha ikke-lineære rate-sensitive ordinære differentiallyigninger. En lang række eksperimentelt målte effekter simuleres diskuteres.

# Non-Linearity of Baroreceptor Nerves

JOHNNY T. OTTESEN  
IMFUFA, Roskilde University  
Postbox 260, DK-4000 Roskilde  
E-mail: Johnny@mmf.ruc.dk

August 27, 1996

## Abstract

Two simple effector models are developed, the primitive effector model, consisting of a non-linear differential equation, and the extended effector model, consisting of three coupled non-linear differential equations. The models are both rate sensitive and linear in the (derivative of the) carotid pressure. However, the history of the time derivative of the carotid pressure enters, whereby the relative level of the carotid sinus arterial pressure is sensed. Step responses to step pressures follows from this rate sensitivity. Adaptation and asymmetric response is a consequence of the historical memory. The non-linearity gives the typical sigmoidal response curves.

## 1 Introduction

There have been a lot of effort on modelling the baroreflex-feedback mechanism regulating the cardiovascular system. All of these focus mostly on the effector part of the feedback and less - if any - on the effector part, where the input to the feedback mechanism takes place. However, the baroreceptor function is important because baroreceptors are the first stage in the neural system regulating blood pressure and the effect of other control mechanisms, such as renal, humoral, and tissue autoregulation, is much slower. In this paper focus is made exclusively on the effector part. It follows that this part might be very important for the dynamics of the cardiovascular system when it is not in steady state [13]. More precisely the phrase "the effector part" denote the part of carotid sinus where the baroreceptor nerves are located together with the baroreceptor nerves, including the axons. In figure 1 the entire baroreflex-feedback mechanism is drawn. When a change in carotid sinus arterial pressure appears the cross-section area of these arteries change, whereby the viscoelastic wall is deformed (pressure-mechanical deformation.) The receptors at the nerve endings are located in the lateral wall of carotid sinus. The mechano-electrical transduction is taking place in these receptors themselves by an unknown coupling mechanism [3]. Hence a change in pressure cause a deformation in the spatial

structure, which results in a change in the nerve activity of the baroreceptor nerves. This nerve activity is shortly denoted the firing rate. In section 2 of this paper a simple and an extended model, describing the highly non-linear response in firing rate to change in carotid sinus arterial pressure, are developed. In section 3 the models are analysed and compared to experimental facts. At the end a discussion, summary and outlook is presented. But first a historical survey is given.

The first documented measurements of the baroreceptors response to change in carotid sinus arterial pressure, or shortly carotid pressure, was delivered by Bronk and Stella and reported in 1932 and 1935 [1] and [2], respectively. Since then several experiments have been made, see Thayer et al. for a more detailed discussion [19]. It shall be emphasized that when measurements are performed it is, for practical reasons, always the axonal firing rate which is measured.

The experimental conclusion is that the firing rate of the baroreceptor nerves shows several non-linear characteristics. Firing rate increase with carotid pressure. The response exhibits threshold and saturation. Sufficient fast decrease in pressure cause firing rate to decrease below the threshold. Step change in pressure cause step change in firing rate followed by a resetting phenomena, i.e. a decay or discharge in firing rate, toward the threshold value. This resetting is called adaptation and should not be confused with a distributed time delay phenomena. The response curve is sigmoidal and shows an asymmetric behavior, like in hysteresis. However, this phenomena is not a physical hysteresis. Finally observations indicate that the response curve for hypotensive sinus and hypertensive sinus simply is translations of the response curve for normotensive sinus to the left and right, respectively.

There have been some effort to model these non-linear characteristics of the baroreceptors. Landgren in 1952 [12] and Robinson and Sleight in 1980 [15] suggested simple functional descriptions of the response to step pressure only. Warner in 1958 [20], and in modified form in 1965 [21], Sher and Young in 1963 [16], Pointras et al. in 1966 [14], Spickler and Kezdi in 1967 [17], Franz in 1969 [8], and Srinivasan and Nudelman in 1972 [18] suggested various models based on ordinary differential equations.

These models were able to explain some, and a few even all, of the non-linear characteristics of the baroreceptors. However, the models described by differential equations make exclusively use of set-points, which are not physiologically based. Moreover, all of them incorporate each of the non-linearities separately, implying that they arise independently. In 1982 Cecchini et al. [5] demonstrated that this is not the case and Thayer et al. [19] suggested in 1988 a unified model capable to establish all the non-linear characteristics of the baroreceptors. This model describe the step change in response to a step change in pressure. A continuous change in pressure was then regarded as a cascade of very small step changes, giving rise to a major bookkeeping. The excellent discussion given in this paper has served as an inspiration for the work presented here, where new comprehensive models are developed, justified and analysed. This new models are mathematically expressed in terms of non-linear ordinary differential equations.

Thereby they become object for mathematical analysis and easy to incorporate in models of the entire feedback mechanism [13].

## 2 The Affecter Models

In this section a simple model together with an extended model of the response in firing rate to a change in carotid pressure are suggested. Hereby various non-linear effects are explained.

A first approach to a simple affecter model is mathematically given by

$$\dot{n} = k\dot{P}_c \frac{n(M-n)}{\left(\frac{M}{2}\right)^2} - \frac{1}{\tau}(n-N) \quad (1)$$

where  $\dot{n}$  denotes the time derivative of the firing rate  $n$ ,  $\dot{P}_c$  the time derivative of the carotid pressure  $P_c$ ,  $k$  a proportional constant,  $M$  the maximal firing rate,  $\tau$  a characteristic time constant describing the resetting, and  $N$  the threshold, i.e. the stable equilibria of the firing rate when no change in pressure appears.

If we neglect the second term on the right hand side of equation (1) for a while, it follows that the instantaneous change in firing rate is proportional to the change in carotid pressure. This rate-sensitivity gives step responses to step inputs. However this "proportionality" depends on the instantaneous firing rate. The change in firing rate is most sensitive to change in carotid pressure when the value of the firing rate is in the middle of its physiological range and almost insensitive near the boundary. Hereby the sigmoidal form of the response curve appears. The physiological range for the firing rate is  $[0, M]$ , where  $M = 120$  Hz is a typical value for humans. The denominator  $\left(\frac{M}{2}\right)^2$  is just a normalization factor and may be adopted into the proportional constant  $k$ . It shall be emphasized that the way the firing rate enters in equation (1) is not canonical. In this case quantification is made by assuming the mathematically most simple dependence agreeing with the qualitative knowledge. Alternatively one may choose  $(n(M-n)/\left(\frac{M}{2}\right)^2)^{1/q}$  for a suitable choice of the constant  $q > 2$ . In the general case one should work with an arbitrary function fulfilling the qualitative demands. When the carotid pressure is held constant the interpretation of the second term becomes simple, it gives an exponential resetting toward the threshold value  $N$  with characteristic time constant  $\tau$ . Typical value for  $N$  is  $N = 35$  Hz. When a constant increasing carotid pressure  $\dot{P}_c = \bar{k}$  is applied the saturation level is given by

$$n_+ = \frac{M}{2} \left( 1 - \frac{M}{4k\bar{k}\tau} + \sqrt{\left(\frac{M}{4k\bar{k}\tau} - 1\right)^2 + \frac{N}{k\bar{k}\tau}} \right)$$

Notice, that  $n_+ \rightarrow M$ , for  $\bar{k} \rightarrow \infty$ . Similar when a constant decreasing carotid pressure  $\dot{P}_c = -\bar{k}$  is applied then the firing rate tends to

$$n_- = \frac{M}{2} \left( 1 + \frac{M}{4k\bar{k}\tau} - \sqrt{\left(\frac{M}{4k\bar{k}\tau} + 1\right)^2 - \frac{N}{k\bar{k}\tau}} \right)$$

and  $n_- \rightarrow 0$ , for  $\tilde{k} \rightarrow \infty$ .

When  $n$  is smaller than  $\frac{M}{2}$ ,  $\dot{n}$  is more sensitive to a continuous increasing carotid pressure than to a continuous decreasing carotid pressure, because of the non-linearity described by equation (1). For  $n$  larger than  $\frac{M}{2}$  the situation is reversed. Several authors have noticed that the firing rate is not equally sensitive to raise and lowering in carotid pressure, see for example [11] and [21]. However, this asymmetry in sensitivity is not due to separate effects with different weights of positive and negative change in carotid pressure, as some authors claim, but rather to the non-linearity, as mentioned.

Before discussing the model further, two alternative but mathematical equivalent formulations are given. First equation (1) is rewritten in integral form as

$$n = N + \int_{-\infty}^t e^{-\frac{(t-s)}{\tau}} [k\dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2}] ds \quad (2)$$

where  $t$  denotes the time and  $s$  the dummy variable of integration. We notice that equation (2) is mathematically equivalent to formula known from some systems with distributed time delay. However, in our case there is no physical time delay. In fact, the resetting phenomena is very complex and is partly due to chemical diffusion in the nerve cells. Anyway, this analogy suggest that the exponential kernel in equation (2) might be substituted by another kernel. We return to this generalization below. The second way of rewriting equation (1) is by introducing the deviation,  $\Delta n = n - N$ , in  $n$  from its treshold value  $N$ . Then equation (1) reads

$$\Delta \dot{n} = k\dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2} - \frac{1}{\tau} \Delta n \quad (3)$$

Experimental data, see figure 2, indicate that the resetting is not given by just one exponential, as suggested. Therefor the exponential kernel in equation (2) is substituted by a sum of three exponentials

$$n = N + \int_{-\infty}^t (k_1 e^{-\frac{(t-s)}{\tau_1}} + k_2 e^{-\frac{(t-s)}{\tau_2}} + k_3 e^{-\frac{(t-s)}{\tau_3}}) [\dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2}] ds \quad (4)$$

where  $\tau_1$ ,  $\tau_2$  and  $\tau_3$  are three characteristic time constants, characterizing different baroreceptor types. (Receptors are usually divided into different types,  $A$ ,  $B$  and  $C$  fibres, due to their trasmission speed. The fast  $A$  fibres are further divided into  $\alpha$ ,  $\beta$ , and  $\gamma$  receptors).  $k_1$ ,  $k_2$ , and  $k_3$  denote the weighting of the contribution from each receptor type. The number of exponentials used is not canonical but reflects the lowest possible numbers to get sufficient agreement with the experimental data, compare figure 2 and 3. On the other hand the number should not be greater than the number of known receptor types, which is 6. In the literature measured values of the  $\tau$ 's, the  $k$ 's and  $M$  is reported for some animals [2], [7], [9], [8], [12] and [15]. In this paper the norminal values  $\tau_1 = 0.5$ ,  $\tau_2 = 5.0$ ,  $\tau_3 = 500$  seconds,  $k_1 = 1.0$ ,  $k_2 = 0.5$ ,  $k_3 = 1.0$  Hz/mmHg, and  $M = 120$  Hz is usually used, unless otherwise stated.

The physiological significance for having several characteristic time constants, as in equation (4), is that the term with the smallest time constant  $\tau_1$  ( $\approx 0.5$  seconds) is primarily sensitive to momentary changes in carotid pressure,  $\dot{P}_c(t)$ , whereas the term with the largest time constant  $\tau_3$  ( $\approx 500$  seconds) behave like a weighted average in the sense that it is not only dependent on the momentary value of  $\dot{P}_c(t)$  but on the "integrated" value as well. The term with the intermediated time constant  $\tau_2$  ( $\approx 5$  seconds) contributed as a combination. More precisely, each term depend not only on the momentary value of  $\dot{P}_c(t)$ , but on its history, as well, and on the "time horizon" given by the coresponding value of the time constants. So the rate sensitive models, given by equation (3) and (5) below, depends both on  $\dot{P}_c(t)$  and on  $P_c$ , in the sense just described, and not only on  $\dot{P}_c(t)$ .

Equation (4) can't be rewritten as one differential equation analogue to equation (1). However, introducing the deviations  $\Delta n_1$ ,  $\Delta n_2$ , and  $\Delta n_3$  from the treshold value  $N$ , such that  $\Delta n_1 + \Delta n_2 + \Delta n_3 = n - N$ , it becomes possible to rewrite equation (4) as three coupled non-linear ordinary differential equations as follows

$$\begin{aligned}\dot{\Delta n}_1 &= k_1 \dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2} - \frac{1}{\tau_1} \Delta n_1 \\ \dot{\Delta n}_2 &= k_2 \dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2} - \frac{1}{\tau_2} \Delta n_2 \\ \dot{\Delta n}_3 &= k_3 \dot{P}_c \frac{n(M-n)}{(\frac{M}{2})^2} - \frac{1}{\tau_3} \Delta n_3\end{aligned}\tag{5}$$

Physiologically these firing rates are trasmitted in separate nerve fibers, whereby the central nervous system has the possibility to use the information separately or weighted. This may be very important when different control mechanism are considered, for example is the control of the venous pool not sensitive to short time pertubations whereas the control of the heart rate usually is. Furthermore, these weighting parameters may be object for physiological control as well as sensitive to outer circumstances, such as temperature. However, for the consideration made in this paper the weighting parameters are assumed constant and only the superposition of the firing rates will be of interest.

In the following the model given by equation (5) will be denoted "the extended affector model" and the former, given by equation (1), "the primitive affector model".

### 3 Analysis and Validation

In this section the models are analysed and compared to experimental facts. Simulated responses are shown to agree with experimental data to a remarkable degree.

Assuming a step input in carotid pressure,  $\dot{P}_c = K \delta(t - t_0)$ , equation (4)



has the solution  $n = N$ , for  $t < t_0$ , and

$$n = N + K \left( k_1 e^{-\left(\frac{t-t_0}{\tau_1}\right)} + k_2 e^{-\left(\frac{t-t_0}{\tau_2}\right)} + k_3 e^{-\left(\frac{t-t_0}{\tau_3}\right)} \right) \left[ \dot{P}_c \frac{n(M-n)}{\left(\frac{M}{2}\right)^2} \right]$$

for  $t \geq t_0$ . In 1980 Brown measured the response in firing rate to a step-input in carotid pressure [3]. This is shown in figure 2. The simulated result based on the extended affector model, given by equation (5), is shown in figure 3. The agreement is remarkable except for the gap which appear in data after the firing rate has dropped to zero. Physiologically this is a postexcitatory depression due to the electrogenic  $\text{Na}^+$  pump [3].

The response in firing rate to a continuous changing carotid pressure pulse profile was first measured by Bronk and Stella, as mentioned. In 1967 Christensen, Warner and Pryor replicated the experiment [6]. Figure 4 shows the simulated response to a typical puls pressure profile in humans. The figure also shows that the response  $\Delta n_1$ , it is very sensitive to steep changes and the response  $\Delta n_3$ , which behave more like the input. The response  $\Delta n_1$  shows a very fast resetting, whereas  $\Delta n_3$  follows the pulse profile in form. Due to the non-linearity the total response of the extended affector model is not just a sum of the three separate responses. However, the superposition is clearly sensitive to both the level of and the change in carotid pressure. The response agree to a sufficient degree with those reported in the literature, see [6], [11]. We emphasize that it is not the same pulse profile which is used.

Coleridge et al. documented in 1981 an asymmetric response of baroreceptors to increasing and decreasing pressure [5]. Figure 5 shows these measurements and the simulated asymmetric response, based on the extended affector model. This asymmetric response is frequently called a hysteresis loop. However, it does not represent a physical hysteresis phenomena but rather the fact that the change in carotid pressure,  $\dot{P}_c$ , is positive when the pressure increase and is negative when it decrease. Consider the simple affector model develop above and assume  $\dot{P}_c = \pm k_0$ , + when pressure increase and - when it decrease. Then equation (1) is equivalent to

$$\frac{dn}{dP_c} = k \frac{n(M-n)}{\left(\frac{M}{2}\right)^2} \mp \frac{1}{k_0 \tau} (n - N) \quad (6)$$

From equation (6) it follows that the slope of the curve is greater when the pressure is increasing than when it is decreasing, for firing rate less than the threshold value, i.e. for  $n < N$ , and that the slope is smaller when the pressure is increasing than when it is decreasing, for firing rate larger than the threshold value, i.e. for  $n > N$ . In other words, the resetting interfere constructively with the pressure generated change when it is toward the threshold and destructively when pressure force it away from the threshold.

In 1981 Iglar et al. reported measurements showing that the response curve for hypotensive sinus is just a translation to the left of the normotensive curve

[10]. This is shown in figure 6 together with simulations of the response for hypotensive, normotensive and hypertensive sinuses. These phenomena are explained by a perturbation of the initial values in the model. The physiological cause to this perturbation is not well understood [10].

Figure 7 shows how the primitive affector model responds to a sinus pressure input, for two different frequencies. When the input frequency is much larger (a factor 10) than the characteristic frequency of the resetting,  $\frac{1}{\tau}$ , the response is oscillatory with a relatively large amplitude, i.e. of the same order as the amplitude of the oscillations of the input signal. The average firing rate is approximately 60 Hz (the response isn't sinus shaped due to the non-linearity.) When the input frequency is much smaller (a factor 10) than  $\frac{1}{\tau}$ , the response still oscillate, but the amplitude is then relatively small, i.e. a factor 10 smaller than the amplitude of the oscillations of the input signal. The average firing rate is again approximately 60 Hz. This reduction in response amplitude can be explain by the following approximation. Negleting the second order  $\Delta n$ -term in equation (3), the solution is

$$\Delta n = n_0 e^{c_1 \sin(\nu t)} e^{-\frac{t}{\tau}} + c_2 \nu \int_0^t e^{-\frac{t-s}{\tau}} \cos(\nu s) e^{\{2c_1 \cos(\frac{\nu}{2}(t+s)) \sin(\frac{\nu}{2}(t-s))\}} ds \quad (7)$$

for a sinus input  $P_c(t) = A \sin(\nu t)$ , where  $c_1 = \frac{kA(M-2N)}{(\frac{M}{2})^2}$ ,  $c_2 = \frac{kAN(M-N)}{(\frac{M}{2})^2}$  and  $\Delta n(0) = n_0$ . The first term in equation (7) describe the transient, it vanish for  $t \gg \tau$ . The second term represent the response when  $t \gg \tau$ . In the case  $M = 2N$  it follows by straight forward calculations that, after the transient,

$$\Delta \dot{n} \approx k \frac{N(M-N)}{(\frac{M}{2})^2} A \nu \tau \cos(\nu t)$$

for  $\nu \ll \frac{1}{\tau}$  and

$$\Delta n \approx k \frac{N(M-N)}{(\frac{M}{2})^2} A \sin(\nu t)$$

for  $\frac{1}{\tau} \ll \nu$ . So the amplitude is much smaller in the first case ( $\nu \tau \ll 1$ ), i.e. for small frequencies, than in the last case ( $\nu \tau \gg 1$ ), i.e. for large frequencies. Moreover one notice a phase shift by  $\frac{\pi}{2}$  in the response for  $\frac{1}{\tau} \gg \nu$ , which also is observed on figure 7. The general situation is more complex, but an investigation gives the same conclusion wrt. the amplitude.

The same scenaria is represented in figure 8 for the extended affector model, given by equation (5). The effect of the input frequency on the response is qualitatively similar. However, the damping effect of the amplitude is then less pronounced. Moreover, the average response is small for low frequencies compared to those for large frequencies.

## 4 Discussion, Summary and Outlook

Two simple affector models are developed, the primitive affector model, consisting of a non-linear differential equation, and the extended affector model, consisting of three coupled non-linear differential equations. The models are both rate sensitive and linear in the (derivative of the) carotid pressure. However, the history of the time derivative of the carotid pressure enters, whereby the relative level of the carotid pressure is sensed. The step response to step pressure follows from this rate sensitivity. This history is described by exponential weighting factors. The adaptation phenomena is due to these weighting factors. Furthermore, the asymmetry response in firing rate is also explained by these weighting factors. When a sinus input pressure is used the amplitude of the response depends on the frequency of the input pressure. For slowly varying (low frequency compare to the characteristic frequency of the adaptation phenomena) pressure the amplitude is smaller than for quickly varying (high frequency) pressure. The non-linearity appearing is in the firing rate itself. This gives the characteristic sigmoidal response curves.

The models presented here are based on experimental facts together with simplicity arguments. Hence it is ad-hoc models. But hopefully they will give some ideas to understand the underlying mechanisms. Indeed these models indicate an intrinsic coherent narrative. However, the postexcitatory depression is not included in the models. This will be object for further investigations. It might be done in an ad-hoc manner, for example based on measurements reported by Brown and Brown et al. in [3] and [4], respectively.

Furthermore it is the goal for further research to investigate and understand the underlying mechanism of the mechano-electrical transduction in the receptors themselves. Also the non-linearity will be investigated with respect to theoretical understanding. It is claimed by Brown that the Mechano-electrical transduction of the receptors themselves is linear and that the non-linearity is due to the pressure-mechanical deformation of the viscoelastic wall of the carotid sinus [3]. Therefore an explanation of the non-linearity will be sought in a modelling of the mechano-electrical transduction of the viscoelastic wall of carotid sinus.

Finally an investigation of how the different nerve fibers, which are shown to be sensitive to different domains of frequencies, influence different parts of the control loop, i.e. how they contribute in steering the heart rate, the contractility of the heart, the resistance of the arteries and arterioles, the capacitance of the vessels, and the venous pool (unstressed volume.)

Some research is still to be done, new questions arise from new answers to older questions. The present work indicates an intrinsic coherent narrative of the functioning of the baroreceptor nerves. The models are capable to catch the various phenomena discussed to a surprisingly high degree of accuracy.

## References

- [1] D.W. Bronk and G. Stella. Afferent impulses in the carotid sinus nerve. i. the relation of the discharge from single end organs to arterial blood pressure. *Journal of Cellular and Comparative Physiology*, 1, 1932.
- [2] D.W. Bronk and G. Stella. The response to steady state pressure of single end organs in the isolated carotid sinus. *Americal Journal of Physiology*, 110, 1935.
- [3] A. Brown. Receptors under pressure: An update on baroreceptors. *Circulation Research*, 46, 1980.
- [4] A. Brown, W.R Saum, and F.H Tuley. A comparison of aortic baroreceptor discharge in normotensive and spontaneously hypertensive rats. *Circulation Research*, 39, 1976.
- [5] A.B.P. Cecchini, K.L.A. Triplitz, J. Melbin, and A. Noordergraaf. Baroreceptor activity related to cell properties. In *Engeneering in Medicina and Biology*. Proceedings of 35th Annual Conference, 1966.
- [6] B.N. Christensen, H.R. Warner, and T.A. Pryor. A technique for quantitative study of carotid sinus behavior. In P. Kezdi, editor, *Baroreceptors and Hypertension*. Pergamon, Oxford, 1967.
- [7] W. Clark. *Static and Danamic Characteristics of Carotid Sinus Baroreceptors*. PhD thesis, University of Michigan, 1968. Ph.D. Dissetation.
- [8] G.N. Franz. Nonlinear rate sensitivity of carotid sinus reflex as a consequence of static and dynamic nonlinearities in baroreceptor behavior. *Annual NY Academi of Science*, 156, 1969.
- [9] G.N Franz, A.M. Scher, and C.S. Ito. Smal signal characteristics of carotid sinus baroreceptors ofrabits. *Journal of Applied Physiology*, 30, 1971.
- [10] F.O. Iglar, J.H. Donegan, K.C. Hoo, M.E. Korns, and J.M. Kampine. Chronic localized hypotension and resetting og carotid sinus baroreceptors. *Circulation Research*, 49, 1981.
- [11] P.I. Korner. Integrative neural cardiovascular control. *Phisiological Rewievs*, 51, 1971.
- [12] S. Landgren. On the exitation mechanism of the carotid baroreceptors. *Acta Physiology Scadinavia*, 26, 1952.
- [13] J.T. Ottesen.
- [14] J.W. Poitras, N. Pantelakis, C.W. Marble, K.R. Dwyer, and G.O. Barnett. Analysis of the blodd pressure-baroreceptor nerve firing relationship. In *Engeneering in Medicina and Biology*. Proceedings of 19th Annual Conference 105, 1966.

- [15] J.L. Robinson and P. Sleight. Single carotid sinus baroreceptor adaption in normotensive and hyperetensive dogs. In P. Sleight, editor, *Arterial Baroreceptors and Hypertension*. Oxford Medical Publications, 1980.
- [16] A.M. Scher and A.C. Young. Servoanalysis of carotid sinus reflex effects on pheripheral resistance. *Circulation Research*, 12, 1962.
- [17] J.W. Spickler and P. Kezdi. Dynamic response characteristics of carotid sinus baroreceptors. *Americal Journal of Physiology*, 212 (2), 1967.
- [18] R. Srivivasan and H. Nudelman. Modeling the carotid sinus baroreceptor. *Biophysics Journal*, 12, 1972.
- [19] M.F. Taher, A.B.P. Cecchini, M.A. Allen, S.R. Gobran, R.C. Gorman, B.L. Guthrie, K.A. Lingerfelter, S.Y. Rabbany, P.M. Rolchio, J. Melbin, and A. Noordergraaf. Baroreceptor responses derived from a fundamental concept. *Annals in Biomedical Engeneering*, 16, 1988.
- [20] H.R. Warner. The frequency-dependent nature of blood pressure regulation by the carotid sinus studied with an electric analog.
- [21] H.R. Warner. Some computer techniques of value for study circulation. In R.W. Stacy and B.D. Waxman, editors, *Computers in Biomedical Research*. Academic Press, NY, 1965.




Figure 1: The entire baroreceptor feedback system. The baroreceptors are located in the lateral wall of carotid sinus. When responses are measured it is usually done in the axons of the carotid sinus nerves.




Figure 2: Response to a step input pressure as reported by Brown, [3] (printed with permission.) Pressure increase stepwise from 170 mmHg to 178 mmHg at 2.5 seconds and decrease from 178 mmHg to 170 mmHg at 12.5 seconds. Pressure is held constant else. Notice the step responses and the adaptations (resetting) toward the threshold




Figure 3: The response to a step input pressure based on the extended affector model. The input pressure increase from 170 mmHg to 178 mmHg at time 2.5 seconds and decrease again at time 12.5 second to the initial level. Except for the postexcitatory depression gap appearing on figure 2 agree pretty well with the measurements shown.






Figure 4: The response in firing rate to a typical pulse profile of humans. Upper left: The input pulse profile. Upper right: The response  $\Delta n_1$  is very sensitive to steep changes ( $\tau = 0.1$  seconds.) The lower left: The response  $\Delta n_3$  behave like the input ( $\tau = 500$  seconds.) The response  $\Delta n_2$  is omitted. The lower right: The total response from the extended affector model, with the  $\tau$ 's = 0.1, 10, and 500 seconds, respectively. Notice that the response  $\Delta n_1$  shows a very fast resetting, whereas  $\Delta n_3$  follows the pulse profile in form. Due to the non-linearity the total response of the extended affector model is not just a sum of the three separate responses. However, the superposition is clearly sensitive to both the level of and the change in carotid pressure. The response agree to a sufficient degree with those appearing in the literature, see for example [6], [11].




Figure 5: The asymmetric response in firing rate to increasing and decreasing carotid pressure in anesthetized dogs. Open circles indicates measurement when pressure is raised. Stars and pluses indicates different series of measurements. Stars when pressure is lowered from 170 mmHg ( $n = 56$  Hz) to 100 mmHg ( $n = 5$  Hz) and pluses when lowered from 100 mmHg ( $n = 23$  Hz), indicated by an open circle, to 50 mmHg ( $n = 1$  Hz). (Data is adopted from [5].) Solid curves indicates responses obtained by simulations, based on the extended affector model, given by equation (5), with  $M = 105$  Hz. The curve for increasing pressure, labeled "Up", was given by  $\dot{P}_c = 1.37$  mmHg/sec and runs from 1 mmHg to 210 mmHg in 160 seconds. The curve for decreasing pressure, labeled "Down", was given by  $\dot{P}_c = -1.37$  mmHg/sec and runs from 210 mmHg to 3.6 mmHg in 154 seconds. The closed curve is sometimes referred to a hysteresis loop, however it is not a physical hysteresis phenomena.




Figure 6: The response curves for normotensive, hypotensive and hypertensive sinuses in anesthetized dogs. Circles indicates measured for hypotensive sinus and stars for normotensive sinus (data is adopted from [10].) The corresponding simulated ones together with one showing hypertensive sinus are drawn by solid curves. Initial values was 0.8 Hz for 6.9, 30.6 and 50 mmHg, for 1) hypotensive, 2) normotensive, and 3) hypertensive sinuses, respectively.




Figure 7: Responses of the primitive affector model, given by equation (1), to a sinusoidal input,  $A \sin(\nu t)$ , for different frequencies. The first row shows the input signals in mmHg and the second row shows the corresponding responses in Hz. The ordinate axis shows time in seconds. The left column shows the input and the response for high frequency,  $\nu = 100$  Hz, and with  $\tau = 0.1$  second, whereas the second column shows the input and the response for low frequency,  $\nu = 1.0$  Hz, and with  $\tau = 0.1$  second. The response has much smaller amplitude for low frequencies than for high frequencies. By linear approximation to equation (1) it follows that the response for small frequencies, i.e.  $\nu \ll \frac{1}{\tau}$ , is  $\Delta n \propto \nu \tau \cos(\nu t)$ , and for large frequencies, i.e.  $\nu \gg \frac{1}{\tau}$ , is  $\Delta n \propto \sin(\nu t)$ . The predicted phase shift is also observed for large frequencies.




Figure 8: Responses of the extended affector model, given by equation (5), to a sinus formed input,  $A \sin(\nu t)$ , for different frequencies. The first row shows the input signals in mmHg and the second row shows the corresponding responses in Hz. The ordinate axis shows time in seconds. The left column shows the input and the response for high frequency,  $\nu = 100$  Hz, and with  $\tau_1 = 0.5$ ,  $\tau_2 = 5.0$ , and  $\tau_3 = 500$  second, whereas the second column shows the input and the response for low frequency,  $\nu = 0.01$  Hz, and the same values of the  $\tau$ 's. As for the primitive affector model, the response has smaller amplitude for low frequencies than for high frequencies, but the effect is then less pronounced.

-----  
Liste over tidligere udkomne tekster  
tilsendes gerne. Henvendelse herom kan  
ske til IMFUFA's sekretariat  
tlf. 46 75 77 11 lokal 2263

- 217/92 "Two papers on APPLICATIONS AND MODELLING  
IN THE MATHEMATICS CURRICULUM"  
by: Mogens Niss
- 218/92 "A Three-Square Theorem"  
by: Lars Kadison
- 219/92 "RUPNOK - stationær strømning i elastiske rør"  
af: Anja Boisen, Karen Birkelund, Mette Olufsen  
Vejleder: Jesper Larsen
- 220/92 "Automatisk diagnosticering i digitale kredsløb"  
af: Bjørn Christensen, Ole Møller Nielsen  
Vejleder: Stig Andur Pedersen
- 221/92 "A BUNDLE VALUED RADON TRANSFORM, WITH  
APPLICATIONS TO INVARIANT WAVE EQUATIONS"  
by: Thomas P. Branson, Gestur Olafsson and  
Henrik Schlichtkrull
- 222/92 On the Representations of some Infinite Dimensional  
Groups and Algebras Related to Quantum Physics  
by: Johnny T. Ottesen
- 223/92 THE FUNCTIONAL DETERMINANT  
by: Thomas P. Branson
- 224/92 UNIVERSAL AC CONDUCTIVITY OF NON-METALLIC SOLIDS AT  
LOW TEMPERATURES  
by: Jeppe C. Dyre
- 225/92 "RATMODELLEN" Impedansspektroskopi i ultrarent  
en-krySTALLINt silicium  
af: Anja Boisen, Anders Gorm Larsen, Jesper Varmer,  
Johannes K. Nielsen, Kit R. Hansen, Peter Bøggild  
og Thomas Hougaard  
Vejleder: Petr Viacor
- 226/92 "METHODS AND MODELS FOR ESTIMATING THE GLOBAL  
CIRCULATION OF SELECTED EMISSIONS FROM ENERGY  
CONVERSION"  
by: Bent Sørensen

- 227/92 "Computersimulering og fysik"  
af: Per M.Hansen, Steffen Holm,  
Peter Maibom, Mads K. Dall Petersen,  
Pernille Postgaard, Thomas B.Schrøder,  
Ivar P. Zeck  
Vejleder: Peder Voetmann Christiansen
- 228/92 "Teknologi og historie"  
Fire artikler af:  
Mogens Niss, Jens Høyrup, Ib Thiersen,  
Hans Hedal
- 229/92 "Masser af information uden betydning"  
En diskussion af informationsteorien  
i Tor Nørretranders' "Mærk Verden" og  
en skitse til et alternativ baseret  
på andenordens kybernetik og semiotik.  
af: Søren Brier
- 230/92 "Vinklens tredeling - et klassisk  
problem"  
et matematisk projekt af  
Karen Birkelund, Bjørn Christensen  
Vejleder: Johnny Ottesen
- 231A/92 "Elektrondiffusion i silicium - en  
matematisk model"  
af: Jesper Voetmann, Karen Birkelund,  
Mette Olufsen, Ole Møller Nielsen  
Vejledere: Johnny Ottesen, H.B.Hansen
- 231B/92 "Elektrondiffusion i silicium - en  
matematisk model" Kildetekster  
af: Jesper Voetmann, Karen Birkelund,  
Mette Olufsen, Ole Møller Nielsen  
Vejledere: Johnny Ottesen, H.B.Hansen
- 232/92 "Undersøgelse om den simultane opdagelse  
af energiens bevarelse og isærdeles om  
de af Mayer, Colding, Joule og Helmholtz  
udførte arbejder"  
af: L.Arleth, G.I.Dybkjær, M.T.Østergård  
Vejleder: Dorthe Posselt
- 233/92 "The effect of age-dependent host  
mortality on the dynamics of an endemic  
disease and  
Instability in an SIR-model with age-  
dependent susceptibility  
by: Viggo Andreassen
- 234/92 "THE FUNCTIONAL DETERMINANT OF A FOUR-DIMENSIONAL  
BOUNDARY VALUE PROBLEM"  
by: Thomas P. Branson and Peter B. Gilkey
- 235/92 OVERFLADESTRUKTUR OG POREUDVIKLING AF KOKS  
- Modul 3 fysik projekt -  
af: Thomas Jessen
-

- 236a/93 INTRODUKTION TIL KVANTE HALL EFFEKTEN  
af: Anja Boisen, Peter Bøggild  
Vejleder: Peder Voetmann Christiansen  
Erland Brun Hansen
- 236b/93 STRØMSSAMMENBRUD AF KVANTE HALL EFFEKTEN  
af: Anja Boisen, Peter Bøggild  
Vejleder: Peder Voetmann Christiansen  
Erland Brun Hansen
- 237/93 The Wedderburn principal theorem and Shukla cohomology  
af: Lars Kadison
- 238/93 SEMIOTIK OG SYSTEMEGENSKABER (2)  
Vektorbånd og tensorer  
af: Peder Voetmann Christiansen
- 239/93 Valgsystemer - Modelbygning og analyse  
Matematik 2. modul  
af: Charlotte Gjerrild, Jane Hansen, Maria Hermansson, Allan Jørgensen, Ragna Clauson-Kaas, Poul Lützen  
Vejleder: Mogens Niss
- 240/93 Patologiske eksempler.  
Om sære matematiske fisks betydning for den matematiske udvikling  
af: Claus Drøby, Jørn Skov Hansen, Runa Ulsee Johansen, Peter Meibom, Johannes Kristoffer Nielsen  
Vejleder: Mogens Niss
- 241/93 FOTOVOLTAISK STATUSNOTAT 1  
af: Bent Sørensen
- 242/93 Brovedligeholdelse - bevar mig vel  
Analyse af Vejdirektoratets model for optimering af broreparationer  
af: Linda Kyndlev, Kare Fundal, Kamma Tulinius, Ivar Zeck  
Vejleder: Jesper Larsen
- 243/93 TANKEEKSPERIMENTER I FYSIKKEN  
Et 1.modul fysikprojekt  
af: Karén Birkelund, Stine Sofia Korremann  
Vejleder: Dorthe Posselt
- 244/93 RADONTRANSFORMATIONEN og dens anvendelse i CT-scanning  
Projektrapport  
af: Trine Andreasen, Tine Guldager Christiansen, Nina Skov Hansen og Christine Iversen  
Vejledere: Gestur Olafsson og Jesper Larsen
- 245a+b /93 Time-Of-Flight målinger på krystallinske halvledere  
Specialerapport  
af: Linda Szkotak Jensen og Lise Odgaard Gade  
Vejledere: Petr Viscor og Niels Boye Olsen
- 246/93 HVERDAGSVIEN OG MATEMATIK - LÆREPROCESSER I SKOLEN  
af: Lena Lindenskov, Statens Humanistiske Forskningsråd, RUC, IMFUFA
- 247/93 UNIVERSAL LOW TEMPERATURE AC CONDUCTIVITY OF MACROSCOPICALLY DISORDERED NON-METALS  
by: Jeppe C. Dyre
- 248/93 DIRAC OPERATORS AND MANIFOLDS WITH BOUNDARY  
by: B. Booss-Bavnbek, K.P.Wojciechowski
- 249/93 Perspectives on Teichmüller and the Jahresbericht Addendum to Schappacher, Scholz, et al.  
by: B. Booss-Bavnbek  
With comments by W.Abikoff, L.Ahlfors, J.Cerf, P.J.Davis, W.Fuchs, F.P.Gardiner, J.Jost, J.-P.Kahane, R.Lohan, L.Lorch, J.Radkai and T.Söderqvist
- 250/93 EULER OG BOLZANO - MATEMATISK ANALYSE SET I ET VIDENSKABSTEORETISK PERSPEKTIV  
Projektrapport af: Anja Juul, Lone Michelsen, Tomas Højgård Jensen  
Vejleder: Stig Andur Pedersen
- 251/93 Genotypic Proportions in Hybrid Zones  
by: Freddy Bugge Christiansen, Viggo Andreasen and Ebbe Thus Poulsen
- 252/93 MODELLERING AF TILFÆLDIGE FÆNOMENER  
Projektrapport af: Birthe Friis, Lisbeth Helmgård, Kristina Charlotte Jakobsen, Marina Mosbak Johannessen, Lotte Ludvigsen, Mette Hass Nielsen
- 253/93 Kuglepakning  
Teori og model  
af: Lise Arleth, Kåre Fundal, Nils Kruse  
Vejleder: Mogens Niss
- 254/93 Regressionsanalyse  
Materiale til et statistikkursus  
af: Jørgen Larsen
- 255/93 TID & BETINGET UAFHÆNGIGHED  
af: Peter Barremoës
- 256/93 Determination of the Frequency Dependent Bulk Modulus of Liquids Using a Piezo-electric Spherical Shell (Preprint)  
by: T. Christensen and N.B.Olsen
- 257/93 Modellering af dispersion i piezoelektriske keramikker  
af: Pernille Postgaard, Jørnik Rasmussen, Christina Specht, Mikko Østergård  
Vejleder: Tage Christensen
- 258/93 Supplerende kursusmateriale til "Lineære strukturer fra algebra og analyse"  
af: Mogens Brun Heesfelt
- 259/93 STUDIES OF AC HOPPING CONDUCTION AT LOW TEMPERATURES  
by: Jeppe C. Dyre
- 260/93 PARTITIONED MANIFOLDS AND INVARIANTS IN DIMENSIONS 2, 3, AND 4  
by: B. Booss-Bavnbek, K.P.Wojciechowski

- 261/93 OPGAVESAMLING  
Bredde-kursus i Fysik  
Eksamensopgaver fra 1976-93
- 262/93 Separability and the Jones  
Polynomial  
by: Lars Kadison
- 263/93 Supplerende kursusmateriale til  
"Lineære strukturer fra algebra  
og analyse" II  
af: Mogens Brun Heefelt
- 264/93 FOTOVOLTAISK STATUSNOTAT 2  
af: Bent Sørensen
- 
- 265/94 **SPHERICAL FUNCTIONS ON ORDERED  
SYMMETRIC SPACES**  
To Sigurdur Helgason on his  
sixtyfifth birthday  
by: Jacques Paraut, Joachim Hilgert  
and Gestur Olafsson
- 266/94 Kommensurabilitets-oscillationer i  
laterale supergitre  
Fysikspeciale af: Anja Boisen,  
Peter Bøggild, Karen Birkelund  
Vejledere: Rafael Taboryski, Poul Erik  
Lindelof, Peder Voetmann Christiansen
- 267/94 Kom til kort med matematik på  
Eksperimentarium - Et forslag til en  
opstilling  
af: Charlotte Gjerrild, Jane Hansen  
Vejleder: Bernhelm Booss-Bavnbek
- 268/94 Life is like a sewer ...  
Et projekt om modellering af aorta via  
en model for strømning i kloakrør  
af: Anders Marcussen, Anne C. Nilsson,  
Lone Michelsen, Per M. Hansen  
Vejleder: Jesper Larsen
- 269/94 Dimensionsanalyse en introduktion  
metaprojekt, fysik  
af: Tine Guldager Christiansen,  
Ken Andersen, Nikolaj Hermann,  
Jannik Rasmussen  
Vejleder: Jens Højgaard Jensen
- 270/94 THE IMAGE OF THE ENVELOPING ALGEBRA  
AND IRREDUCIBILITY OF INDUCED REPRESENTATIONS OF EXPONENTIAL LIE GROUPS  
by: Jacob Jacobsen
- 271/94 Matematikken i Fysikken.  
Opdaget eller opfundet  
NAT-BAS-projekt  
vejleder: Jens Højgaard Jensen
- 272/94 Tradition og fornyelse  
Det praktiske eleverarbejde i gymnasiets  
fysikundervisning, 1907-1988  
af: Kristian Hoppe og Jeppe Guldager  
Vejledning: Karin Beyer og Nils Hybel
- 273/94 Model for kort- og mellemdistanceløb  
Verifikation af model  
af: Lise Fabricius Christensen, Helle Pilemann,  
Bettina Sørensen  
Vejleder: Mette Olufsen
- 274/94 MODEL 10 - en matematisk model af intravenøse  
anæstetikas farmakokinetik  
3. modul matematik, forår 1994  
af: Trine Andreasen, Bjørn Christensen, Christine  
Green, Anja Skjoldborg Hansen, Lisbeth  
Helmgård  
Vejledere: Viggo Andreasen & Jesper Larsen
- 275/94 Perspectives on Teichmüller and the Jahresbericht  
2nd Edition  
by: Bernhelm Booss-Bavnbek
- 276/94 Dispersionsmodellering  
Projektrapport 1. modul  
af: Gitte Andersen, Rehanah Borup, Lisbeth Friis  
Per Gregersen, Kristina Vejre  
Vejleder: Bernhelm Booss-Bavnbek
- 277/94 PROJEKTARBEJDSPÆDAGOGIK - Om tre tolkninger af  
problemorienteret projektarbejde  
af: Claus Flensted Behrens, Frederik Voetmann  
Christiansen, Jørn Skov Hansen, Thomas  
Thingstrup  
Vejleder: Jens Højgaard Jensen
- 278/94 The Models Underlying the Anaesthesia  
Simulator Sophus  
by: Mette Olufsen(Math-Tech), Finn Nielsen  
(RISØ National Laboratory), Per Føge Jensen  
(Herlev University Hospital), Stig Andur  
Pedersen (Roskilde University)
- 279/94 Description of a method of measuring the shear  
modulus of supercooled liquids and a comparison  
of their thermal and mechanical response  
functions.  
af: Tage Christensen
- 280/94 A Course in Projective Geometry  
by Lars Kadison and Matthias T. Kromann
- 281/94 Modellering af Det Cardiovaskulære System med  
Neural Puls kontrol  
Projektrapport udarbejdet af:  
Stefan Frello, Runa Ulsøe Johansen,  
Michael Poul Curt Hansen, Klaus Dahl Jensen  
Vejleder: Viggo Andreasen
- 282/94 Parallele algoritmer  
af: Erwin Dan Nielsen, Jan Danielsen,  
Niels Bo Johansen



- 283/94 Grænser for tilfældighed  
(en kaotisk talgenerator)  
af: Erwin Dan Nielsen og Niels Bo Johansen
- 284/94 Det er ikke til at se det, hvis man ikke  
lige ve' det!  
Gymnasie matematikkens begrundelsesproblem  
En specialerapport af Peter Hauge Jensen  
og Linda Kyndlev  
Vejleder: Mogens Niss
- 285/94 Slow coevolution of a viral pathogen and  
its diploid host  
by: Viggo Andreassen and  
Freddy B. Christiansen
- 286/94 The energy master equation: A low-temperature  
approximation to Bässler's random walk model  
by: Jeppe C. Dyre
- 287/94 A Statistical Mechanical Approximation for the  
Calculation of Time Auto-Correlation Functions  
by: Jeppe C. Dyre
- 288/95 PROGRESS IN WIND ENERGY UTILIZATION  
by: Bent Sørensen
- 289/95 Universal Time-Dependence of the Mean-Square  
Displacement in Extremely Rugged Energy  
Landscapes with Equal Minima  
by: Jeppe C. Dyre and Jacob Jacobsen
- 290/95 Modellering af uregelmæssige bølger  
Et 3. modul matematik projekt  
af: Anders Marcussen, Anne Charlotte Nilsson,  
Lone Michelsen, Per Mørkegaard Hansen  
Vejleder: Jesper Larsen
- 291/95 1st Annual Report from the project  
LIFE-CYCLE ANALYSIS OF THE TOTAL DANISH  
ENERGY SYSTEM  
an example of using methods developed for the  
OECD/IEA and the US/EU fuel cycle externality study  
by: Bent Sørensen
- 292/95 Fotovoltaisk Statusnotat 3  
af: Bent Sørensen
- 293/95 Geometridiskussionen - hvor blev den af?  
af: Lotte Ludvigsen & Jens Frandsen  
Vejleder: Anders Madsen
- 294/95 Universets udvidelse -  
et metaprojekt  
Af: Jesper Duellund og Birthe Friis  
Vejleder: Ib Lundgaard Rasmussen
- 295/95 A Review of Mathematical Modeling of the  
Controlled Cardiovascular System  
By: Johnny T. Ottesen
- 296/95 RETIKULER den klassiske mekanik  
af: Peder Voetmann Christiansen
- 297/95 A fluid-dynamical model of the aorta with  
bifurcations  
by: Mette Olufsen and Johnny Ottesen
- 298/95 Mordet på Schrödingers kat - et metaprojekt om  
to fortolkninger af kvantemekanikken  
af: Maria Hermansson, Sebastian Horst,  
Christina Specht  
Vejledere: Jeppe Dyre og Peder Voetmann Christiansen
- 299/95 ADAM under figenbladet - et kig på en samfunds-  
videnskabelig matematisk model  
Et matematisk modelprojekt  
af: Claus Drøby, Michael Hansen, Tomas Højgård Jensen  
Vejleder: Jørgen Larsen
- 300/95 Scenarios for Greenhouse Warming Mitigation  
by: Bent Sørensen
- 301/95 TOK Modellering af træers vækst under påvirkning  
af ozon  
af: Glenn Møller-Holst, Marina Johannessen, Birthe  
Nielsen og Bettina Sørensen  
Vejleder: Jesper Larsen
- 302/95 KOMPRESSORER - Analyse af en matematisk model for  
aksialkompressor  
Projektrapport sf: Stine Bøggild, Jakob Hilmer,  
Pernille Postgaard  
Vejleder: Viggo Andreassen
- 303/95 Masterlignings-modeller af Glasovergangen  
Termisk-Mekanisk Relaksation  
Specialerapport udarbejdet af:  
Johannes K. Nielsen, Klaus Dahl Jensen  
Vejledere: Jeppe C. Dyre, Jørgen Larsen
- 304a/95 STATISTIKNOTER Simple binomialfordelingsmodeller  
af: Jørgen Larsen
- 304b/95 STATISTIKNOTER Simple normalfordelingsmodeller  
af: Jørgen Larsen
- 304c/95 STATISTIKNOTER Simple Poissonfordelingsmodeller  
af: Jørgen Larsen
- 304d/95 STATISTIKNOTER Simple multinomialfordelingsmodeller  
af: Jørgen Larsen
- 304e/95 STATISTIKNOTER Mindre matematisk-statistisk opslagsv  
indeholdende bl.a. ordforklaringer, resuméer og  
tabeller  
af: Jørgen Larsen

- 305/95 The Maslov Index:  
A Functional Analytical Definition  
And The Spectral Flow Formula  
  
By: B. Booss-Bavnbek, K. Furutani
- 306/95 Goals of mathematics teaching  
  
Preprint of a chapter for the forthcoming International Handbook of Mathematics Education (Alan J. Bishop, ed)  
  
By: Mogens Niss
- 307/95 Habit Formation and the Thirdness of Signs  
  
Presented at the semiotic symposium  
  
The Emergence of Codes and Intensions as a Basis of Sign Processes  
  
By: Peder Voetmann Christiansen
- 308/95 Metaforer i Fysikken  
  
af: Marianne Wilcken Bjerregaard, Frederik Voetmann Christiansen, Jørn Skov Hansen, Klaus Dahl Jensen, Ole Schmidt  
  
Vejledere: Peder Voetmann Christiansen og Petr Viscor
- 309/95 Tiden og Tanken  
  
En undersøgelse af begrebsverdenen Matematik udført ved hjælp af en analogi med tid  
  
af: Anita Stark og Randi Petersen  
  
Vejleder: Bernhelm Booss-Bavnbek
- 310/96 Kursusmateriale til "Lineære strukturer fra algebra og analyse" (E1)  
  
af: Mogens Brun Heefelt
- 311/96 2nd Annual Report from the project  
LIFE-CYCLE ANALYSIS OF THE TOTAL DANISH ENERGY SYSTEM  
  
by: Hélène Connor-Lajambe, Bernd Kuemmel, Stefan Krüger Nielsen, Bent Sørensen
- 312/96 Grassmannian and Chiral Anomaly  
  
by: B. Booss-Bavnbek, K.P. Wojciechowski
- 313/96 THE IRREDUCIBILITY OF CHANCE AND THE OPENNESS OF THE FUTURE  
  
The Logical Function of Idealism in Peirce's Philosophy of Nature  
  
By: Helmut Pape, University of Hannover
- 314/96 Feedback Regulation of Mammalian Cardiovascular System  
  
By: Johnny T. Ottesen
- 315/96 "Rejsen til tidens indre" - Udarbejdelse af a + b et manuskript til en fjernsynsudsendelse + manuskript  
  
af: Gunhild Hune og Karina Goyle  
  
Vejledere: Peder Voetmann Christiansen og Bruno Ingemann
- 316/96 Plasmaoscillation i natriumklynger  
  
Specialerapport af: Peter Meibom, Mikko Østergård  
  
Vejledere: Jeppe Dyre & Jørn Borggreen
- 317/96 Poincaré og symplektiske algoritmer  
  
af: Ulla Rasmussen  
  
Vejleder: Anders Madsen
- 318/96 Modelling the Respiratory System  
  
by: Tine Guldager Christiansen, Claus Dråby  
  
Supervisors: Viggo Andreasen, Michael Danielsen
- 319/96 Externality Estimation of Greenhouse Warming Impacts  
  
by: Bent Sørensen