

Pseudo-differential projections and the topology of certain spaces of elliptic boundary value problems

Booss-Bavnbek, Bernhelm; Wojciechowski, Krzysztof P.

Publication date:
1987

Document Version
Publisher's PDF, also known as Version of record

Citation for published version (APA):
Booss-Bavnbek, B., & Wojciechowski, K. P. (1987). *Pseudo-differential projections and the topology of certain spaces of elliptic boundary value problems*. Roskilde Universitet.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact rucforsk@kb.dk providing details, and we will remove access to the work immediately and investigate your claim.

TEKST NR 152

1987

Bernhelm Booß-Bavnbek
Krzysztof P. Wojciechowski

PSEUDO-DIFFERENTIAL PROJECTIONS
AND THE TOPOLOGY OF CERTAIN SPACES
OF ELLIPTIC BOUNDARY VALUE PROBLEMS

TEKSTER fra

IMFUFA

ROSKILDE UNIVERSITETSCENTER
INSTITUT FOR STUDIET AF MATEMATIK OG FYSIK SAMT DERES
FUNKTIONER I UNDERVISNING, FORSKNING OG ANVENDELSER

IMFUFA, Roskilde Universitetscenter, Postboks 260, DK-4000 Roskilde
Bernhelm Boø-Bavnbe, Krzysztof P. Wojciechowski
PSEUDO-DIFFERENTIAL PROJECTIONS AND THE TOPOLOGY OF CER-
TAIN SPACES OF ELLIPTIC BOUNDARY VALUE PROBLEMS
IMFUFAtekst nr. 152/1987, 10 sider, ISSN 0106-6242

Summary. We calculate the homotopy groups of the space of elliptic boundary value problems for an elliptic differential operator A of first order and of the space of elliptic self-adjoint boundary value problems when A is formally self-adjoint. In particular we show that the spectral flow of an S^1 family of self-adjoint elliptic boundary value problems is well defined. This provides some information on spectral properties along the lines of the Vafa-Witten approach to spectral inequalities.

PSEUDO-DIFFERENTIAL PROJECTIONS AND THE TOPOLOGY OF CERTAIN SPACES OF ELLIPTIC BOUNDARY VALUE PROBLEMS

B. BOOSS-BAVNBK AND K. P. WOJCIECHOWSKI

Abstract. We calculate the homotopy groups of the space of elliptic boundary value problems for an elliptic differential operator A of first order and of the space of elliptic self-adjoint boundary value problems when A is formally self-adjoint. In particular we show that the spectral flow of an S^1 family of self-adjoint elliptic boundary value problems is well defined. This provides some information on spectral properties along the lines of the Vafa-Witten approach to spectral inequalities.

§1. The Notion of an Elliptic Boundary Value Problem

Let X be a smooth compact manifold with boundary Y . Let E and F be smooth complex vector bundles over X . For simplicity, we consider $A : C^\infty(X; E) \rightarrow C^\infty(X; F)$ an elliptic differential operator over X of first order. We discuss the results for a larger class of operators at the end of the paper. Now let us fix a Riemannian metric on X and Hermitian structures on E and F . Then in a fixed collar neighbourhood $N \cong I \times Y$ of $Y \cong 0 \times Y$ the operator A takes the form

$$(1) \quad A(t, y) = G(t, y) (\partial_t + B_t(y)),$$

where $G(t, y) : E|_Y \rightarrow F|_Y$ is a bundle isomorphism for fixed t ; ∂_t is the normal derivative; and $B_t : C^\infty(Y; E|_Y) \rightarrow C^\infty(Y; E|_Y)$ is an elliptic differential operator of first order on Y such that the principal symbol $b_t(y, \zeta)$ of B_t has no purely imaginary eigenvalues. We will assume that $G(t, y)$ is unitary.

It is well known that the orthogonal (with respect to $L^2(Y; E|_Y)$) projection

$$P(A) : C^\infty(Y; E|_Y) \rightarrow H(A)$$

of $C^\infty(Y; E|_Y)$ onto $H(A) = \{u|_Y \mid u \in C^\infty(X; E) \text{ and } Au = 0 \text{ in } X \setminus Y\}$ is a pseudo-differential operator of order zero. It is called the *Calderón projector* of A . At each point (y, ζ) of the covariant sphere bundle SY the principal symbol of $P(A)$ is the orthogonal projection $p^+(y, \zeta) : E_y \rightarrow E_y$ onto the direct sum $E_{y, \zeta}^+$ of the eigenspaces of the symbol $b_0(y, \zeta)$ corresponding to the eigenvalues with positive real part.

Now let V be a Hermitian bundle over Y and let $R : C^\infty(Y; E|_Y) \rightarrow C^\infty(Y; V)$ be a pseudo-differential operator. Then we have various expressions of a *boundary value problem*, namely the pair

$$(A, R) : C^\infty(X; E) \rightarrow C^\infty(X; F) \oplus \text{ran}(R),$$

the realization of A

$$A_R : \text{dom}(A_R) \xrightarrow{A} L^2(X; F)$$

as an unbounded operator in $L^2(X; E)$ with

$$(2) \quad \text{dom}(A_R) := \{u \in L^2(X; E) \mid Au \in L^2(X; F) \text{ and } R(u|_Y) = 0\},$$

and the *boundary integral*

$$RP(A) : H(A) \rightarrow \text{ran}(R).$$

It has been shown in Seeley [14] that we get well defined operators with suitable regularity and finite index under the following assumptions:

- (a) the range of R is closed in a suitable L^2 space and
- (b) the principal symbol r of R maps the range E^+ of p^+ isomorphically onto the range of r .

REMARK. This notion includes the *local* condition (of Shapiro-Lopatinsky type) and the *global* condition (of Atiyah-Patodi-Singer type) as well. We get the local condition when $R : C^\infty(Y; E|_Y) \rightarrow C^\infty(Y; V)$ is a pseudo-differential operator such that $r : E^+ \rightarrow \pi^*(V)$ is an isomorphism where $\pi : SY \rightarrow Y$ denotes the natural projection.

Note that here we also admit operators $R : C^\infty(Y; E|_Y) \rightarrow C^\infty(Y; E|_Y)$. In this case the cokernel of R is infinite dimensional; but the point is that only the kernel of R is important. Thus, as was explained precisely in Seeley [14], we may restrict ourselves to boundary conditions which are pseudo-differential projections. This leads us to the following definition:

1 DEFINITION. We shall say that a pseudo-differential operator $R : C^\infty(Y; E|_Y) \rightarrow C^\infty(Y; E|_Y)$ defines a *generalized Atiyah-Patodi-Singer elliptic boundary condition* for A if and only if

- (a) $R^2 = R$ and
- (b) $r(y, \zeta) = p^+(y, \zeta)$ for all $y \in Y$ and $\zeta \in SY_y$.

We denote the space of pseudo-differential projections defining generalized APS conditions for A by $\text{Ell}_Y(A)$. It carries the L^2 operator topology.

REMARK. The space $\text{Ell}_Y(A)$ does not contain all possible elliptic boundary conditions for A . Even so, it is in a certain sense generic, and one can find a close correspondence between $\text{Ell}_Y(A)$ and the Grassmannians which are used in Pressley-Segal [12], Segal-Wilson [15] and Witten [18].

The introduction of the space $\text{Ell}_Y(A)$ permits one to reduce the topological analysis of the space of elliptic boundary value problems to just the boundary as shown in the next Theorem.

2 THEOREM. The space $\text{Ell}_Y(A)$ of generalized Atiyah-Patodi-Singer elliptic boundary conditions for A is isomorphic to the space

$$\text{Pdiff}_{p^+}(E|_Y) = \{P \mid P^2 = P \text{ is pseudo-differential of 0-th order over } Y \text{ in } E \\ \text{with principal symbol } p = p^+\}.$$

§2. Spaces of Pseudo-Differential Projections With the Same Principal Symbol

The space $\text{Pdiff}_{p+}(E|_Y)$, or for short, Pdiff_{p+} was introduced in [19] and its homotopy groups were determined in [21] (see also [20] for the calculations concerning the connected components of Pdiff_{p+}). In particular we know that

$$\pi_i(\text{Pdiff}_{p+}) \cong \begin{cases} \mathbb{Z} & \text{for } i \text{ even} \\ 0 & \text{for } i \text{ odd} \end{cases}$$

which gives us the following result:

3 THEOREM. *Under the assumptions of Section 1 we have*

$$\pi_i(\text{Ell}_Y(A)) \cong \begin{cases} \mathbb{Z} & \text{for } i \text{ even} \\ 0 & \text{for } i \text{ odd.} \end{cases}$$

We present the following example which shows how Theorem 3 works. Let us assume that X is an odd-dimensional compact manifold with boundary Y , and let us consider the Dirac operator $\mathcal{D} : C^\infty(X; S) \rightarrow C^\infty(X; S)$ over X . It is a formally self-adjoint operator and it is of the form of equation (1), namely $\mathcal{D} = G(\partial_t + B)$ over the collar when it is assumed that the metric is product near the boundary.

Now $G^2 = -Id$ and S decomposes over Y into $S|_Y = S_+ \oplus S_-$. With respect to this decomposition we get

$$\mathcal{D} = \begin{pmatrix} i & 0 \\ 0 & -i \end{pmatrix} \left(\partial_t + \begin{pmatrix} 0 & B_- = B_+^* \\ B_+ & 0 \end{pmatrix} \right),$$

where $B_+ : C^\infty(Y; S_+) \rightarrow C^\infty(Y; S_-)$ is the Dirac operator on Y . Let us observe that the formal self-adjointness of \mathcal{D} implies $GB = -BG$ (see below Section 3). This leads us to the following interesting observation:

Let ϕ_λ be an eigenfunction of B , $B\phi_\lambda = \lambda\phi_\lambda$ with $\lambda \neq 0$, then $G\phi_\lambda$ is an eigenfunction of B with eigenvalue $-\lambda$. This means that the spectrum of B is symmetric with respect to 0. Moreover, as shown in Palais [11; Chapter XVII], we have $\text{index } B_+ = 0$. This means that $\dim \ker B = \dim \ker B_+ + \dim \ker B_- = 2 \dim \ker B_+$.

Now let us consider the standard Atiyah-Patodi-Singer realization of \mathcal{D} , i.e. $\mathcal{D}_{\Pi_+(B)} = \mathcal{D}$ with the domain

$$\text{dom } \mathcal{D}_{\Pi_+(B)} = \{u \in H^1(S) \mid \Pi_+(B)(u|_Y) = 0\}$$

where $\Pi_+(B)$ denotes the projection of $L^2(S|_Y)$ onto the subspace spanned by the eigenfunctions of B corresponding to the non-negative eigenvalues. Now, from the results of Atiyah-Patodi-Singer [2] we know that $\mathcal{D}_{\Pi_+(B)} : \text{dom } \mathcal{D}_{\Pi_+(B)} \rightarrow L^2(S)$ is a Fredholm operator and that its index is given by the following formula

$$\text{index } \mathcal{D}_{\Pi_+(B)} = \int \alpha_0(x) dx - \frac{1}{2}(\eta_B(0) + \dim \ker B)$$

where α_0 is the index density which is equal 0 when $\dim X$ is odd, hence $\eta_B(s) = \sum_{\lambda \in \text{spec } B, \lambda \neq 0} \text{sign } \lambda |\lambda|^{-s}$ is equal 0 and we are left with the formula

$$\text{index } \mathcal{D}_{\Pi_+(B)} = -\dim \ker B_+.$$

In [20] the second author proves the following equality

$$\text{index } \mathcal{D}_{\Pi_+(B)} = \text{index}(\Pi_+(B) P(\mathcal{D}))$$

where he considers $\Pi_+(B) P(\mathcal{D}) : H(\mathcal{D}) \rightarrow \text{ran } \Pi_+(B)$. It follows from [19] that the index of this last operator is equal 0 if and only if $\Pi_+(B)$ and $P(\mathcal{D})$ belong to the same connected component of $\text{Pdiff}_{p+}(S_- \oplus S_+)$.

Hitchin [9] showed that $\dim \ker B = 2 \dim \ker B_+$ varies when we deform the metric (the most simple non-trivial examples are all Riemannian surfaces Y with genus $g > 3$). This means that $\Pi_+(B)$ and $P(\mathcal{D})$ change their connected components independently of each other and that under a smooth change of the metric the operator $\mathcal{D}_{\Pi_+(B)}$ varies in a non-continuous way.

With the self-adjoint case in mind, the second author introduced the subspace Pdiff_{p+}^G of Pdiff_{p+} in his paper [21]. It is defined as follows: We fix $P_0 \in \text{Pdiff}_{p+}$ and an automorphism $G : L^2(Y; E|_Y) \rightarrow L^2(Y; E|_Y)$ such that

$$(3) \quad G^2 = -Id \quad \text{and} \quad -GP_0G = Id - P_0.$$

Such G always exists. Moreover, the space

$$\text{Pdiff}_{p+}^G := \{P \in \text{Pdiff}_{p+} \mid -GPG = Id - P\}$$

is also nontrivial from a topological point of view, namely

$$\pi_i(\text{Pdiff}_{p+}^G) \cong \begin{cases} 0 & \text{for } i \text{ even} \\ \mathbb{Z} & \text{for } i \text{ odd,} \end{cases}$$

as was shown in [21]. In the next Section we show how to apply this result to the theory of self-adjoint elliptic boundary value problems.

We want to close with some comments concerning applications of the main result of this Section. Theorem 3 shows us the possibility of analyzing families of elliptic boundary value problems in exactly the same way as was the case with families of elliptic operators over closed manifolds. Later, we will show precisely how - at least in the case of a simple base manifold - the index of such families arises.

§3. The Space of Self-Adjoint Elliptic Boundary Value Problems

Let us now assume that A is formally self-adjoint. In particular this implies the following identities when we consider the representation (1) over the collar

$$(4) \quad G(t, \cdot) B_t = -B_t^* G(t, \cdot) \quad \text{and} \quad G^*(t, \cdot) = -G(t, \cdot).$$

In the following we consider a slightly more special case. We assume that all metrics are of product form on the collar N of Y and that G and B do not depend on t over N . Moreover, we shall assume that

$$(5) \quad G^2 = -Id \quad \text{and} \quad B = B^*$$

which in view of (4) implies that $GB = -BG$. Note that all operators "of Dirac type" satisfy condition (5).

4 DEFINITION. We shall call the realization A_R of A a *self-adjoint elliptic boundary value problem* if and only if

$$(A_R)^* = A_R.$$

Now in view of Green's formula (and here $A = A^*$)

$$(6) \quad \langle Au, v \rangle - \langle u, Av \rangle = \int_Y \langle G(u|_Y), v|_Y \rangle$$

we have the following fact.

5 PROPOSITION. An element $P \in \text{Pdiff}_{p+}(E|_Y)$ defines an elliptic self-adjoint boundary value problem for A if and only if $\text{Id} - P = -GPG$.

PROOF: We have $\langle Au, v \rangle - \langle u, Av \rangle = 0$ for $u, v \in \text{dom } A_P$, hence $\text{ran } GP = \text{ran}(\text{Id} - P)$. \square

The only problem left is that the space $\text{Ell}_Y^*(A)$ of self-adjoint problems may be empty. To prove that this is not the case let us recall the following result which was proved in [5] and in a different way in [20], namely

$$(7) \quad P(A^*) = GP(A)G^{-1}$$

which in our case gives exactly what we want. Hence

6 PROPOSITION. Let A be an elliptic differential formally self-adjoint operator of first order which satisfies (5). Then the realization $A_{P(A)}$ is a self-adjoint elliptic boundary value problem.

As a consequence we obtain the second main result of this paper:

7 THEOREM.

$$\pi_i(\text{Ell}_Y^*(A)) \cong \begin{cases} 0 & \text{for } i \text{ even} \\ \mathbb{Z} & \text{for } i \text{ odd.} \end{cases}$$

In particular the fundamental group of $\text{Ell}_Y^*(A)$ is \mathbb{Z} . This means that the notion of the spectral flow is well defined in this case. We present the simplest non-trivial examples in the next section.

§4. Examples of Non-Trivial Spectral Flow

The simplest example is of course provided by the operator $A = -i \frac{d}{dx}$ on $[0, 2\pi]$. We take the family $\{A_t\}_{t \in I}$ of realizations of A with the condition $u(1) = e^{2\pi i t} u(0)$. The eigenvalues of A_t are $\{k + t\}_{k \in \mathbb{Z}}$ and the corresponding eigenfunctions are $e^{i(k+t)x}$. Moreover, we have $A_1 = A_0$ and we see that there exists a non-trivial spectral flow in this case.

The next example is in dimension 2. Let ∂ denote the complex differentiation $\frac{\partial}{\partial z} : C^\infty(D^2) \rightarrow C^\infty(D^2)$ over the unit disc. We consider the self-adjoint operator

$$A = \begin{pmatrix} 0 & \bar{\partial} \\ \partial & 0 \end{pmatrix}$$

which takes over S^1 the following form

$$(8) \quad \begin{pmatrix} 0 & e^{i\phi} \\ e^{-i\phi} & 0 \end{pmatrix} \left(\partial_r + \begin{pmatrix} i\partial_\phi + 1 & 0 \\ 0 & -i\partial_\phi \end{pmatrix} \right).$$

Now $H(A) = H(\partial) \oplus H(\bar{\partial}) = H_+ \oplus H_-$ where $H_+ = \{\sum_{k \geq 0} a_k z_k\}$ and $H_- = \{\sum_{k \leq 0} a_k z_k\}$. Note that $H_+ \cap H_- = \mathbb{C}$ does not violate (7) because we have a non-trivial G for ∂ (and $\bar{\partial}$). We obtain

$$P(A) = \begin{pmatrix} (Id - P_+) + p_0 & 0 \\ 0 & P_+ \end{pmatrix}$$

where P_+ is the projection onto $\text{span}\{e^{ikz}\}_{k \geq 0}$ in L^2 and p_0 is the projection onto constants. Now we may choose the family A_t of realizations of A with the boundary condition $P_t = e^{it\phi} P(A) e^{-it\phi}$.

In the next dimension we have the first topologically interesting example: the restriction of the signature operator over S^3 to D^3 . The precise calculations will be published separately.

§5. Spectral Estimates for Self-Adjoint Elliptic Boundary Value Problems

The main reason for our investigation of the topological structure of the space of elliptic boundary value problems is the search for non-vanishing spectral invariants. We want to transfer an idea of Vafa and Witten [17] (see also Atiyah [1]) to boundary value problems. They use the notion of spectral flow to obtain uniform inequalities for the spectrum of the extended Dirac operator (uniform with respect to the choice of the coefficients bundle) on closed manifolds. Here, we shall show how their *global reasoning* can be adapted to our context, thus providing both a short-cut alternative and a substantial supplement to the *classical (and neo-classical) spectral analysis* with its highly subtle derivations of spectral inequalities.

We consider the simplest (and probably the most interesting) case. Let $\dim X = 2k - 1$, and let A be a formally self-adjoint operator of Dirac type

$$A : C^\infty(X; S \otimes \xi) \rightarrow C^\infty(X; S \otimes \xi)$$

where ξ is a Hermitian vector bundle over X , and let Π be a suitable self-adjoint boundary condition i.e., Π is a 0'th order pseudo-differential projection such that $-G\Pi G = Id - \Pi$ (cf. Section 2 above).

Now we choose a map $g : X \rightarrow U(N)$ of the form explained in Figure 1. Since g is equal to Id near the boundary the operator $\Pi \otimes Id_{\mathbb{C}} = \Pi \oplus \dots \oplus \Pi$ defines a self-adjoint boundary condition for the operator $A_1 := (Id \otimes g^{-1}) A_0 (Id \otimes g)$ with $A_0 := A \otimes Id_{\mathbb{C}}$ and in fact for all $A_t := tA_1 + (1-t)A_0$, $0 \leq t \leq 1$. So we obtain a family of self-adjoint elliptic boundary value problems parametrized over the interval I . The family $\{(A_t)_{\Pi \otimes Id}\}_{t \in I}$ of the realizations is a continuous family of self-adjoint unbounded Fredholm operators with discrete spectra and with the periodicity $\text{spec}(A_0)_{\Pi \otimes Id} = \text{spec}(A_1)_{\Pi \otimes Id}$. Because of Theorem 7 there is only one homotopy invariant of such families.

So what is left is to show that the spectral flow of the family of self-adjoint boundary value problems is equal to 1.




Fig. 1. The choice of $g : X \rightarrow U(N)$

8 LEMMA. Under the previous assumptions we have

$$\text{sf} \{ (A_t)_{\Pi \otimes Id_N} \}_{t \in I} = 1.$$

We postpone the proof of Lemma 8. Its main consequence is the following Theorem about the spectral behaviour of the realization A_Π .

9 THEOREM. (a) There exists a constant C such that every interval of length C contains an eigenvalue of A_Π .

(b) There exists an upper bound $Cn^{1/(2k-1)} > |\lambda_n|$ for all eigenvalues of A_Π indexed by increasing absolute value.

The constants in (a) and (b) depend only on the spin structure of the manifold X and not on the coefficients bundle ξ .

SKETCH OF PROOF: (a) follows immediately from Lemma 8. In fact, let $\{A_t\}$ denote the family $\{(A_t)_{\Pi \otimes Id_N}\}_{t \in I}$ and let $\{t \mapsto j_r(t)\}_{r \in \mathbb{Z}}$ be a parametrization of the eigenvalues of the family $\{A_t\}_{t \in I}$. In particular, this means $\text{spec } A_t = \{j_r(t)\}_{r \in \mathbb{Z}}$. We have $\text{spec } A_1 = \text{spec } A_0$ and by Lemma 8 we have $j_r(1) = j_{r+1}(0)$. This actually is the precise meaning of $\text{sf}\{A_t\} = 1$.

Since $g = Id$ near the boundary of X we have $A_1 = A_0$ in a collar of the boundary. This makes the difference $A_1 - A_0$ to an L^2 -bounded operator. Hence $A_1 - A_0$ is bounded in its domain in $L^2(X; (S \otimes \xi) \otimes \mathbb{C}^N)$ and by continuity we have

$$|j_r(0) - j_r(1)| \leq \|A_1 - A_0\| =: C \text{ for all } r,$$

hence $|j_r(0) - j_{r+1}(0)| \leq C$. This proves that in any interval of length C there is at least one eigenvalue of A_0 . The eigenvalues of A_0 are the eigenvalues of A_Π , just with N -times multiplicity. Finally, we see that C does not depend on the choice of ξ . This proves the uniformity of our estimate.

For the proof of (b) one repeats and sharpens the arguments given above. The main ingredient is the choice of a family $\{g_r\}_{r \in \mathbb{Z}}$ of twistings $g_r : X \rightarrow U(N)$ such that $\text{ch}[x \times \mathbb{C}^N, g_r] = r^{2k-1} \text{ch}[X \times \mathbb{C}^N, g_1]$ where $g_1 = g$ has "degree" 1 as above. \square

REMARK. Instead of twisting the operator A over the interior of X one could choose a twisting of the boundary condition Π or of the boundary component B of the operator A over the closed manifold Y by means of a topological non-trivial map $g : Y \rightarrow U(N)$. Unfortunately, at present we are not able to give a topological formula for the spectral flow of the families defined in this way.

§6. Remarks Concerning the Proof of Lemma 8

We sketch the proof of Lemma 8. For simplicity we assume that the “tangential” component B of the operator A is invertible. The necessary generalizations to a non-invertible B may be found in [22] where the second author also discusses the relation of our results to the recent works of Bismut and Cheeger [3], [4], and of Singer [16].

Starting with an arbitrary self-adjoint condition Π , we obtain a family $\{(A_t)_\Pi\}_{t \in I}$ of self-adjoint unbounded Fredholm operators parametrized over the circle. Since B is invertible, the standard boundary condition $\Pi_+(B)$ is self-adjoint. We are going to show that $\text{sf}\{(A_t)_\Pi\}_{t \in I}$ does not depend on the special choice of Π , in fact $\text{sf}\{(A_t)_\Pi\}_{t \in I} = \text{sf}\{(A_t)_{\Pi_+(B)}\}_{t \in I}$. Afterwards, we will prove $\text{sf}\{(A_t)_{\Pi_+(B)}\}_{t \in I} = 1$.

As mentioned above, the space Pdiff_{p+}^G is path-connected. So, we may choose a path $\{\Pi_r\}_{r \in I}$ in Pdiff_{p+}^G connecting $\Pi_0 := \Pi$ with $\Pi_1 := \Pi_+(B)$. We consider the family $\{D_{t,r} = (A_t)_\Pi\}_{t,r \in I}$, (see Figure 2). Apparently, we have $\text{sf}\{D_{t,r}\} = \text{sf}\{D_{t,r'}\}$ for any r, r' , hence $\text{sf}\{(A_t)_\Pi\} = \text{sf}\{(A_t)_{\Pi_+(B)}\}$.

The family $\{(A_t)_{\Pi_+(B)}\}_{t \in I}$ consists of standard Atiyah-Singer-Patodi realizations of A_t . So we can apply results of Cheeger (see [7] and especially [8, p. 209 Remark 6.11]), or we may follow the analysis from Atiyah-Patodi-Singer [2]. We obtain that $\eta_t(0) := \eta((A_t)_{\Pi_+(B)}; 0)$ is well-defined and that $d\eta_t(0)/dt$ is local. Because of the fixed boundary condition, the integral which defines $d\eta_t(0)/dt$ vanishes near the boundary. Hence it is given by the standard formula on the closed double \tilde{X} of X out of a neighbourhood of ∂X .

The detailed calculations can be found in [22].




Fig. 2. The family $D_{t,r}$

§7. Generalization to Larger Classes of Operators

(1) All our results concerning the homotopy type of the spaces of elliptic boundary value problems and of self-adjoint elliptic boundary value problems (Theorem 3 and Theorem 7) easily generalise to a larger class of operators, namely to operators of the

class $Ell^1(X, Y)$. These non-standard pseudo-differential operators with "splitting elliptic symbol" take the form (1) near the boundary where B is now pseudo-differential, see Hörmander [10] and the authors in [6].

The point is that in our global setting, the natural way of looking for spectral estimates and related results for higher order problems would be by reducing them to first order systems. This approach, however, takes us beyond the class of differential operators and we have to admit operators of the class $Ell^1(X, Y)$. This follows from the results of [6] where the authors have proven the existence of a true Calderón projector for operators of this class.

(2) Since the extended Dirac operator is fairly general from a topological point of view, one can expect that the results of Theorem 9 remain true for general formally self-adjoint differential operators A of first order with topologically non-trivial symbol class. However, the validity of Theorem 9 for operators of the class $Ell^1(X, Y)$ is less clear. In particular, it is not yet clear how we can prove Lemma 8, the essential ingredient in the proof of Theorem 9, in the context of the larger class $Ell^1(X, Y)$.

ACKNOWLEDGEMENTS. The first author thanks Gerd Grubb for an introduction to the classical (and neoclassical) spectral analysis of elliptic boundary value problems. The second author thanks Jeff Cheeger, Ron Douglas and Werner Müller for valuable discussions concerning the subject of this paper.

REFERENCES

- (1) Atiyah, M. F.: Eigenvalues of the Dirac operator. In: Hirzebruch, F. et al. (eds.), *Arbeitstagung Bonn 1984*. Lecture Notes in Mathematics 1111, Springer-Verlag, Berlin (West), 1985, 251-260.
- (2) -, Patodi, V. K., and Singer, I. M.: *Math. Proc. Camb. Phil. Soc.* 77 (1975), 43-69.
- (3) Bismut, J.-M. and Cheeger, J.: *C. R. Acad. Sci. Paris* 305 (1987), Série I, 127-130.
- (4) -, -: Families index for manifolds with boundary, superconnections and cones. To appear.
- (5) Boos, B. and Wojciechowski, K. P., *Ann. Glob. Analysis and Geometry* 4 (1986), 349-400.
- (6) -, -: *The Calderón Projector for Operators With Splitting Elliptic Symbol*. Preprint, Roskilde 1987.
- (7) Cheeger, J.: *J. Diff. Geom.* 18 (1983), 575-657.
- (8) -: *J. Diff. Geom.* 26 (1987), 175-221.
- (9) Hitchin, N.: *Advances in Math.* 14 (1974), 1-55.
- (10) Hörmander, L.: *The Analysis of Linear Partial Differential Operators. III*. Springer-Verlag, Berlin (West), 1985.
- (11) Palais, R. S. (ed.), *Seminar on the Atiyah-Singer Index Theorem*. Ann. of Math. Studies 57, Princeton University Press, Princeton, 1965.
- (12) Pressley, A. and Segal, G. B.: *Loop Groups*. Oxford University Press, Oxford, 1986.

- (13) Seeley, R. T.: *Amer. J. Math.* 88 (1966), 781-809.
- (14) -: Topics in pseudo-differential operators. In: *CIME Conference on Pseudo-Differential Operators (Stresa 1968)*. Ed. Cremonese, Rome, 1969, 167-305.
- (15) Segal, G. B. and Wilson, G.: *Pub. Math. I.H.E.S.* 61 (1985), 5-65.
- (16) Singer, I. M.: The η -invariant and the index. To appear.
- (17) Vafa, C. and Witten, E.: *Comm. Math. Phys.* 95,3 (1984), 257-274.
- (18) Witten, E.: *Quantum Field Theory, Grassmannians, and Algebraic Curves*. Princeton Preprint PUPT-1057 (1987).
- (19) Wojciechowski, K. P.: *J. Operator Theory* 15 (1986), 207-216.
- (20) -: On the Calderón projections and spectral projections of elliptic operators. To appear in *J. Operator Theory*.
- (21) -: *The Homotopy Groups of the Space of Pseudodifferential Projections with the Same Principal Symbol*. Preprint, 1987.
- (22) -: Spectral flow of families of elliptic boundary value problems and adiabatic limits of the η -invariant. To appear.

BBB, IMFUFA, Roskilde Universitetscenter, DK-4000 Roskilde, Denmark

KPW, Instytut Matematyki, Uniwersytet Warszawski, PL-00-901 PKiN Warszawa, Poland, and
Department of Mathematics, SUNY at Stony Brook, NY 11794, USA

- 1/78 "TANKER OM EN PRAKSIS" - et matematikprojekt.
Projektrapport af: Anne Jensen, Lena Lindenskov, Marianne Kesselhahn og Nicolai Lomholt.
Vejleder: Anders Madsen
- 2/78 "OPTIMERING" - Menneskets forøgede beherskelsermuligheder af natur og samfund.
Projektrapport af: Tom J. Andersen, Tommy R. Andersen, Gert Krenøe og Peter H. Lassen
Vejleder: Bernhelm Boss.
- 3/78 "OPCAVESAMLING", breddekursus i fysik.
Af: Lasse Rasmussen, Aage Bonde Kræmmer og Jens Højgaard Jensen.
- 4/78 "TRE ESSAYS" - om matematikundervisning, matematiklæreruddannelsen og videnskabsrindalismen.
Af: Mogens Niss
Nr. 4 er p.t. udgået.
- 5/78 "BIBLIOGRAFISK VEJLEDNING til studiet af DEN MODERNE FYSIKS HISTORIE".
Af: Helge Kragh.
Nr. 5 er p.t. udgået.
- 6/78 "NOGLE ARTIKLER OG DEBATINDLÆG OM - læreruddannelse og undervisning i fysik, og - de naturvidenskabelige fags situation efter studenteroprøret".
Af: Karin Beyer, Jens Højgaard Jensen og Bent C. Jørgensen.
- 7/78 "MATEMATIKKENS FORHOLD TIL SAMFUNDSØKONOMIEN".
Af: B.V. Gnedenko.
Nr. 7 er udgået.
- 8/78 "DYNAMIK OG DIAGRAMMER". Introduktion til energy-bond-graph formalismen.
Af: Peder Voetmann Christiansen.
- 9/78 "OM PRAKSIS' INDFLYDELSE PÅ MATEMATIKKENS UDVIKLING". - Motiver til Kepler's: "Nova Stereometria Doliorum Vinariorum".
Projektrapport af: Lasse Rasmussen.
Vejleder: Anders Madsen.
-
- 10/79 "TERMODYNAMIK I GYMNASIET".
Projektrapport af: Jan Christensen og Jeanne Mortensen,
Vejledere: Karin Beyer og Peder Voetmann Christiansen.
- 11/79 "STATISTISKE MATERIALER".
Af: Jørgen Larsen.
- 12/79 "LINEÆRE DIFFERENTIALLIGNINGER OG DIFFERENTIALLIGNINGSSYSTEMER".
Af: Mogens Brun Heefelt.
Nr. 12 er udgået.
- 13/79 "CAVENDISH'S FORSØG I GYMNASIET".
Projektrapport af: Gert Kreinøe.
Vejleder: Albert Chr. Paulsen.
- 14/79 "BOOKS ABOUT MATHEMATICS: History, Philosophy, Education, Models, System Theory, and Works of".
Af: Else Høyrup.
Nr. 14 er p.t. udgået.
- 15/79 "STRUKTUREL STABILITET OG KATASTROFER i systemer i og udenfor termodynamisk ligevægt".
Specialeopgave af: Leif S. Striegler.
Vejleder: Peder Voetmann Christiansen.
- 16/79 "STATISTIK I KRÆFTFORSKNINGEN".
Projektrapport af: Michael Olsen og Jørn Jensen.
Vejleder: Jørgen Larsen.
- 17/79 "AT SPØRGE OG AT SVARE i fysikundervisningen".
Af: Albert Christian Paulsen.
- 18/79 "MATHEMATICS AND THE REAL WORLD", Proceedings af an International Workshop, Roskilde University Centre, Denmark, 1978.
Preprint.
Af: Bernhelm Booss og Mogens Niss (eds.)
- 19/79 "GEOMETRI, SKOLE OG VIRKELIGHED".
Projektrapport af: Tom J. Andersen, Tommy R. Andersen og Per H.H. Larsen.
Vejleder: Mogens Niss.
- 20/79 "STATISTISKE MODELLER TIL BESTEMMELSE AF SIKRE DOSER FOR CARCINOGENE STOFFER".
Projektrapport af: Michael Olsen og Jørn Jensen.
Vejleder: Jørgen Larsen
- 21/79 "KONTROL I GYMNASIET-FORMÅL OG KONSEKVENSER".
Projektrapport af: Crilles Bacher, Per S. Jensen, Preben Jensen og Torben Nysteen.
- 22/79 "SEMIOTIK OG SYSTEMEGENSKABER (1)".
1-port lineært response og støj i fysikken.
Af: Peder Voetmann Christiansen.
- 23/79 "ON THE HISTORY OF EARLY WAVE MECHANICS - with special emphasis on the role of reality".
Af: Helge Kragh.
-
- 24/80 "MATEMATIKOPFATTELSE HOS 2.G'ERE".
a+b 1. En analyse. 2. Interviewmateriale.
Projektrapport af: Jan Christensen og Knud Lindhardt Rasmussen.
Vejleder: Mogens Niss.
- 25/80 "EKSAMENSOPGAVER", Dybdemodul/fysik 1974-79.
- 26/80 "OM MATEMATISKE MODELLER".
En projektrapport og to artikler.
Af: Jens Højgaard Jensen m.fl.
- 27/80 "METHODODOLOGY AND PHILOSOPHY OF SCIENCE IN PAUL DIRAC'S PHYSICS".
Af: Helge Kragh.
- 28/80 "DILEMMATISK RELAXATION - et forslag til en ny model bygget på væskemes viscoelastiske egenskaber".
Projektrapport af: Gert Kreinøe.
Vejleder: Niels Boye Olsen.
- 29/80 "ODIN - undervisningsmateriale til et kursus i differentiaalligningsmodeller".
Projektrapport af: Tommy R. Andersen, Per H.H. Larsen og Peter H. Lassen.
Vejleder: Mogens Brun Heefelt.
- 30/80 "FUSIONSENERGIEN - - - ATOMSAMFUNDETS ENDESTATION".
Af: Oluf Danielsen.
Nr. 30 er udgået.
- 31/80 "VIDENSKABSTEORETISKE PROBLEMER VED UNDERVISNINGSSYSTEMER BASERET PÅ MÅNGDELERE".
Projektrapport af: Troels Lange og Jørgen Karrebæk.
Vejleder: Stig Andur Pedersen.
Nr. 31 er p.t. udgået.
- 32/80 "POLYMERE STOFFERS VISCOELASTISKE EGENSKABER - BELYST VED HJÆLP AF MEKANISKE IMPEDANSMÅLINGER - GER MOSSBAUEREFFEKTIVITÄT".
Projektrapport af: Crilles Bacher og Preben Jensen.
Vejledere: Niels Boye Olsen og Peder Voetmann Christiansen.
- 33/80 "KONSTITUERING AF FAG INDEN FOR TEKNISK - NATURVIDENSKABELIGE UDDANNELSER. I-II".
Af: Arne Jakobsen.
- 34/80 "ENVIRONMENTAL IMPACT OF WIND ENERGY UTILIZATION".
ENERGY SERIES NO. 1.
Af: Bent Sørensen
Nr. 34 er udgået.

- 35/80 "HISTORISKE STUDIER I DEN NYERE ATOMFYSIKS UDVIKLING".
Af: Helge Kragh.
- 36/80 "HVAD ER MENINGEN MED MATEMATIKUNDERVISNINGEN?".
Fire artikler.
Af: Mogens Niss.
- 37/80 "RENEWABLE ENERGY AND ENERGY STORAGE".
ENERGY SERIES NO. 2.
Af: Bent Sørensen.
-
- 38/81 "TIL EN HISTORIETBØR OM NATURERKENDELSE, TEKNOLOGI OG SAMFUND".
Projektrapport af: Erik Gade, Hans Heddal, Henrik Lau og Finn Physant.
Vejledere: Stig Andur Pedersen, Helge Kragh og Ib Thiersen.
Nr. 38 er p.t. udgået.
- 39/81 "TIL KRITIKKEN AF VÆKSTØKONOMIEN".
Af: Jens Højgaard Jensen.
- 40/81 "TELEKOMMUNIKATION I DANMARK - oplæg til en teknologivurdering".
Projektrapport af: Arne Jørgensen, Bruno Petersen og Jan Vedde.
Vejleder: Per Nørgaard.
- 41/81 "PLANNING AND POLICY CONSIDERATIONS RELATED TO THE INTRODUCTION OF RENEWABLE ENERGY SOURCES INTO ENERGY SUPPLY SYSTEMS".
ENERGY SERIES NO. 3.
Af: Bent Sørensen.
- 42/81 "VIDENSKAB TEORI SAMFUND - En introduktion til materialistiske videnskabsopfattelser".
Af: Helge Kragh og Stig Andur Pedersen.
- 43/81 1. "COMPARATIVE RISK ASSESSMENT OF TOTAL ENERGY SYSTEMS".
2. "ADVANTAGES AND DISADVANTAGES OF DECENTRALIZATION".
ENERGY SERIES NO. 4.
Af: Bent Sørensen.
- 44/81 "HISTORISKE UNDERSØGELSER AF DE EKSPERIMENTELLE FORUDSÆTNINGER FOR RUTHERFORDS ATOMMODEL".
Projektrapport af: Niels Thor Nielsen.
Vejleder: Bent C. Jørgensen.
-
- 45/82 Er aldrig udkommet.
- 46/82 "EKSEMPLARISK UNDERVISNING OG FYSISK ERKENDELSE-
1+11 ILLUSTRERET VED TO EKSEMPLER".
Projektrapport af: Torben O. Olsen, Lasse Rasmussen og Niels Dreyer Sørensen.
Vejleder: Bent C. Jørgensen.
- 47/82 "BARSEBÄCK OG DET VÆRST OFFICIELT-TÆNKELIGE UHELD".
ENERGY SERIES NO. 5.
Af: Bent Sørensen.
- 48/82 "EN UNDERSØGELSE AF MATEMATIKUNDERVISNINGEN PÅ ADGANGSKURSUS TIL KØBENHAVNS TEKNIKUM".
Projektrapport af: Lis Eilertzen, Jørgen Karrebæk, Troels Lange, Preben Nørregaard, Lissi Pedersen, Laust Rishøj, Lill Røn og Isac Showiki.
Vejledere: Mogens Niss.
- 49/82 "ANALYSE AF MULTISPEKTRALE SATELLITBILLEDER".
Projektrapport af: Preben Nørregaard.
Vejledere: Jørgen Larsen og Rasmus Ole Rasmussen.
- 50/82 "HERSLEV - MULIGHEDER FOR VEDVARENDE ENERGI I EN LANDSBY".
ENERGY SERIES NO. 6.
Rapport af: Bent Christensen, Bent Hove Jensen, Dennis B. Møller, Bjarne Laursen, Bjarne Lillethorup og Jacob Mørch Pedersen.
Vejleder: Bent Sørensen.
- 51/82 "HVAD KAN DER Gøres FOR AT AFHJÆLPE PICERS BLOKERING OVERFOR MATEMATIK?".
Projektrapport af: Lis Eilertzen, Lissi Pedersen, Lill Røn og Susanne Stender.
- 52/82 "DESUSPENSION OF SPLITTING ELLIPTIC SYMBOLS".
Af: Bernhelm Booss og Krzysztof Wojciechowski.
- 53/82 "THE CONSTITUTION OF SUBJECTS IN ENGINEERING EDUCATION".
Af: Arne Jacobsen og Stig Andur Pedersen.
- 54/82 "FUTURES RESEARCH" - A Philosophical Analysis of Its Subject-Matter and Methods.
Af: Stig Andur Pedersen og Johannes Witt-Hansen.
- 55/82 "MATEMATISKE MODELLER" - Litteratur på Roskilde Universitetsbibliotek.
En biografi.
Af: Else Højrup.
- Vedr. tekst nr. 55/82 se også tekst nr. 62/83.
- 56/82 "EN - TO - MANGE" -
En undersøgelse af matematisk økologi.
Projektrapport af: Troels Lange.
Vejleder: Anders Madsen.
-
- 57/83 "ASPECT EKSPERIMENTET"-
Skjulte variable i kvantemekanikken?
Projektrapport af: Tom Juul Andersen.
Vejleder: Peder Voetmann Christiansen.
Nr. 57 er udgået.
- 58/83 "MATEMATISKE VANDRINGER" - Modelbetragtninger over spredning af dyr mellem småbiotoper i agerlandet.
Projektrapport af: Per Hammershøj Jensen og Lene Vagn Rasmussen.
Vejleder: Jørgen Larsen.
- 59/83 "THE METHODOLOGY OF ENERGY PLANNING".
ENERGY SERIES NO. 7.
Af: Bent Sørensen.
- 60/83 "MATEMATISK MODEKSPERTISE"- et eksempel.
Projektrapport af: Erik O. Gade, Jørgen Karrebæk og Preben Nørregaard.
Vejleder: Anders Madsen.
- 61/83 "FYSIKS IDEOLOGISKE FUNKTION, SOM ET EKSEMPEL PÅ EN NATURVIDENSKAB - HISTORISK SET".
Projektrapport af: Annette Post Nielsen.
Vejledere: Jens Højrup, Jens Højgaard Jensen og Jørgen Vogelius.
- 62/83 "MATEMATISKE MODELLER" - Litteratur på Roskilde Universitetsbibliotek.
En biografi 2. rev. udgave.
Af: Else Højrup.
- 63/83 "CREATING ENERGY FUTURES: A SHORT GUIDE TO ENERGY PLANNING".
ENERGY SERIES NO. 8.
Af: David Crossley og Bent Sørensen.
- 64/83 "VON MATEMATIK UND KRIEG".
Af: Bernhelm Booss og Jens Højrup.
- 65/83 "ANVENDT MATEMATIK - TEORI ELLER PRAKSIS".
Projektrapport af: Per Hedegård Andersen, Kirsten Habekost, Carsten Holst-Jensen, Annelise von Moos, Else Marie Pedersen og Erling Møller Pedersen.
Vejledere: Bernhelm Booss og Klaus Grünbaum.
- 66/83 "MATEMATISKE MODELLER FOR PERIODISK SELEKTION I ESCHERICHIA COLI".
Projektrapport af: Hanne Lisbet Andersen, Ole Richard Jensen og Klavs Frisdahl.
Vejledere: Jørgen Larsen og Anders Hede Madsen.
- 67/83 "ELEPSOIDE METODEN - EN NY METODE TIL LINEÆR PROGRAMMERING?".
Projektrapport af: Lone Billmann og Lars Boye.
Vejleder: Mogens Brun Heefelt.
- 68/83 "STOKASTISKE MODELLER I POPULATIONSGENETIK" - til kritikken af teoriladede modeller.
Projektrapport af: Lise Odgård Gade, Susanne Hansen, Michael Hviid og Frank Mølgård Olsen.
Vejleder: Jørgen Larsen.

- 69/83 "ELEVFORUDSÆTNINGER I FYSIK"
- en test i l.g med kommentarer.
Af: Albert C. Paulsen.
- 70/83 "INDLÆRINGS - OG FORMIDLINGSPROBLEMER I MATEMATIK PÅ VOKSENUNDERVISNINGSNIVEAU".
Projektrapport af: Hanne Lisbet Andersen, Torben J. Andreasen, Svend Åge Houmann, Helle Glerup Jensen, Keld Fl. Nielsen, Lene Vagn Rasmussen.
Vejleder: Klaus Grünbaum og Anders Hede Madsen.
- 71/83 "PIGER OG FYSIK"
- et problem og en udfordring for skolen?
Af: Karin Beyer, Sussanne Blegaa, Birthe Olsen, Jette Reich og Mette Vedelsby.
- 72/83 "VERDEN IFØLGE PEIRCE" - to metafysiske essays, om og af C.S Peirce.
Af: Peder Voetmann Christiansen.
- 73/83 "EN ENERGIANALYSE AF LANDBRUG"
- Økologisk contra traditionelt.
ENERGY SERIES NO. 9
Specialeopgave i fysik af: Bent Hove Jensen.
Vejleder: Bent Sørensen.
-
- 74/84 "MINIATURISERING AF MIKROELEKTRONIK" - om videnskabeliggjort teknologi og nytten af at lære fysik.
Projektrapport af: Bodil Harder og Linda Szkotak Jensen.
Vejledere: Jens Højgaard Jensen og Bent C. Jørgensen.
- 75/84 "MATEMATIKUNDERVISNINGEN I FREMTIDENS GYMNASIUM"
- Case: Lineær programmering.
Projektrapport af: Morten Blomhøj, Klavs Frisdahl og Frank Mølgaard Olsen.
Vejledere: Mogens Brun Heefelt og Jens Bjørneboe.
- 76/84 "KERNEKRAFT I DANMARK?" - Et høringssvar indkaldt af miljøministeriet, med kritik af miljøstyrelsens rapporter af 15. marts 1984.
ENERGY SERIES No. 10
Af: Niels Boye Olsen og Bent Sørensen.
- 77/84 "POLITISKE INDEKS - FUP ELLER FAKTA?"
Opinionsundersøgelser belyst ved statistiske modeller.
Projektrapport af: Svend Åge Houmann, Keld Nielsen og Susanne Stender.
Vejledere: Jørgen Larsen og Jens Bjørneboe.
- 78/84 "JEVNSTRØMSLEDNINGSEVNE OG GITTERSTRUKTUR I AMORFT GERMANIUM".
Specialrapport af: Hans Heddal, Frank C. Ludvigsen og Finn C. Physant.
Vejleder: Niels Boye Olsen.
- 79/84 "MATEMATIK OG ALMENDANNELSE".
Projektrapport af: Henrik Ooster, Mikael Wennerberg Johansen, Povl Kattler, Birgitte Lydholm og Morten Overgaard Nielsen.
Vejleder: Bernhelm Booss.
- 80/84 "KURSUSMATERIALE TIL MATEMATIK B".
Af: Mogens Brun Heefelt.
- 81/84 "FREKVENSAFHÆNGIG LEDNINGSEVNE I AMORFT GERMANIUM".
Specialrapport af: Jørgen Wind Petersen og Jan Christensen.
Vejleder: Niels Boye Olsen.
- 82/84 "MATEMATIK - OG FYSIKUNDERVISNINGEN I DET AUTOMATISEREDE SAMFUND".
Rapport fra et seminar afholdt i Hvidovre 25-27 april 1983.
Red.: Jens Højgaard Jensen, Bent C. Jørgensen og Mogens Niss.
- 83/84 "ON THE QUANTIFICATION OF SECURITY":
PEACE RESEARCH SERIES NO. 1
Af: Bent Sørensen
nr. 83 er p.t. udgået
- 84/84 "NOGLE ARTIKLER OM MATEMATIK, FYSIK OG ALMENDANNELSE".
Af: Jens Højgaard Jensen, Mogens Niss m. fl.
- 85/84 "CENTRIFUGALREGULATORER OG MATEMATIK".
Specialrapport af: Per Hedegård Andersen, Carsten Holst-Jensen, Else Marie Pedersen og Erling Møller Pedersen.
Vejleder: Stig Andur Pedersen.
- 86/84 "SECURITY IMPLICATIONS OF ALTERNATIVE DEFENSE OPTIONS FOR WESTERN EUROPE".
PEACE RESEARCH SERIES NO. 2
Af: Bent Sørensen.
- 87/84 "A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY IN DISORDERED SOLIDS".
Af: Jeppe C. Dyre.
- 88/84 "RISE, FALL AND RESURRECTION OF INFINITESIMALS".
Af: Detlef Laugwitz.
- 89/84 "FUERNVARMEOPTIMERING".
Af: Bjarne Lillethorup og Jacob Mørch Pedersen.
- 90/84 "ENERGI I L.G - EN TEORI FOR TILRETTELÆGGELSE".
Af: Albert Chr. Paulsen.
-
- 91/85 "KVANTETEORI FOR GYMNASIET".
1. Lærervejledning
Projektrapport af: Biger Lundgren, Henning Sten Hansen og John Johansson.
Vejleder: Torsten Meyer.
- 92/85 "KVANTETEORI FOR GYMNASIET".
2. Materiale
Projektrapport af: Biger Lundgren, Henning Sten Hansen og John Johansson.
Vejleder: Torsten Meyer.
- 93/85 "THE SEMIOTICS OF QUANTUM - NON - LOCALITY".
Af: Peder Voetmann Christiansen.
- 94/85 "TREENIGHEDEN BOURBAKI - generalen, matematikeren og ånden".
Projektrapport af: Morten Blomhøj, Klavs Frisdahl og Frank M. Olsen.
Vejleder: Mogens Niss.
- 95/85 "AN ALTERNATIV DEFENSE PLAN FOR WESTERN EUROPE".
PEACE RESEARCH SERIES NO. 3
Af: Bent Sørensen.
- 96/85 "ASPEKTER VED KRAFTVARMEFORSYNING".
Af: Bjarne Lillethorup.
Vejleder: Bent Sørensen.
- 97/85 "ON THE PHYSICS OF A.C. HOPPING CONDUCTIVITY".
Af: Jeppe C. Dyre.
- 98/85 "VALGMULIGHEDER I INFORMATIONSDEREN".
Af: Bent Sørensen.
- 99/85 "Der er langt fra Q til R".
Projektrapport af: Niels Jørgensen og Mikael Klintorp.
Vejleder: Stig Andur Pedersen.
- 100/85 "TALSYSTEMETS OPBYGNING".
Af: Mogens Niss.
- 101/85 "EXTENDED MOMENTUM THEORY FOR WINDMILLS IN PERTURBATIVE FORM".
Af: Ganesh Sengupta.
- 102/85 OPSTILLING OG ANALYSE AF MATEMATISKE MODELLER, BELYST VED MODELLER OVER KØRS FODEROPFØDELSE OG - OMSÆTNING".
Projektrapport af: Lis Eilertzen, Kirsten Habekost, Lill Røn og Susanne Stender.
Vejleder: Klaus Grünbaum.

- 103/85 "ØDSLE KOLDKRIGERE OG VIDENSKABENS LYSE IDEER".
Projektrapport af: Niels Ole Dam og Kurt Jensen.
Vejleder: Bent Sørensen.
- 104/85 "ANALOGREGNEMASKINEN OG LORENZLIGNINGER".
Af: Jens Jäger.
- 105/85 "THE FREQUENCY DEPENDENCE OF THE SPECIFIC HEAT OF THE GLASS REANSITION".
Af: Tage Christensen.
- "A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY".
Af: Jeppe C. Dyre.
Contributions to the Third International Conference on the Structure of Non - Crystalline Materials held in Grenoble July 1985.
- 106/85 "QUANTUM THEORY OF EXTENDED PARTICLES".
Af: Bent Sørensen.
- 107/85 "EN MYG GØR INGEN EPIDEMI".
- floblindhed som eksempel på matematisk modellering af et epidemiologisk problem.
Projektrapport af: Per Hedegård Andersen, Lars Boye, Carsten Holst Jensen, Else Marie Pedersen og Erling Møller Pedersen.
Vejleder: Jesper Larsen.
- 108/85 "APPLICATIONS AND MODELLING IN THE MATHEMATICS CURRICULUM" - state and trends -
Af: Mogens Niss.
- 109/85 "COX I STUDIETIDEN" - Cox's regressionsmodel anvendt på studenteroplysninger fra RUC.
Projektrapport af: Mikael Wennerberg Johansen, Poul Katler og Torben J. Andreasen.
Vejleder: Jørgen Larsen.
- 110/85 "PLANNING FOR SECURITY".
Af: Bent Sørensen
- 111/85 "JORDEN RUNDT PÅ FLADE KORT".
Projektrapport af: Birgit Andresen, Beatriz Quinones og Jimmy Staal.
Vejleder: Mogens Niss.
- 112/85 "VIDENSKABELIGGØRELSE AF DANSK TEKNOLOGISK INNOVATION FREM TIL 1950 - BELYST VED EKSEMPLER".
Projektrapport af: Erik Odgaard Gade, Hans Hedal, Frank C. Ludvigsen, Annette Post Nielsen og Finn Physant.
Vejleder: Claus Bryld og Bent C. Jørgensen.
- 113/85 "DESUSPENSION OF SPLITTING ELLIPTIC SYMBOLS II".
Af: Bernhelm Booss og Krzysztof Wojciechowski.
- 114/85 "ANVENDELSE AF GRAFISKE METODER TIL ANALYSE AF KONTIGENTABELLER".
Projektrapport af: Lone Billmann, Ole R. Jensen og Arne-Lise von Moos.
Vejleder: Jørgen Larsen.
- 115/85 "MATEMATIKKENS UDVIKLING OP TIL RENESSANCEN".
Af: Mogens Niss.
- 116/85 "A PHENOMENOLOGICAL MODEL FOR THE MEYER-NELDEL RULE".
Af: Jeppe C. Dyre.
- 117/85 "KRAFT & FJERNVARMEOPTIMERING".
Af: Jacob Mørch Pedersen.
Vejleder: Bent Sørensen
- 118/85 "TILFÆLDIGHEDEN OG NØDVENDIGHEDEN IFØLGE PEIRCE OG FYSIKKEN".
Af: Peder Voetmann Christiansen
-
- 119/86 "DET ER GANSKE VIST - - EUKLIDS FEMTE POSTULAT KUNNE NOK SKABE RØRE I ANDEDAKKEN".
Af: Iben Maj Christiansen
Vejleder: Mogens Niss.
- 120/86 "ET ANTAL STATISTISKE STANDARDMODELLER".
Af: Jørgen Larsen
- 121/86 "SIMULATION I KONTINUERT TID".
Af: Peder Voetmann Christiansen.
- 122/86 "ON THE MECHANISM OF GLASS IONIC CONDUCTIVITY".
Af: Jeppe C. Dyre.
- 123/86 "GYMNASIEFYSIKKEN OG DEN STORE VERDEN".
Fysiklærerforeningen, IMFUA, RUC.
- 124/86 "OPGAVESAMLING I MATEMATIK".
Samtlige opgaver stillet i tiden 1974-jan. 1986.
- 125/86 "UVBY, 8 - systemet - en effektiv fotometrisk spektral-klassifikation af B-, A- og F-stjerner".
Projektrapport af: Birger Lundgren.
- 126/86 "OM UDVIKLINGEN AF DEN SPECIELLE RELATIVITETSTEORI".
Projektrapport af: Lise Odgaard & Linda Szkotak Jensen
Vejledere: Karin Beyer & Stig Andur Pedersen.
- 127/86 "GALOIS' BIDRAG TIL UDVIKLINGEN AF DEN ABSTRAKTE ALGEBRA".
Projektrapport af: Pernille Sand, Heine Larsen & Lars Frandsen.
Vejleder: Mogens Niss.
- 128/86 "SMÅKRYB" - om ikke-standard analyse.
Projektrapport af: Niels Jørgensen & Mikael Klintorp.
Vejleder: Jeppe Dyre.
- 129/86 "PHYSICS IN SOCIETY"
Lecture Notes 1983 (1986)
Af: Bent Sørensen
- 130/86 "Studies in Wind Power"
Af: Bent Sørensen
- 131/86 "FYSIK OG SAMFUND" - Et integreret fysik/historie-projekt om naturanskuelsens historiske udvikling og dens samfundsmæssige betingethed.
Projektrapport af: Jakob Heckscher, Søren Brønd, Andy Wierød.
Vejledere: Jens Høyrup, Jørgen Vogelius, Jens Højgaard Jensen.
- 132/86 "FYSIK OG DANNEELSE"
Projektrapport af: Søren Brønd, Andy Wierød.
Vejledere: Karin Beyer, Jørgen Vogelius.
- 133/86 "CHERNOBYL ACCIDENT: ASSESSING THE DATA. ENERGY SERIES NO. 15.
Af: Bent Sørensen.
-
- 134/87 "THE D.C. AND THE A.C. ELECTRICAL TRANSPORT IN AsSeTe SYSTEM"
Authors: M.B.El-Den, N.B.Olsen, Ib Høst Pedersen, Petr Viscör
- 135/87 "INTUITIONISTISK MATEMATIKS METODER OG ERKENDELSESTEORETISKE FORUDSÆTNINGER"
MATEMATIKSPECIALE: Claus Larsen
Vejledere: Anton Jensen og Stig Andur Pedersen
- 136/87 "Mystisk og naturlig filosofi: En skitse af kristendommens første og andet møde med græsk filosofi"
Projektrapport af Frank Colding Ludvigsen
Vejledere: Historie: Ib Thiersen
Fysik: Jens Højgaard Jensen
- 137/87 "HOPMODELLER FOR ELEKTRISK LEDNING I UORDNEDE FASTE STOFFER" - Resume af licentiatafhandling
Af: Jeppe Dyre
Vejledere: Niels Boye Olsen og Peder Voetmann Christiansen.

138/87 "JOSEPHSON EFFECT AND CIRCLE MAP."

Paper presented at The International Workshop on Teaching Nonlinear Phenomena at Universities and Schools, "Chaos in Education". Balaton, Hungary, 26 April-2 May 1987.

By: Peder Voetmann Christiansen

139/87 "Machbarkeit nichtbeherrschbarer Technik durch Fortschritte in der Erkennbarkeit der Natur"

Af: Bernhelm Booss-Bavnbek
Martin Bohle-Carbonell

140/87 "ON THE TOPOLOGY OF SPACES OF HOLOMORPHIC MAPS"

By: Jens Gravesen

141/87 "RADIOMETERS UDVIKLING AF BLODGASAPPARATUR - ET TEKNOLOGIHISTORISK PROJEKT"

Projektrapport af Finn C. Physant
Vejleder: Ib Thiersen

142/87 "The Calderón Projektor for Operators With Splitting Elliptic Symbols"

by: Bernhelm Booss-Bavnbek og
Krzysztof P. Wojciechowski

143/87 "Kursusmateriale til Matematik på NAT-BAS"

af: Mogens Brun Heefelt

144/87 "Context and Non-Locality - A Peircan Approach"

Paper presented at the Symposium on the Foundations of Modern Physics The Copenhagen Interpretation 60 Years after the Como Lecture. Joensuu, Finland, 6 - 8 august 1987.

By: Peder Voetmann Christiansen

145/87 "AIMS AND SCOPE OF APPLICATIONS AND MODELLING IN MATHEMATICS CURRICULA"

Manuscript of a plenary lecture delivered at ICMTA 3, Kassel, FRG 8.-11.9.1987

By: Mogens Niss

146/87 "BESTEMMELSE AF BULKRESISTIVITETEN I SILICIUM"

- en ny frekvensbaseret målemetode.

Fysikspeciale af Jan Vedde

Vejledere: Niels Boye Olsen & Petr Višćor

147/87 "Rapport om BIS på NAT-BAS"

redigeret af: Mogens Brun Heefelt

148/87 "Naturvidenskabsundervisning med Samfundsperspektiv"

af: Peter Colding-Jørgensen DLH
Albert Chr. Paulsen

149/87 "In-Situ Measurements of the density of amorphous germanium prepared in ultra high vacuum"

by: Petr Višćor

150/87 "Structure and the Existence of the first sharp diffraction peak in amorphous germanium prepared in UHV and measured in-situ"

by: Petr Višćor

151/87 "DYNAMISK PROGRAMMERING"

Matematikprojekt af:
Birgit Andresen, Keld Nielsen og Jimmy Staal

Vejleder: Mogens Niss