

## A Web-based Tool Combining Different Type Analyses

Henriksen, Kim Steen; Gallagher, John Patrick

*Published in:*

WLPE-06: Workshop on Logic-Based methods in Programming Environments

*Publication date:*

2006

*Document Version*

Publisher's PDF, also known as Version of record

*Citation for published version (APA):*

Henriksen, K. S., & Gallagher, J. P. (2006). A Web-based Tool Combining Different Type Analyses. In W. Vanhoof, & S. Hernández (Eds.), WLPE-06: Workshop on Logic-Based methods in Programming Environments: ICLP-06 Workshop (pp. 118-129)

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

### **Take down policy**

If you believe that this document breaches copyright please contact [rucforsk@ruc.dk](mailto:rucforsk@ruc.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# A Web-based Tool Combining Different Type Analyses

Kim S. Henriksen and John P. Gallagher

Computer Science, Building 42.1, P.O. Box 260,  
Roskilde University, DK-4000 Denmark  
Email: {kimsh,jpg}@ruc.dk

**Abstract.** There are various kinds of type analysis of logic programs. These include for example inference of types that describe an over-approximation of the success set of a program, inference of well-typings, and abstractions based on given types. Analyses can be descriptive or prescriptive or a mixture of both, and they can be goal-dependent or goal-independent. We describe a prototype tool that can be accessed from a web browser, allowing various type analyses to be run. The first goal of the tool is to allow the analysis results to be examined conveniently by clicking on points in the original program clauses, and to highlight ill-typed program constructs, empty types or other type anomalies. Secondly the tool allows combination of the various styles of analysis. For example, a descriptive regular type can be automatically inferred for a given program, and then that type can be used to generate the minimal “domain model” of the program with respect to the corresponding pre-interpretation, which can give more precise information than the original descriptive type.

## 1 Introduction

Type analysis has a long history in logic programming, going back to [1–4]. Roughly speaking we can divide the field into descriptive typing and prescriptive typing. In the former, we start with an untyped program and infer a set of type rules describing the terms that can appear in each argument position, automatically inventing types in the process. In the latter, we start from a program and some given types as well as possibly type signatures for the predicates, and infer types for the variables or other program points in the program.

Using a simple example, let us review the different approaches to type analysis. The descriptive approaches can be split into those that infer over-approximations, and those that compute a well-typing. The difference can be seen in a simple program such as the *append* program. Using a descriptive over-approximation, we could obtain a type signature `append(list, any, any)` where the type `list` is automatically constructed and defined by the regular type rules `list --> [] ; [any|list]` where `any` is the type containing all terms. Note that the second and third arguments cannot be approximated more precisely than `any` because (a) the base case of the *append* program allows any terms in these arguments, so that for example `append([], foo, foo)` is a consequence of the program, and (b) because the abstraction is based on arguments rather than relations. This means that we cannot capture the fact that the second argument of the program is a list if and only if the third argument is also a list.

A well-typing [5] could infer a type signature `append(list(X), list(X), list(X))`, where `list(X)` is defined by the parametrised type rule `list(X) --> [] ; [X|list(X)]`, or else simply `append(list, list, list)` where `list` is defined as above. This is not an over-approximation of the success-set of the program; for example `append([], foo, foo)`

is not well-typed by this signature. However, it gives a well-typing to all uses of the *append* program that are in fact used to append lists.

Now consider an approach in which types are given. Given the types `list` and `any` as defined above, an abstraction can be automatically constructed in which each term is interpreted either as `list` or as `nonlist`, where `nonlist` is defined as the difference of `any` and `list`. (This is equivalent to a pre-interpretation over the domain  $\{\text{list}, \text{nonlist}\}$  [6–8].) Computing the least model with respect to this abstraction, we obtain a model  $\{\text{append}(\text{list}, \text{list}, \text{list}), \text{append}(\text{list}, \text{nonlist}, \text{nonlist})\}$ . This is a relational over-approximation of the success set of the *append* program. It is more accurate than  $\text{append}(\text{list}, \text{any}, \text{any})$ ; for example the atom  $\text{append}([], \text{foo}, [])$  is allowed by  $\text{append}(\text{list}, \text{any}, \text{any})$  but not by the model  $\{\text{append}(\text{list}, \text{list}, \text{list}), \text{append}(\text{list}, \text{nonlist}, \text{nonlist})\}$ .

The combination of these styles has not been investigated much to our knowledge, but the possibilities seem interesting. For instance, well-typings can be found in time roughly linear in the program being analysed [5]. However, these are not safe approximations and cannot directly be used to find type errors. However, by using the inferred types prescriptively to compute an abstract model, we can find bugs such as predicates that have no solution in the model, or variables that cannot be assigned a non-empty type. Similarly, an analysis based on a domain of NFTAs (non-deterministic finite tree automata) can yield complex types that would be very hard for a programmer to write by hand. These types, when used in a prescriptive analysis, can capture deeper properties of the program under analysis than could be easily identified otherwise.

In Section 2 we summarise the different type analysis methods handled by the tool. Section 3 briefly describes the approach to goal-dependent analyses in a bottom-up, goal-independent analysis framework. Section 4 presents the approach to using descriptive types as input to prescriptive type analyses, in order to gain precision. Section 5 outlines the implementation of the tool and its web interface. Section 6 discusses some future work and gives a summary and conclusion.

## 2 Type Analysis Methods

The type analysis tool includes at present three main type analysis engines:

- Domain model: given a program and a regular type, the tool computes the least model with respect to the pre-interpretation derived from the type. A BDD-based solver can be optionally used to compute the model, giving greater scalability (at the cost of some pre-processing).
- Well-typing: given a program, the tool computes types and predicate signatures that are a well-typing for the program.
- NFTA: given a program, the tool computes a regular type (non-deterministic finite tree automaton) that represents an over-approximation of the least model of the program.

This is not by any means a complete set of type analysis tools. For instance, we did not include a type analysis tool using widening [9–11], or a polymorphic type analysis with explicit type union and intersection operations [12]. These could be incorporated later, but we believe that the above tools are representative of the main styles of type analysis. These tools are all goal-independent but we have implemented goal-dependent analyses using query-answer transformations [13, 14]. We review next the main aspects of each of these tools.

## 2.1 Domain Model

The analysis is based on given regular types. More details can be found in [15,16]. A regular type  $R$  can be viewed as a finite tree automaton (FTA) [17], in which a type rule say `list --> []`; `[dynamic|list]` is viewed as the tree automata transitions  $[] \rightarrow list$  and  $[dynamic|list] \rightarrow list^1$ . Using a standard algorithm from tree automaton theory we can obtain an FTA  $R'$  that accepts exactly the same set of terms as  $R$ , but is *bottom-up deterministic* (a DFTA). Each rule of a DFTA is of the form  $f(q_1, \dots, q_n) \rightarrow q$  and there are no two terms with the same left hand side. This implies that each term is accepted by at most one state of  $R'$ . Determinisation of an FTA with states  $Q$  yields an FTA whose states are a subset of  $2^Q$ . A state  $\{q_1, \dots, q_k\}$  in the DFTA accepts terms that are accepted by all of the states  $q_1, \dots, q_k$  in the original FTA, and by no other states in  $Q$ . For instance, consider a matrix transpose program.

```
transpose(Xs, []) :- nullrows(Xs).
transpose(Xs, [Y|Ys]) :- makerow(Xs,Y,Zs), transpose(Zs,Ys).
makerow([], [], []).
makerow([X|Xs|Ys], [X|Xs1], [Xs|Zs]) :- makerow(Ys,Xs1,Zs).
nullrows([]).
nullrows([_|Ns]) :- nullrows(Ns).
```

As this program is intended to manipulate matrices of unknown type, we define the following types `matrix`, `row` and `dynamic`, expressed as an FTA.

```
[] -> matrix
[row|matrix] -> matrix
[] -> row
[dynamic|row] -> row
```

Our intention is to analyse the `transpose` program in order to discover whether the program's arguments have the expected types. Note that the above FTA is not bottom-up deterministic since there are two transitions with left hand side equal to `[]`. Determinisation of this FTA together with the rules defining `dynamic` for the program's signature, yields the following states and type rules (assuming that the signature is  $\{\text{cons}/2, []/0, 0/0, \text{s}/1\}$ ).

```
[] -> {dynamic,matrix,row}
[{dynamic,matrix,row}|{dynamic,matrix,row}] -> {dynamic,matrix,row}
[{dynamic,row}|{dynamic,matrix,row}] -> {dynamic,matrix,row}
[{dynamic}|{dynamic,matrix,row}] -> {dynamic,row}
[_|{dynamic,row}] -> {dynamic,row}
[_|{dynamic}] -> {dynamic}
0 -> {dynamic}
s({dynamic}) -> {dynamic}
```

---

<sup>1</sup> The name `dynamic` is used for the type of all terms and is a synonym for `any`. The name is chosen due to the connection with binding time analysis in partial evaluation [18,19]. It is defined by the set of type rules of the form  $f(\text{dynamic}, \dots, \text{dynamic}) \rightarrow \text{dynamic}$  for each function  $f$  in the signature of the language.


Note that in the determinised automaton the states are sets of states in the original FTA. These rules define an abstraction over the domain elements  $\{\{\text{dynamic}, \text{matrix}, \text{row}\}, \{\text{dynamic}, \text{row}\}, \{\text{dynamic}\}\}$ , which represent the following sets of terms.

- $\{\text{dynamic}, \text{matrix}, \text{row}\}$ : the set of terms that are in all the types `matrix`, `row` and `dynamic`.  $\{\text{dynamic}, \text{matrix}, \text{row}\}$  is equivalent to `matrix` since `matrix` is a subset of both `row` and `dynamic`.
- $\{\text{dynamic}, \text{row}\}$ : the set of terms that are in the types `row` and `dynamic` but not in `matrix`, that is, it is the set of lists whose elements are not all lists.
- $\{\text{dynamic}\}$ : the set of terms that are in `dynamic` but not in the other types.

These three types are disjoint and complete; every term is in exactly one of these types. We can compute the minimal model of a program based on this DFTA (for details of the process see [15]). In the model of this program over the domain  $\{\{\text{dynamic}, \text{matrix}, \text{row}\}, \{\text{dynamic}, \text{row}\}, \{\text{dynamic}\}\}$  defined above, the `transpose` predicate has the model

`transpose({dynamic, matrix, row}, {dynamic, matrix, row})`

indicating that it can only succeed with both arguments `matrix`. Figure 1 displays a screenshot of the tool, showing the `transpose` program, and the regular type defining `matrix` and `row`. Figure 2 shows the results of computing the domain model, for the



**Fig. 1.** The main tool interface showing a program and type ready for analysis

`transpose` predicate. The model of the predicate appears when the mouse is moved over the symbol to the left of the head of a clause for `transpose`. Note that for brevity the domain elements are numbered and a key is given alongside the predicate's model. Also, the type `dynamic` is omitted since it intersects with every other type, hence the type `[]` mentioned in Figure 2 is in fact the type  $\{\text{dynamic}\}$ . If any predicate has an empty model, then the heads of its clauses are highlighted in red.

**Modes as regular types.** The type `dynamic` depends on the signature of the program. We call such types *contextual* types [20]. Other contextual types are those defining the




Fig. 2. Displaying the model of the `transpose` predicate


set of ground terms (called **static**) or non-variables terms (called **nonvar**). We assume that the signature contains some constant  $\$VAR$  that does not appear in any program or query. The rules for contextual types are generated automatically by the system for the given program's signature, and the user does not in fact see these rules at all. The rules defining **static** are all those of the form  $f(\text{static}, \dots, \text{static}) \rightarrow \text{static}$  for each function  $f$  in the signature apart from  $\$VAR$ , while the rules defining **nonvar** are all rules of the form  $f(\text{dynamic}, \dots, \text{dynamic}) \rightarrow \text{nonvar}$  for each function  $f$  in the signature apart from  $\$VAR$ . The rules for **dynamic** do include a rule  $\$VAR \rightarrow \text{dynamic}$ , and thus the types **static** and **nonvar** are not identical to each other or to **dynamic**. A type **var** can also be defined using the single type rule  $\$VAR \rightarrow \text{var}$ .

In the tool, the user can select one or more of the standard types **static**, **nonvar** and **var** and add them to the types to be used for analysis. (The type **dynamic** is always included automatically, to ensure that the types are complete).

The tool can thus be used for some classic mode analyses. By selecting the type **static** alone, the domain model computed represents the POS analysis [21]. Determinisation of the types **static** and **dynamic** results in two elements that represent the sets of ground and non-ground terms respectively. Similarly, selecting the type **var** (or **nonvar**) alone results in a freeness dependency analysis, distinguishing variable and non-variable terms. Combinations of given types such as **list** with **static** or **nonvar** allows the user to distinguish say, ground and non-ground lists, or distinguish lists from other non-variable terms.

## 2.2 Computing a Well-Typing

The well-typing tool computes a set of type rules and signatures and is described in detail in [5]. The result is displayed in the type window on the right hand side of the screen (see Figure 3). The types are parametric, and thus are more expressive than regular types. Note that the types inferred for the *transpose* program are in effect the types **matrix** and **row** defined earlier, except that there is a type parameter representing the type of the elements of the rows. Recall that a well-typing does not necessarily represent a safe approximation of the success set of the given program. It only gives types that consistently indicate the



**Fig. 3.** Displaying a well-typing of the `transpose` program

way in which the predicates are actually called in the program. As we will discuss in Section 4 the well-typing can be checked to see whether it is also a safe approximation. Note that there is some duplication in the types; for example `t3` and `t4` are renamings of each other, as are `t1` and `t5`. In future work we intend to identify and remove such identical types, using the determinisation algorithm employed in the domain model tool to detect the redundancy.

### 2.3 Computing a Non-Deterministic Regular Type Approximation

The third analysis method is the computation of a non-deterministic finite tree automaton that over-approximates the least model of the given program. This method is described in [22]. The generated types tend to be complex and difficult to read. The most interesting information is usually the emptiness of a type. As with the well-typing, the result is displayed in the type window, and can then be converted to a regular type and used to build a domain model. Conversion to regular type form in this case is simple, as the inferred types are already regular type rules. We just need to remove the rules defining the types of the predicates (which will be recomputed during the domain model construction).

## 3 Goal-Dependent Type Analysis

Transformations to allow goal-dependent analysis using a goal-independent analysis tool are well known [13, 14], and have their origin in the “magic set” and “Alexander” methods from deductive databases[23]. The common feature of these transformations is the definition of “query predicates” corresponding to the program predicates. The variant we use in the tool constructs a separate query predicate for each body literal in the program. A similar transformation was described in [14]. As the result of analysis of query-answer transformed programs can be hard to read, the tool displays the models of the query predicates at the corresponding body calls in the original program. An example is shown

in Figure 4. When the mouse is moved over the symbol to the left of each body call, the query patterns for that call are displayed, along with a key to the determined types, as before.




Fig. 4. Displaying call patterns

## 4 From Descriptive to Prescriptive Types

As mentioned earlier, a descriptive analysis such as the well-typing or the NFTA analysis constructs types automatically. Apart from providing documentation about the program predicates, these types can be used for prescriptive analysis where types have to be provided. In [5] the types were used to generate type-based norms for termination analysis. In the present context, the inferred types can be input to the domain model tool. The main reason for doing this is to generate more precise information about failure and dead code in the program. Consider the *naive reverse* program. The well-typing analysis informs us that both arguments of **reverse** are lists, but we do not know whether this is a safe approximation.

A goal-independent NFTA analysis of the same program gives the information that the second argument of **reverse** is approximated by **dynamic**. By taking the result of either of these analyses and using it as the regular type in the domain model tool, we can verify that the second argument of **reverse** is indeed approximated by the type **list**. (We would get the type presented with some system-generated type name such as `[] -> t1`, `[dynamic|t1] -> t1` which we would have to recognise as **list**. Recognition of standard regular types is already performed by the **CiaoPP** analysis tool [24] and might be added to our tool in the future). This allows us to detect as ill-typed any call to **reverse** whose second argument is typed by a non-list.

As can be seen in Figure 3, the tool offers the possibility of using the inferred well-typings or NFTA analysis results to construct regular types. In the case of well-typing rules this just involves replacing the parameters by **dynamic**, which involves a loss of precision. The NFTA types can be used directly with minor syntactic changes. The regular types can then be used to build a domain model, as in Section 2.1.

NFTA types tend to be large and complex with much redundancy in the form of multiple occurrences of the same type with different names. So far, the most likely uses of



NFTA analysis is to find useless clauses, dead-code, failing calls and such like. Determinisation and computation of a domain model can enhance the ability to search for such anomalies. An example is provided by the `tokenring.pl` program on the sample program menu. An NFTA analysis yields types, but every predicate has a non-empty type. If the derived types are converted to a regular type and a domain model is computed, then the fact that `unsafe/1` has an empty type is detected. The BDD-based domain-model tool is required to get this result; the NFTA type rules are complex and the determinised automaton has 111 distinct states.

## 5 Features of the Implementation

The Type Analysis Toolkit consists of a back-end and a front-end. The back-end consists of the analysis programs themselves, and the front-end is a user friendly web-interface for those tools. There are obvious advantages of using a web-based interface; one of these is of course that anyone wishing to try the tool for himself can do so without having to install software on his own machine and dealing with possible incompatibilities in operating systems and so on. It is also intuitively easier to use a programming tool with a graphical interface, than having to e.g. read and decipher command line options.

### 5.1 Back-end

There are currently three tools in the back-end: the domain-model analyser, the polymorphic type analyser and the NFTA analysis tool - all written in Prolog. The particular Prolog system we are using is the Ciao Prolog Development System<sup>2</sup>.

Initially the back-end tools were developed independently and were intended to be executed within a Prolog environment. They have been modified to allow them to be compiled into two separate command line tools. The tools now read their input and write output to files. This simplifies the development of the web interface.

The output from the polymorphic type analyser is plain text. This output will be read by the domain model tool. The output from the domain model tool will be parsed by the front-end, so we decided to format this output in XML. A Prolog module was written to handle the output of terms in an XML structure. An example of the XML output is shown in Example 1.

---

<sup>2</sup> <http://clip.dia.fi.upm.es/Software/Ciao/>

*Example 1.*

```
<clause>
  <head>
    <string>cFirst_1([c|X1])</string>
    <headans>
      <cons>
        <string>cFirst_1(1)</string>
      </cons>
    </headans>
  </head>
  <body>
    <cons>
      <bodyAtom>
        <string>nOnly_1(X1)</string>
      </bodyAtom>
    </cons>
  </body>
</clause>
```

## 5.2 Front-end

The invoking of the back-end tools and the presentation of the analysis results are handled by the front-end. The front-end has two main parts; a page with a form to be filled in by the user, where the user uploads, types in or selects one of the supplied example programs and types, and a presentation page where the analysis results are displayed. The front-end is built on the Apache webserver, the PHP scripting language and libxml and libxslt. The design of the pages is inspired by other online analysers for logic programming developed in the context of the Framework 5 ASAP project<sup>3</sup>.

The PHP language allows us to create dynamic pages in which, for example, buttons can be removed from the input-form if they do not apply to the current input given. It also enables us to execute the command line analysis tools and run the output through XSLT.

XSLT provides a convenient way of automatically transforming the XML output into HTML that can be displayed in a browser. Depending on whether the analysis is performed with or without a query, the appropriate XSL style sheet is applied to the analyser output. Changing how the output is displayed is simply a matter of using different stylesheet. In Example 2 is shown a piece of one of the stylesheets. This small section creates a HTML table with the answer patterns for the head of a clause.

---

<sup>3</sup> <http://www.clip.dia.fi.upm.es/ASAP/>  
<http://www.stups.uni-duesseldorf.de/~pe/weblog/en/>  
<http://www.stups.uni-duesseldorf.de/~asap/asap-online-demo/>

*Example 2.*

```
<xsl:template name="headans">
  <table>
    <xsl:for-each select="head/headans/cons/string">
      <tr><td><xsl:value-of select="."/></td></tr>
    </xsl:for-each>
  </table>
</xsl:template>
```

Applying this to the XML shown in Example 1 outputs this HTML table:

```
<table><tr><td>cFirst_1(1)</td></tr></table>
```

Other formats for presentation of the output of the analyser can also be generated using XSLT, e.g. tabular material for L<sup>A</sup>T<sub>E</sub>X.

### 5.3 Selection of Program and Analysis Method

An example of the input page is shown in Figure 1. On the left side of the screen the user can either paste in a program to be analysed, select one of the example programs or upload a local file containing a program. On the right side the user can supply the type, again either from a local file, by selecting one of the provided type definitions or by typing directly into the panel.

At the bottom of the screen are the options to either run the Polymorphic Type Analyser, the Domain Model Analyser or the NFTA analysis on the given program. In the case of the Domain Model, the Prolog implementation or the BDD-based tool `bddbddb` can be selected.

If the Polymorphic Type Analyser or the NFTA analysis is used, the result is shown to the right. A new option to convert to regular type will appear.

### 5.4 Display of Analysis Results

An example of the output page is shown in Figure 2. The analysed program is shown annotated with answer patterns and if a query was supplied to the analysis, also a query pattern for the calls in the body of the program clauses.

Placing the mouse over either of the annotations will show a small window with the actual patterns.

Should a clause have an empty answer pattern it will be coloured red to indicate that it is dead code. If a query was given to the analyser, the code is considered dead with respect to that particular query pattern.

Calls in the body of a query having an empty call pattern are similarly highlighted in red. These are calls that are redundant; they and the calls to their right in the clause can safely be “sliced” from the program, since they are not invoked in the computation of the given query.

The Analysis Toolkit (called TATTOO – Type analysis and transformation tool – is available online - to try it out, visit the URL <http://wagner.ruc.dk/Tattoo/>.

## 6 Future Development

The current tool provides a platform for experimentation. The front end and the back end are cleanly separated and so further tools could be added to the back end with minimal modification of the front end. The use of XML also allows us to experiment with different ways of displaying the results to the user.

Analysis of large programs using complex types is likely to require powerful tools such as the BDD-based analysis tool described in [16, 25]. An option in the interface to use this tool rather than the Prolog implementation has been implemented, but only goal-independent analysis can be carried out with this tool currently.

So far our effort has been focussed on developing the tool and considering the best way to present the results to the user and allow the results of one tool to be input to another. The interface will continue to undergo development as more experience is gained. Evaluation of the tool is being carried out and we hope that its availability on the web will enable feedback to be obtained from a wider range of users.

### Acknowledgements

We thank the ASAP project team (<http://www.clip.dia.fi.upm.es/Projects/ASAP/>) for collaboration during the development of the tools and the online ASAP tool interface which incorporates some of the type analysis tools described here.

### References

1. Bruynooghe, M.: Adding redundancy to obtain more reliable and readable Prolog programs. In: ICLP. (1982) 129–133
2. Horiuchi, K., Kanamori, T.: Polymorphic type inference in Prolog by abstract interpretation. In: Proc. 6th Conference on Logic Programming. Volume 315 of Springer-Verlag Lecture Notes in Computer Science. (1987) 195–214
3. Mishra, P.: Towards a theory of types in Prolog. In: Proceedings of the IEEE International Symposium on Logic Programming. (1984)
4. Yardeni, E., Shapiro, E.: A type system for logic programs. *Journal of Logic Programming* **10(2)** (1990) 125–154
5. Bruynooghe, M., Gallagher, J.P., Van Humbeeck, W.: Inference of well-typings for logic programs with application to termination analysis. In Hankin, C., Siveroni, I., eds.: SAS. Volume 3672 of Lecture Notes in Computer Science., Springer (2005) 35–51
6. Boulanger, D., Bruynooghe, M., Denecker, M.: Abstracting *s*-semantics using a model-theoretic approach. In Hermenegildo, M., Penjam, J., eds.: Proc. 6<sup>th</sup> International Symposium on Programming Language Implementation and Logic Programming, PLILP'94. Volume 844 of Springer-Verlag Lecture Notes in Computer Science. (1994) 432–446
7. Boulanger, D., Bruynooghe, M.: A systematic construction of abstract domains. In Le Charlier, B., ed.: Proc. First International Static Analysis Symposium, SAS'94. Volume 864 of Springer-Verlag Lecture Notes in Computer Science. (1994) 61–77
8. Gallagher, J.P., Boulanger, D., Sağlam, H.: Practical model-based static analysis for definite logic programs. In Lloyd, J.W., ed.: Proc. of International Logic Programming Symposium, MIT Press (1995) 351–365
9. Gallagher, J.P., de Waal, D.: Fast and precise regular approximation of logic programs. In Van Hentenryck, P., ed.: Proceedings of the International Conference on Logic Programming (ICLP'94), Santa Margherita Ligure, Italy, MIT Press (1994)
10. Van Hentenryck, P., Cortesi, A., Le Charlier, B.: Type analysis of Prolog using type graphs. *Journal of Logic Programming* **22(3)** (1994) 179–210

11. Vaucheret, C., Bueno, F.: More precise yet efficient type inference for logic programs. In Hermenegildo, M.V., Puebla, G., eds.: SAS. Volume 2477 of Lecture Notes in Computer Science., Springer (2002) 102–116
12. Lu, L.: A precise type analysis of logic programs. In: PPDP. (2000) 214–225
13. Debray, S., Ramakrishnan, R.: Abstract Interpretation of Logic Programs Using Magic Transformations. *Journal of Logic Programming* **18** (1994) 149–176
14. Gallagher, J.P., de Waal, D.: Deletion of redundant unary type predicates from logic programs. In Lau, K., Clement, T., eds.: *Logic Program Synthesis and Transformation. Workshops in Computing*, Springer-Verlag (1993) 151–167
15. Gallagher, J.P., Henriksen, K.S.: Abstract domains based on regular types. In Lifschitz, V., Demoen, B., eds.: *Proceedings of the International Conference on Logic Programming (ICLP'2004)*. Volume 3132 of Springer-Verlag Lecture Notes in Computer Science. (2004) 27–42
16. Gallagher, J.P., Henriksen, K.S., Banda, G.: Techniques for scaling up analyses based on pre-interpretations. In Gabbriellini, M., Gupta, G., eds.: *Proceedings of the 21st International Conference on Logic Programming, ICLP'2005*. Volume 3668 of Springer-Verlag Lecture Notes in Computer Science. (2005) 280–296
17. Comon, H., Dauchet, M., Gilleron, R., Jacquemard, F., Lugiez, D., Tison, S., Tommasi, M.: *Tree Automata Techniques and Applications*. <http://www.grappa.univ-lille3.fr/tata> (1999)
18. Jones, N., Gomard, C., Sestoft, P.: *Partial Evaluation and Automatic Software Generation*. Prentice Hall (1993)
19. Craig, S.J., Gallagher, J.P., Leuschel, M., Henriksen, K.S.: Fully automatic binding-time analysis for Prolog. In Etalle, S., ed.: *LOPSTR*. Volume 3573 of Lecture Notes in Computer Science., Springer (2004) 53–68
20. Gallagher, J.P., Puebla, G., Albert, E.: Converting one type-based abstract domain to another. In Hill, P.M., ed.: *LOPSTR*. Volume 3901 of Lecture Notes in Computer Science., Springer (2005) 147–162
21. Marriott, K., Søndergaard, H.: Precise and efficient groundness analysis for logic programs. *LOPLAS* **2(1-4)** (1993) 181–196
22. Gallagher, J.P., Puebla, G.: Abstract Interpretation over Non-Deterministic Finite Tree Automata for Set-Based Analysis of Logic Programs. In: *Fourth International Symposium on Practical Aspects of Declarative Languages (PADL'02)*. LNCS (2002)
23. Bancilhon, F., Maier, D., Sagiv, Y., Ullman, J.: Magic sets and other strange ways to implement logic programs. In: *Proceedings of the 5<sup>th</sup> ACM SIGMOD-SIGACT Symposium on Principles of Database Systems*. (1986)
24. Hermenegildo, M.V., Bueno, F., Puebla, G., López, P.: Program analysis, debugging, and optimization using the Ciao system preprocessor. In De Schreye, D., ed.: *Proceedings of ICLP 1999: International Conference on Logic Programming, Las Cruces, New Mexico, USA, MIT Press* (1999) 52–66
25. Whaley, J., Unkel, C., Lam, M.S.: A bdd-based deductive database for program analysis (2004) <http://bddbdb.sourceforge.net/>.