

Roskilde University

#### Habit formation and the thirdness of signs

Christiansen, Peder Voetmann

Publication date: 1995

Document Version Publisher's PDF, also known as Version of record

Citation for published version (APA):

Christiansen, P. V. (1995). Habit formation and the thirdness of signs. Roskilde Universitet. Tekster fra IMFUFA No. 307 http://milne.ruc.dk/lmfufaTekster/

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- · Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
  You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact rucforsk@kb.dk providing details, and we will remove access to the work immediately and investigate your claim.

Download date: 03. Jul. 2025

# Habit Formation and the Thirdness of Signs

Presented at the semiotic symposium

The Emergence of Codes and Intentions as a Basis of Sign Processes

Hollufgaard, Odense, october 26-29, 1995

Peder Voetmann Christiansen

## TEKSTER fra



Habit Formation and the Thirdness of Signs Presented at the interdisciplinary semiotic symposium The Emergence of Codes and Intentions as a Basis of Sign Processes Hollufgaard, Odense, october 26-29, 1995 by Peder Voetmann Christiansen

IMFUFA tekst nr. 307/95

17 pages

ISSN 0106-6242

#### **Abstract**

The Doctrine of Signs, C. S. Peirce's *Semeiotic*, is closely connected with his evolutionary metaphysics. According to Peirce, generalization of individual events occurs in Nature and may be described as *habit formation*. In his phenomenology Peirce operates with three abstract categories or modes of being, namely *Firstness*, the potential, Secondness, the actual, and Thirdness, the general.

Whereas many biologists today regard *life* as an emergent property of sufficiently complicated aggregations of matter, closely connected with the codes and self-replicating properties of DNA, Peirce would maintain that *living feeling is a First*. The mere possibility that specific chemical reactions become general as life processes is in itself a sort of life, so it would be misleading to use the word *emergence* in connection with *life* in this general sense, unless one regards the whole universe as a living entity emerging at The Big Bang.

The actualization of specific possibilities, such as the spontaneous formation of amino acids in a prebiotic soup, is then a transition from firstness to secondness and can hardly be called an emergence either, because there is no generality to it. The generalization of biochemical processes, the transition from secondness to thirdness, is a genuine emergence, connected with the occurrence of catalysts or enzymes that code for general processes, and these are then precursors for the formation of self-replicating molecules, like DNA. The spontaneous formation of order in physical systems is illustrated with a model of *feedback* and the *mean field theory* of second order phase transitions.

Peirce's definition of a sign also involves feedback or *self reference*. His three phenomenological categories enter the triadic sign relation as 1. *Repre-sentamen*, or sign-vehicle, 2. *Object* of reference, and 3. *Interpretant*, or meaning of the sign. The meaning of the sign is the activation of a habit, and as such not presupposing human consciousness.

The *entropy* concept in physics and information theory is a measure of *potential*, specific information, so it refers to Firstness and Secondness, but not to Thirdness, and it is, therefore, unsuitable as a foundation for a theory of meaning.

#### 1. The concept of emergence and the Peircean categories

When we try to trace the evolution of the universe forwards from the beginning we seem to encounter an indefinite number of emergent steps. Skipping over the formation of various elementary particles and the lightest atomic nuclei we reach a state where there is still no structure on the macroscopic scale. The whole universe is in a plasma-state of internal equilibrium between matter and radiation, but it is expanding, and its temperature is dropping. About 700.000 years after the Big Bang the plasma has become cooled to a point just below the ionization energy of hydrogen. The stable hydrogen atoms that are subsequently formed are electrically neutral and do not, therefore, interact nearly as strongly with the electromagnetic radiation as their constituent charged particles (electron and proton). The ability of the radiation to keep particles of matter dispersed in the plasma vanishes, and the particles begin to clump together under the influence of their own attractive force of gravitation. In the uniform plasma state gravitation pulls equally in all direction, but if a larger concentration of matter occurs by chance in a certain region there will be a net gravitation force attracting nearby particles towards the center of the collection, and the lump grows and becomes even more attractive. The universe has reached the point of emergence of galaxies, a very crucial point in prebiotic evolution, as also mentioned by Jesper Hoffmeyer.

This transition also would have been *felt* by particles as the emergence of *gravitation*, because before the occurrence of lumps of matter all gravity canceled out to zero, but suddenly there was an actual force pulling the particles towards the center of a nearby lump. However, gravitation was there all along, because otherwise no lumps could be formed. It had just been slumbering before in a state of *potentiality*, and now it became *actualized*. As the seeds of matter aggregation grew and stabilized themselves as galactic collections of dust and stars, gravitation became *generalized* to act as the

dominant force of the large scale universe. The process of generalization can also be described as *habit formation*: The accidental initial occurrence of a growing seed of matter concentration tends to redistribute all matter of the universe so that similar ocurrencies become less accidental and more predictable in the future.

Instead of using the word *emergence* as a magic spell, suggesting that suddenly there is something which did not have the slightest existence before, we have here a description of the formation of galaxies as a *continuous* process of growth and self-organization. The dualistic notion of existence versus non-existence is thus replaced with a notion of *three modes of being*, the three phenomenological categories of C. S. Peirce: <sup>1</sup>

- 1. Firstness = the potential.
- 2. Secondness = the actual.
- 3. Thirdness = the general.

In Peirce's philosophy these categories are very broad concepts with applications in metaphysics, cosmology, psychology, and general semiotic. By applying them in connection with a basic concept of continuity (synechism) we have a discrete, qualitative skeleton of "differences that make a difference" structuring the idea of continuous growth and making it compatible with the emergence of qualitative new features in evolution.

The formula for emergence climbing up through the Peircean categories may be stated as follows:

In the beginning there is a chaotic state of Firstness, where virtual seeds of order may arise for a moment and dissolve immediately. However, a process of continuous change of boundary conditions may lead to a state, where an accidentally formed seed may be stable. This actualized seed marks the transition to Secondness, where the real existence of structure still has no generality and no significance. If the seed has the ability to catalyze its own growth under the changed conditions, it wil initiate a habitual forming of similar ordering in its surroundings, and thus the specific type of ordering acquires significance and a state of Thirdness has been obtained.

The formula above is an almost literal rendering of the famous Peirce quotation from "The Architecture of Theories" (1891): <sup>2</sup>

"- in the beginning - infinitely remote - there was a chaos of unpersonalized feeling, which being without connection and regularity would properly be without existence. This feeling, sporting here and there in pure arbitrariness, would have started the germ of a generalizing tendency. Its other sportings would be evanescent, but this would have a growing virtue. Thus the tendency to habit would be started; and from this, with the other principles of evolution, all the regularities of the universe would be evolved."

The various disciplines of Physics emphasize the Peircean categories in different ways. In Classical Mechanics only Secondness occurs: There is no spontaneity (Firstness) and no irreversible tendencies to seek equilibrium in various types of attractors (Thirdness), only specific states leading to specific trajectories through the state space. In Thermodynamics both other categories enter the scene: Thirdness by the irreversible tendency of the systems to end in an equilibrium state, determined by the boundary conditions, where all features of the initial state have been wiped out by internal friction. Firstness is reflected in thermodynamics by the spontaneous random fluctuations around the mean behavior, conditioned by the temperature and the frictional forces. The Firstness category is the most difficult to grasp, because when we try to exemplify it by specific examples and general types we are already introducing Secondness and Thirdness. However, Firstness has made a remarkable entry into Quantum Mechanics through the concept of the wave function as describing the state of a system. The properties of a system that are inherent in its wave function are only potential, not actual. An electron has no definite position or momentum; these properties only become actualized in the context of specific types of apparatus and acts of measurement.

In the discussion of the evolution of life and its general types and functions it may be argued on Peircean grounds, that *Life* itself is a potentiality and thus belongs to the category of Firstness. Like gravitation in

the example of the nucleation of galaxies it must have been there before its specific and general manifestations, like pieces of RNA and the genetic code. These manifestations did not suddenly occur but must have been preceded by a long process of experimentation and virtual attempts. The emergence of the whole multitude of life-forms and behavioral patterns may thus be regarded as a long process of awakening from a dreaming sort of life. Life, as a Firstness, did not emerge but existed all along with the physical universe from the very beginning. Its general features in the present state, like the code duality (J. Hoffmeyer) must have emerged from Firstness through Secondness to Thirdness.

#### 2. Mean field theory of sponteneous ordering

A simple physical model for the emergence of order is found in the thermodynamic description of phase transitions. In many cases one of the two phases involved possesses af type of order that is absent in the other phase. For example, the liquid phase exhibits a surface, the gaseous phase has none. The ferromagnet has a spontaneous magnetization below the Curietemperature, but above this temperature it is paramagnetic with no magnetization in the absence of an external magnetic field. The superconductor has a condensate consisting of paired electrons which are not found in the normal metal. The ordered phase of  $\beta$ -brass (50% Cu and 50% Zn) has a long range order, the Cu-atoms tend to occupy the positions on one of two interpenetrating crystal lattices and the Zn-atoms tend to occupy the other lattice, and this long range order vanishes in the disordered phase (but still, a short range order prevails). In all these cases it is possible to describe the type of ordering by introducing an order parameter, and the transition from the disordered to the ordered phase in the absence of an external ordering field is then a so called second order phase transition, where the order parameter spontaneously forms as a seed at a certain critical temperature

and grows in a continuous way below this temperature. The spontaneous formation of order is associated with a *breaking of the symmetry* of the disordered phase, e.g. the magnetization of a ferromagnetic has a specific direction in space whereas the paramagnetic phase is isotropic and has no preferred direction. The choice of a specific direction is totally random: there is no way it can be predicted from the properties of the disordered phase.

In cases where the order is induced by the presence of an external ordering field the transition to the ordered phase is discontinuous and not spontaneous. In this case we have a *first order phase transition*. The ordering field may be as simple as an external pressure (in the gas-liquid transition) or a magnetic field (in the paramagnet-ferromagnet transition), but in other cases, like superconductors and  $\beta$ -brass the ordering field is of a more subtle nature and may be difficult to provide from external sources in the laboratory.

In the so called *mean field theory* of phase transitions we imagine that the ordering effect of an external field is assisted by an *internal field* which is created by the induced or spontaneously formed order parameter. The internal field must be locally determined by the locally existing order, and it can therefore be expected to fluctuate wildly from place to place in the disordered phase, but the mean field theory disregards all these fluctuations and consider only the action of an averaged internal field. In this way we get a simple and general theory of all sorts of disorder-order transitions. The mean field approximation works very well in the case of superconductivity and gravitational nucleation (galaxy formation), but in other cases, such as ferromagnets, it gives only a qualitative understanding. However, a qualitative description is all we need in this context, so we shall specialize to the case of the paramagnet-ferromagnet transition.

In the disordered phase (paramagnet) we can use a linear response model for the ordering effect of the fields. A magnetic field H induces a magnetization M, given by

$$M = \chi \cdot H \tag{1}$$

where  $\chi$  is the paramagnetic susceptibility. According to statistical mechanics this can be expressed as

$$\vec{\chi} = \frac{C}{T} \qquad (2)$$

where C is the Curie-constant and T is the absolute temperature. Considering now, that the induced magnetization creates an internal ordering field H<sub>i</sub> by some linear relation

$$H_{t} = A \cdot M \tag{3}$$

and that the effective field in (1) is the sum of the external field  $H_e$  and the internal mean field,  $H_i$ , we have a model of linear positive feedback:




Figure 1 Linear feedback model for the disordered (paramagnetic) phase.

The feedback equation

$$M = \chi \cdot (H_e + H_t) = \frac{C}{T} \cdot (H_e + A \cdot M)$$
 (4)

can now be solved for M, and we obtain:

$$M = \frac{C}{T - T_c} \cdot H_e \quad \text{, where } T_c = C \cdot A$$
 (5)

It is seen that the linear feedback model can only be valid for temperatures above the critical temperature (the Curie temperature)  $T_c$ . At  $T_c$  we may have a finite order parameter M for a vanishing external ordering field. The critical temperature, therefore, marks the onset of instability of the disordered phase.

What happens below the critical temperature the linear feedback model can say nothing about. The actual value of the spontaneously formed and stabilized order parameter is determined by non-linear characteristics of the system. The situation is well known, e.g in an auditorium where a microphone and an amplifier transmits the speaker's words to a loudspeaker. When the amplification is too high (a large value of  $\chi$ ) or the loudspeaker is too close to the microphone (a large value of A) a screaming noise emerges whose loudness and main frequencies are determined by the non-linearities of the amplifier.

The linear behavior of the system in the disordered phase can be described with a thermodynamic potential that is quadratic in the order parameter:

$$G(M; T, H_a) = \alpha(T) \cdot M^2 - H_a \cdot M \text{ for } T > T_a$$
 (6)

and the equilibrium value of the order parameter is then the unique value that minimizes the potential, i.e.

$$M = \frac{H_e}{2\alpha} \tag{7}$$

Comparing this with eq. (5) we find that  $\alpha$  is given by:

$$\alpha = \frac{T - T_c}{2C} \tag{8}$$

Following the russian physicist L. D. Landau (1950) <sup>3</sup> we now introduce the non-linearity in the simplest possible way by adding a fourth

order term to the thermodynamic potential (6):

$$G(M:T,H_e) = \frac{T-T_c}{2C} \cdot M^2 + \beta \cdot M^4 - H_e \cdot M$$
 (9)

This expression is to be regarded as a series expansion to the lowest significant order in M in the neighborhood of the critical temperature. The reason why the fourth order becomes significant near  $T_{\rm c}$  is that the second order term vanishes at  $T_{\rm c}$  due to the feedback mechanism. The coefficient  $\beta$  does not vanish and can therefore be regarded as a constant in the critical region.

Dependent on the two control parameters T and  $H_e$  the expression (9) will have either one or two minima as a function of the order parameter M. The region with two minima in the control parameter plane is bounded by the curve

$$T < T_c - 3C \beta^{1/3} H_e^{2/3}$$
 (10)

This curve, which exhibits a *cusp* at  $T = T_c$  and  $H_e = 0$  is the *catastrophe set*, and the Landau mean field theory is thus an example of the cusp catastrophe of René Thom <sup>4</sup>. In figure 2 the catastrophe set is seen together with three examples of the function G(M), two for points A and A, on the catastrophe set and one for the point  $A_0$  where the external ordering field is absent and the function has two symmetric minima:




Figure 2 Catastrophe set for the Landau mean field theory of the ferromagnetic phase transition.

When there is no external ordering field and the temperature is slowly decreased from above to below the critical temperature we get a second order phase transition at the cusp point associated with a spontaneous break of symmetry, a forced choice between the two symmetric minima. The emergence of a new type of order in the universe must happen in a similar way, because the ordering field must be slumbering in a state of Firstness before the order parameter has suggested itself and has grown from its first random seed.

#### 3. The sign relation and the law of mind

The feedback model in figure 1 describes the emergence of order as due to a sort of *self reference*. The order parameter, whose seed arose by pure chance, refers back to and thereby enhances itself through the action of the internal ordering field. In a similar way a chemical chain of reactions may

become significant by *autocatalysis* when one of the initial reactants occurs as a reaction product later in the chain:

$$A + B \rightarrow C + D \rightarrow --- \rightarrow X + A$$
 $\uparrow$ 


This sort of self reference on a pre-biological stage of the evolution seems to be a necessary condition for the emergence and spreading of symbolic signs, i.e. signs existing on the level of Peircean Thirdness. The internal self reference (autocatalysis) establishes a *habit* which is the meaning and inter-pretant of the sign. The habit tends to spread out to the surroundings by cross-catalysis and thus new symbolic signs become associated with the first. The sign is not dependent on a pre-existing consciousness in order to acquire meaning, but meaning is created by the internal awareness of self and others that grows from self reference and associative power (auto- and cross-catalysis). This mechanism of emergence is what Peirce calls *The Law of Mind*.

The definition of a sign, according to Peirce, ought to be free from reference to human consciousness, or language, although this may seem awkward. (In many cases he includes a human interprter in the sign definition, but admits that this is a "sop to Cerberus"). The "purest" formulation in this sense <sup>5</sup> makes it clear, that self-reference must be inherent in the definition of the sign. Below, we analyze this definition, which for the sake of clarity is here divided into smaller sections:

- 1. A Sign, or Representamen, is a First
- 2. which stands in such a genuine triadic relation to a Second, called its *Object*,

3. as to be capable of determining a Third, called its *Interpretant*, to assume the same triadic relation to its Object in which it stands itself to the same object.

The three sections of the definition are seen to reflect the three phenomenological catagories. The first section is self-contained: the sign as a First refers to nothing else; it is an icon of itself. Reference to an object is introduced as a dyadic relation in the second section, for although the text speaks about a genuine (i.e. irreducible) triadic relation, the third factor has not been introduced yet. The Secondness of the sign is an index of the object. In the third section two other dyadic relations entering the triad are mentioned: the first of these points from the object to the interpretant (mediated by the representamen), and the second points back from the interpretant to the representamen. In this part Thirdness enters as selfreference in the words "same" and "itself". The interpretant endows the sign relation with an awareness that the interpretant and the representamen are both symbolic signs for the same object, and this awareness does not come from any external factors, but from the internal feedback or reflexivity described in the definition. The definition is summarized diagrammatically below:




**Figure 3** The sign as a triadic relation. R = Representamen, O = Object, I = Interpretant.

At the bottom of the figure is shown a linear representation of the sign relation, I-R-O with two *sign links* (-) connecting the three factors, R, O, and I. The sign links represent physical processes and are *interaction bonds*, i.e. each link contain two oppositely directed causal relations, as can be seen by comparison with the triangular causal diagram above. The linear diagram has the advantage of showing that the causal relation between O and I can only exist as mediated by R. Also, it makes it easier to depict a chain of signs, where the interpretant of the first relation becomes the representamen of the second relation, and the representamen of the first relation becomes the object of the second relation

The reflexivity of the sign relation is the feature that makes this particular way of chaining signs possible, in a way similar to the way autocatalysis is generalized to cross-catalysis. This is the idea of *unlimited semiosis*, the potential of creating new meaning that is inherent in Peirce's conception of meaning and in the Law of Mind. In continuation of the sign definition quoted above he says:

"The Third must indeed stand in such a relation, and thus must be capable of determining a Third of its own; but besides that, it must have a second triadic relation in which the Representamen, or rather the relation thereof to its Object, shall be its own (the Third's) Object, and must be capable of determining a Third to this relation. And this must equally be true of the Third's Thirds and so on endlessly: - - "

The diagram below shows how the new interpretant (J, the "Third's Third") can be chained to the first relation I-R-O, so we get J-I-R-O where the second relation J-I-R has I as the representamen and R as the object.



**Figure 4** A more detailed diagram of the sign relation showing its potential for creating a new sign with I as the representamen and R as the object.

The causal relations in figure 4 are labelled with letters, f, g, and h which have the additional meaning of category numbers assessing the relations as either 1: potential, 2: actual, or 3: general. The following selection rule must be valid in order to ensure that the chain is unbroken:

$$h \le q \le f \tag{11}$$

The links can then be similarly categorized: the R-O link by f, the I-O link by g, because the connection between I and O is established by the I-R link. The g-relations (I-O and I-R) represent the *ground* of the sign relation (this is not very clearly stated in Peirce's verbal formulations, and there is no general consensus about how "the ground" ought to be defined). The ground (as defined here) and its category number g gives rise to the basic sign classification: 1: icon, 2: index, and 3: symbol. The h-relations and the J-I link is the ground of the second sign relation and categorizes the first relation as 1: rheme, 2: proposition (dicisign), or 3: argument, whereas the category f of the R-O link classifies the representamen as 1: tone (qualisign), 2: token

(sinsign), or 3: type (legisign). As the category numbers have to obey the selection rule (11) the more detailed classification based on the triplets (hgf) leads to ten classes of signs that can be arranged in a Pythagorean tetraktys:<sup>6</sup>




Figure 5 The ten classes of sign-triplets (hgf).

A sign classification scheme like the above represents a sort of evolutionary history of the sign, because a higher category number of a certain link must be built upon the lower categories. Thus the fully developed argument (333) must include all the nine lower classes of the tetraktys and therefore represent a history starting with the qualisign (111) and proceeding by gradually increasing the categories by successive actualizations (1 to 2) and generalizations (2 to 3). Generally, a chain with n links where the category numbers of the links obey the selection rule (5) (i.e. never increasing when going from the object O down the chain to the left) will correspond to the following number of classes:

$$C(n) = \frac{1}{2} \cdot (n+1) \cdot (n+2)$$
 (12)

So, the classification of the ground (n=1) gives C(1)=3 classes (icon, index, symbol), the three link description gives C(3)=10 classes. It is then tempting to regard the sign as a ten-link history and go further in the classification to C(10)=66 classes, and this is in fact the number given by Peirce for the next level of classification.

Returning for a moment to the initial example of matter and gravitation: We can regard a force of gravity as a sign (R) pointing to an object (O) that is a collection of mass. The interpretant (I) is then the general understanding, the recognition of a habit, that is expressed in the law of mass attraction by gravitation. However, this triadic sign relation also contains a history of evolution in three stages: First, the mass was dispersed and its gravitation only potential, but a random collection took place. Second, the lump of matter persisted long enough to be a distinct entity. Third, the gravitational force attracted matter from the surroundings until a habitual balance was obtained. These two descriptions are a synchronic and a diachronic elaboration in three links of the one link ground, gravitation as a sign. A further elaboration will lead to a synchronic classification with ten classes (the tetraktys) and a diachronic history of evolution through ten stages. If a sign is not fully developed to thirdness in all its links, its history will be accordingly truncated, i.e. from some stage its links are not understandable (habitual, general), but only (accidentally) actual or potential.

### 4. Entropy, information, and meaning

It has been argued in this paper that we may speak of meaningful structures as something that has to do with the formation of habits in the physical universe, i.e. Peicean Thirdness, and that this "Law of Mind" does not presuppose human consciousness. This way of speaking should not be construed as a sort of physical reductionism, but rather as an attempt to show, that even the physical description presupposes some "anthropomorphic" concepts, like "habit" and "choice" that are not derivable from physical first principles. Life, considered as a Peircean Firstness, has been there all the time, but we must try to understand how the present life-forms have emerged in a continuous way from its pre-biotic beginnings.

An alternative approach to the discussion of meaningful structures on a physical basis is the attempt to discuss "information" as something related to physical entropy, as presented by Tom Stonier at this conference. A few critical remarks to this approach may be relevant here.

"Information" may be without any meaning and still exist. "Meaning" is something general, a Thirdness, but a specific string of letters, like "sjxipesdgo" that contains information, does not necessarily contain meaning. From the viewpoint of the telecommunication engineer it is essential that the information transmitted through a telephone line is actual, but meaningless, i.e. it exists on a level of Peircean Secondness. Entropy in a physical system is not "lack of information" i.e. non-existing information, but potential information about the exact microscopic state of the system. In principle this information could be obtained or actualized whereby the microstate would be known and the entropy reduced to zero. In this case the existing information would change its mode of being from firstness to secondness, but thirdness is out of the question, because it is a specific information that cannot be generalized. So, entropy is a potential, meaningless information. If we try to build a theory of meaning by saying that "entropy is lack of information, so information must be negative entropy, and information has meaning", then we are in fact saying that meaning can be understood as "lack of meaninglessness".

There is nothing wrong with Shannon's "Theory of Information" when we remember that the potential meaning of the Shannon-information is outside the scope of the theory and is left to the human listener on the telephone. Also, there is nothing wrong with the information theoretical description of physical entropy as potential information about the microstate of a physical system, so it is not just a funny coincidence that Shannon's information and Gibbs' entropy are given by the same probabilistic formula. The physical information theory, as worked out by Szilard and Brillouin <sup>8</sup> in the discussion of Maxwell's demon has something important to say on the

v 1 \* /

physical limits of how much structure a system can exhibit, but it can say nothing about whether these structures are meaningful or not.

A theory of meaning must take departure in the concept of a sign, and here Peirce's semiotic philosophy, physical theories of spontaneous order formation, and René Thom's catastrophe theory are applicable, because they build on the notion of an underlying continuum from which discrete categories may emerge by continuous growth and habit formation. In this way we may be able to bridge the gap between naturalistic and humanistic studies.

#### References

The abbreviation CP refers to:

Collected Papers, C. S. Peirce, 1969, ed. Charles Hartshorne and Paul Weiss, The Belknap Press of Harvard University Press, Cambridge Mass., vol. 1-8.

- J. Buchler, Philosophical Writings of Peirce, 1955, Dover Publications, Inc., New York.
   The categories are introduced in the article The Principles of Phenomenology, section 2, which is from a manuscript from 1902 (CP 1.23-6).
- **2**. The Monist, vol. 1, 1891. See ref. 1 or CP 6.7-34.
- 3. L. D. Landau and E. M. Lifshitz, *Statistical Physics*, 1959, Pergamon Press, London.
- **4**. T. Poston and I. Stewart, *Catastrophe Theory and its Applications*, 1978, London.
- **5**. CP 2.274, ca 1902, or ref. 1, p. 99-100.
- **6**. CP 2.243 or ref. 1 p. 115-119.
- 7. Peirce's letter to Lady Welby, december 23., 1908. See: I. C. Lieb, Charles S. Peirce's Letters to Lady Welby, 1953, New Haven.
- **8**. L. Brillouin, *Science and Information Theory*, 1962, Academic Press, N.Y.

Liste over tidligere udkomme tekster tilsendes gerne. Henvendelse herom kan ske til IMFUFA's sekretariat tlf. 46 75 77 11 lokal 2263

217/92 "Two papers on APPLICATIONS AND MODELLING IN THE MATHEMATICS CURRICULIUM" by: Mogens Niss

218/92 "A Three-Square Theorem" by: Lars Kadison

219/92 "RUPNOK - stationær strømning i elastiske rør" af: Anja Boisen, Karen Birkelund, Mette Olufsen Vejleder: Jesper Larsen

220/92 "Automatisk diagnosticering i digitale kredsløb" af: Bjørn Christensen, Ole Møller Nielsen Vejleder: Stig Andur Pedersen

221/92 "A BUNDLE VALUED RADON TRANSFORM, WITH APPLICATIONS TO INVARIANT WAVE EQUATIONS" by: Thomas P. Branson, Gestur Clafsson and Henrik Schlichtkrull

222/92 On the Representations of some Infinite Dimensional Groups and Algebras Related to Quantum Physics by: Johnny T. Ottesen

223/92 THE FUNCTIONAL DETERMINANT by: Thomas P. Branson

224/92 UNIVERSAL AC CONDUCTIVITY OF NON-METALLIC SOLIDS AT LOW TEMPERATURES
by: Jeppe C. Dyre

225/92 "HATMODELLEN" Impedansspektroskopi i ultrarent en-krystallinsk silicium

> af: Anja Boisen, Anders Gorm Larsen, Jesper Varmer, Johannes K. Nielsen, Kit R. Hansen. Peter Bøggild og Thomas Hougaard Vejleder: Petr Viscor

226#92 "METHODS AND MODELS FOR ESTIMATING THE GLOBAL CIRCULATION OF SELECTED EMISSIONS FROM ENERGY CONVERSION"

bu: Bent Sørensen

227/92 "Computersimulering og fysik"

af: Per M.Hansen, Steffen Holm,
Peter Maibom, Mads K. Dall Petersen,
Pernille Postgaard, Thomas B.Schrøder,
Ivar P. Zeck
Vejleder: Peder Voetmann Christiansen

228/92 'Teknologi og historie"

Fire artikler af:

Mogens Niss, Jens Høyrup, Ib Thiersen,
Hans Hedal

229/92 "Masser af information uden betydning En diskussion af informationsteorien i Tor Nørretranders' "Mærk Verden" og en skitse til et alternativ basseret på andenordens kybernetik og semiotik. af: Søren Brier

230/92 "Vinklens tredeling - et klassisk problem" et matematisk projekt af Karen Birkelund, Bjørn Christensen Vejleder: Johnny Ottesen

231A/92 "Elektrondiffusion i silicium - en
 matematisk model"
 af: Jesper Voetmann, Karen Birkelund,
 Mette Olufsen, Ole Møller Nielsen
 Vejledere: Johnny Ottesen, H.B.Hansen

231B/92 "Elektrondiffusion i silicium - en matematisk model" Kıldetekster af: Jesper Voetmann, Karen Birkelund, Mette Olufsen, Ole Møller Nielsen Vejledere: Johnny Ottesen, H.B.Hansen

232/92 "Undersøgelse om den simultane opdagelse af energiens bevarelse og isærdeles om de af Mayer, Colding, Joule og Helmholtz udførte arbejder" af: L.Arleth, G.I.Dybkjær, M.T.Østergård Vejleder: Dorthe Posselt

233/92 "The effect of age-dependent host mortality on the dynamics of an endemic disease and Instability in an SIR-model with age-dependent susceptibility by: Viggo Andreasen

234/92 "THE FUNCTIONAL DETERMINANT OF A FOUR-DIMENSIONAL BOUNDARY VALUE PROBLEM"

by: Thomas P. Branson and Peter B. Gilkey

235,92 OVERFLADESTRUKTUR OG POREUDVIKLING AF KOKS
- Modul 3 fysik projekt af: Thomas Jessen

236a/93 INTRODUKTION TIL KVANTE HALL EFFEKTEN

af: Ania Boisen, Peter Bøggild

Vejleder: Peder Voetmann Christiansen Erland Brun Hansen

236b/93 STRØMSSAMMENBRUD AF KVANTE HALL EFFEKTEN

af: Anja Boisen, Peter Bøggild

Vejleder: Peder Voetmann Christiansen Erland Brun Hansen

237/93 The Wedderburn principal theorem and Shukla cohomology af: Lars Kadison

238/93 SEMIOTIK OG SYSTEMEGENSKABER (2) Vektorbånd og tensorer

af: Peder Voetmann Christiansen

239/93 Valgsystemer - Modelbygning og analyse

Matematik 2. modul

af: Charlotte Gjerrild, Jane Hansen, Maria Hermannsson, Allan Jørgensen, Ragna Clauson-Kaas, Poul Lützen

Vejleder: Mogens Niss

240/93 Patologiske eksempler. Om sære matematiske fisks betydning for den matematiske udvikling

> af: Claus Dræby, Jørn Skov Hansen, Runa Ulsøe Johansen, Peter Meibom, Johannes Kristoffer Nielsen

Vejleder: Mogens Niss

241,'93 FOTOVOLTAISK STATUSNOTAT 1

af: Bent Sørensen

242/93 Brovedligeholdelse - bevar mig vel

Analyse af Vejdirektoratets model for optimering af broreparationer

af: Linda Kyndlev, Kare Fundal, Kamma

Tulinius, Ivar Zeck

Vejleder: Jesper Larsen

243/93 TANKEEKSPERIMENTER I FYSIKKEN

Et 1.modul fysikprojekt

af: Karen Birkelund, Stine Sofia Korremann

Vejleder: Dorthe Posselt

244/93 RADONTRANSFORMATIONEN og dens anvendelse

i CT-scanning

Projektrapport

af: Trine Andreasen, Tine Guldager Christiansen, Nina Skov Hansen og Christine Iversen

Vejledere: Gestur Olafsson og Jesper Larsen

245a+b

/93 Time-Of-Flight målinger på krystallinske halvledere

Specialerapport

af: Linda Szkotak Jensen og Lise Odgaard Gade

Vejledere: Petr Viscor og Niels Boye Olsen

246/93 HVERDAGSVIDEN OG MATEMATIK

- LÆREPROCESSER I SKOLEN

af: Lena Lindenskov, Statens Humanistiske

Forskningsråd, RUC, IMFUFA

247,'93 UNIVERSAL LOW TEMPERATURE AC CON-DUCTIVITY OF MACROSCOPICALLY DISORDERED NON-METALS

by: Jeppe C. Dyre

248/93 DIRAC OPERATORS AND MANIFOLDS WITH BOUNDARY

by: B. Booss-Bavnbek, K.P.Wojciechowski

249/93 Perspectives on Teichmüller and the Jahresbericht Addendum to Schappacher, Scholz, et al.

by: B. Booss-Bavnbek

With comments by W.Abikoff, L.Ahlfors, J.Cerf, P.J.Davis, W.Fuchs, F.P.Gardiner,

J.Jost, J.-P.Kahane, R.Lohan, L.Lorch,

J.Radkau and T.Söderqvist

250/93 EULER OG BOLZANO - MATEMATISK ANALYSE SET I ET VIDENSKABSTEORETISK PERSPEKTIV

Projektrapport af: Anja Juul, Lone Michelsen, Tomas Højgård Jensen

Vejleder: Stig Andur Pedersen

251 93 Genotypic Proportions in Hybrid Zones

by: Preddy Bugge Christiansen, Viggo Andreasen

and Ebbe Thue Poulsen

252 93 MODELLERING AF TILFELDIGE PEROMENER

Projektrapport of: Birthe Priis, Lisbeth Belmgaard Kristina Charlotte Jakobsen, Marina Mosbek Johannessen, Lotte Ludvigsen, Mette Hass Nielsen

253/93 Kuglepakning

Teori og model

af: Lise Arleth, Kåre Pundal, Wils Kruse

Vejleder: Mogens Niss

254/93 Regressionsanalyse

Materiale til et statistikkursus

af: Jørgen Larsen

255/93 TID & BETINGET UAFRENGIGHED

af: Peter Harremoës

256/93 Determination of the Frequency Dependent Bulk Modulus of Liquids Using a Piezo-

electric Spherical Shell (Preprint) by: T. Christensen and N.B.Olsen

257/93 Modellering of dispersion i piezoelektriske

keramikker

af: Pernille Postgaard, Jannik Rasmussen, Christina Specht, Mikko Østergård

Vejleder: Tage Christensen

258/93 Supplerende kursusmateriale til

"Lineare strukturer fra algebra og analyse"

af: Mogens Brun Heefelt

259/93 STUDIES OF AC HOPPING CONDUCTION AT LOW

TEMPERATURES

260/93 PARTITIONED MANIFOLDS AND INVARIANTS IN

DIMENSIONS 2, 3, AND 4

by: Jeppe C. Dyre

by: B. Booss-Baumbek, K.P.Wojciechowski

261.'93 OPGAVESAMLING
Bredde-kursus i Fysik
Eksamensopgaver fra 1976-93

262/93 Separability and the Jones Polynomial

by: Lars Kadison

263/93 Supplerende kursusmateriale til "Lineære strukturer fra algebra og analyse" II

af: Mogens Brun Heefelt

264/93= FOTOVOLTAISK STATUSNOTAT 2 af: Bent Sørensen

265/94 SPHERICAL FUNCTIONS ON ORDERED

------

SYMMETRIC SPACES

To Sigurdur Helgason on his sixtyfifth birthday

by: Jacques Faraut, Joachim Hilgert and Gestur Olafsson

266/94 Kommensurabilitets-oscillationer i laterale supergitre Fysikspeciale af: Anja Boisen, Peter Bøggild, Karen Birkelund Vejledere: Rafael Taboryski, Poul Erik Lindelof, Peder Voetmann Christiansen

267/94 · Kom til kort med matematik på
Eksperimentarium - Et forslag til en
opstilling
af: Charlotte Gjerrild, Jane Hansen
Vejleder: Bernhelm Booss-Bavnbek

268/94 Life is like a sewer ...

Et projekt om modellering af aorta via en model for strømning i kloakrør

af: Anders Marcussen, Anne C. Nilsson, Lone Michelsen, Per M. Hansen

Vejleder: Jesper Larsen

269/94 Dimensionsanalyse en introduktion metaprojekt, fysik af: Tine Guldager Christiansen, Ken Andersen, Nikolaj Hermann, Jannik Rasmussen

Vejleder: Jens Højgaard Jensen

270/94 THE IMAGE OF THE ENVELOPING ALGEBRA
AND IRREDUCIBILITY OF INDUCED REPRESENTATIONS OF EXPONENTIAL LIE GROUPS
by: Jacob Jacobsen

271/94 Matematikken i Fysikken.
Opdaget eller opfundet
NAT-BAS-projekt
vejleder: Jens Højgaard Jensen

272/94 Tradition og fornyelse

Det praktiske elevarbejde i gymnasiets
fysikundervisning, 1907-1988

af: Kristian Hoppe og Jeppe Guldager
Vejledning: Karin Beyer og Nils Hybel

273/94 Model for kort- og mellemdistanceløb Verifikation af model

> af: Lise Fabricius Christensen, Helle Pilemann, Bettina Sørensen

Vejleder: Mette Olufsen -

274/94 ≒MODEL-10 - en matematisk model af intravenøse anæstetikas farmakokinetik

3. modul matematik, forår 1994

af: Trine Andreasen, Bjørn Christensen, Christine Green, Anja Skjoldborg Hansen. Lisbeth Helmgaard

Vejledere: Viggo Andreasen & Jesper Larsen

275/94 Perspectives on Teichmüller and the Jahresbericht 2nd Edition

by: Bernhelm Booss-Bavnbek

276/94 Dispersionsmodellering Projektrapport 1. modul

> af: Gitte Andersen, Rehannah Borup, Lisbeth Friis, Per Gregersen, Kristina Vejrø Vejleder: Bernhelm Booss-Bavnbek

277/94 PROJEKTARBEJDSPÆDAGOGIK - Om tre tolkninger af problemorienteret projektarbejde

af: Claus Flensted Behrens, Frederik Voetmann Christiansen, Jørn Skov Hansen, Thomas Thingstrup

Vejleder: Jens Højgaard Jensen

278/94 The Models Underlying the Anaesthesia Simulator Sophus

by: Mette Olufsen(Math-Tech), Finn Nielsen
 (RISØ National Laboratory), Per Føge Jensen
 (Herlev University Hospital), Stig Andur
 Pedersen (Roskilde University)

279/94 Description of a method of measuring the shear modulus of supercooled liquids and a comparison of their thermal and mechanical response functions.

af: Tage Christensen

280/94 A Course in Projective Geometry
by Lars Kadison and Matthias T. Kromann

281/94 Modellering af Det Cardiovaskulære System med Neural Pulskontrol

> Projektrapport udarbejdet af: Stefan Frello, Runa Ulsøe Johansen, Michael Poul Curt Hansen, Klaus Dahl Jensen Vejleder: Viggo Andreasen

282/94 Parallelle algoritmer

af: Erwin Dan Nielsen, Jan Danielsen, Niels Bo Johansen 283/94 Grænser for tilfældighed (en kaotisk talgenerator)

af: Erwin Dan Nielsen og Niels Bo Johansen

284/94 Det er ikke til at se det, hvis man ikke lige ve' det!

Gymnasiematematikkens begrundelsesproblem

En specialerapport af Peter Hauge Jensen og Linda Kyndlev

Veileder: Mogens Niss

285/94 Slow coevolution of a viral pathogen and its diploid host

by: Viggo Andreasen and Freddy B. Christiansen

286/94 The energy master equation: A low-temperature approximation to Bässler's random walk model by: Jeppe C. Dyre

287/94 A Statistical Mechanical Approximation for the Calculation of Time Auto-Correlation Functions by: Jeppe C. Dyre

288/95 PROGRESS IN WIND ENERGY UTILIZATION
by: Bent Sørensen

289/95 Universal Time-Dependence of the Mean-Square
Displacement in Extremely Rugged Energy
Landscapes with Equal Minima
by: Jeppe C. Dyre and Jacob Jacobsen

290/95 Modellering af uregelmæssige bølger
Et 3.modul matematik projekt
af: Anders Marcussen, Anné Charlotte Nilsson,
Lone Michelsen, Per Mørkegaard Hansen
Vejleder: Jesper Larsen

291/95 1st Annual Report from the project

LIFE-CYCLE ANALYSIS OF THE TOTAL DANISH
ENERGY SYSTEM

an example of using methods developed for the
OECD/IEA and the US/EU fuel cycle externality study
by: Bent Sørensen

292/95 Fotovoltaisk Statusnotat 3
af: Bent Sørensen

293/95 Geometridiskussionen - hvor blev den af?

af: Lotte Ludvigsen & Jens Frandsen

Vejled:r: Anders Madsen

294/95 Universets udvidelse – et metaprojekt

Af: Jesper Duelund og Birthe Friis

Vejleder: Ib Lundgaard Rasmussen

295/95 A Review of Mathematical Modeling of the Controled Cardiovascular System

By: Johnny T. Ottesen

296/95 RETIKULER den klassiske mekanik af: Peder Voetmann Christiansen

297/95 A fluid-dynamical model of the aorta with bifurcations

by: Mette Olufsen and Johnny Ottesen

298/95 Mordet på Schrödingers kat - et metaprojekt om to fortolkninger af kvantemekanikken

af: Maria Hermannsson, Sebastian Horst, Christina Specht

Vejledere: Jeppe Dyre og Peder Voetmann Christiansen

299/95 ADAM under figenbladet - et kig på en samfundsvidenskabelig matematisk model

Et matematisk modelprojekt

af: Claus Dræby, Michael Hansen, Tomas Højgård Jensen

Vejleder: Jørgen Larsen

300/95 Scenarios for Greenhouse Warming Mitigation by: Bent Sørensen

301/95 TOK Modellering af træers vækst under påvirkning af ozon

af: Glenn Møller-Holst, Marina Johannessen, Birthe Nielsen og Bettina Sørensen

· Vejleder: Jesper Larsen

302/95 KOMPRESSORER - Analyse af en matematisk model for aksialkompressorer

Projektrapport sf: Stine Bøggild, Jakob Hilmer,
Pernille Postgaard

Vejleder: Viggo Andreasen

303/95 Masterlignings-modeller af Glasovergangen
Termisk-Mekanisk Relaksation
Specialerapport udarbejdet af:

Johannes K. Nielsen, Klaus Dahl Jensen

Vejledere: Jeppe C. Dyre, Jørgen Larsen

304a/95 STATISTIKNOTER Simple binomialfordelingsmodeller af: Jørgen Larsen

304b/95 STATISTIKNOTER Simple normalfordelingsmodeller af: Jørgen Larsen

304c/95 STATISTIKNOTER Simple Poissonfordelingsmodeller af: Jørgen Larsen

304d/95 STATISTIKNOTER Simple multinomialfordelingsmodeller af: Jørgen Larsen

304e/95 STATISTIKNOTER Mindre matematisk-statistisk opslagsvær indeholdende bl.a. ordforklaringer, resuméer og tabeller

af: Jørgen Larsen

305/95 The Maslov Index:
A Functional Analytical Definition
And The Spectral Flow Formula

By: B. Booss-Bavnbek, K. Furutani

306/95 Goals of mathematics teaching -

Preprint of a chapter for the forthcomming International Handbook of Mathematics Education (Alan J.Bishop, ed)

By: Mogens Niss