

Five requirements for an approximate nonlinear response theory

Dyre, J. C.

Publication date:
1990

Document Version
Publisher's PDF, also known as Version of record

Citation for published version (APA):
Dyre, J. C. (1990). *Five requirements for an approximate nonlinear response theory*. Roskilde Universitet.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact rucforsk@ruc.dk providing details, and we will remove access to the work immediately and investigate your claim.

TEKST NR 190

1990

FIVE REQUIREMENTS FOR AN APPROXIMATE NONLINEAR RESPONSE THEORY

By: Jeppe C. Dyre

TEKSTER fra

IMFUFA

ROSKILDE UNIVERSITETSCENTER
INSTITUT FOR STUDIET AF MATEMATIK OG FYSIK SAMT DERES
FUNKTIONER I UNDERVISNING, FORSKNING OG ANVENDELSER

IMFUFA, Roskilde Universitetscenter, Postboks 260. 4000 Roskilde
FIVE REQUIREMENTS FOR AN APPROXIMATE NONLINEAR RESPONSE THEORY

by: Jeppe C. Dyre

IMFUFA tekst nr. 190/90 12 pages

ISSN 0106-6242

ABSTRACT

Five requirements are proposed which should be satisfied by any formalism attempting to calculate approximately a nonlinear response solely from a knowledge of the external field and the equilibrium fluctuations of the degree of freedom of interest. One possible approximate nonlinear response theory is then derived and discussed; it satisfies four of the five requirements while a fifth cannot be checked.

Linear response theory [1-7] was derived many years ago and is today a standard tool used in many parts of physics. The nonlinear generalization [6,8,9] is complex and not very useful, however. The problem is that, in the expansion of the response in terms of the external field E , the coefficients cannot be expressed in terms of equilibrium fluctuations of the degree of freedom, Q , that couples to the field [10]. The best one can hope for is an approximate theory that estimates the nonlinear response from equilibrium fluctuations. There is another problem which must be faced. In a non-infinitesimal field the dissipated heat cannot be ignored and the response depends on the way this heat is removed. A general formalism that estimates the response from equilibrium fluctuations does not take this into account and should be applied only at fields small enough to ensure that the temperature is almost constant throughout the sample. In many cases this condition is fulfilled for sufficiently small samples. Note that some important nonlinear phenomena actually do take place at a very small dissipation rate. An example is the flow of a polymeric liquid. It is an empirical fact [11,12] that this flow becomes nonlinear at a shear rate of order τ_M^{-1} where τ_M is the (linear) Maxwell relaxation time. Thus, if G_∞ denotes the infinite frequency shear modulus and η is the linear viscosity, the dissipation rate per unit volume is of the order G_∞^2/η at the onset of nonlinearity. For large viscosity this quantity is very small and the temperature is almost constant throughout even a relatively large sample.

In this paper five requirements are proposed which an approximate nonlinear response theory should reasonably satisfy.

Then a maximum entropy based response theory is briefly discussed, followed by the development of a more general formalism. To avoid the complications of quantum mechanics, the underlying dynamics is assumed to be classical throughout. For simplicity, it is also assumed that Q does not change sign under time-reversal.

An approximate nonlinear response theory should, by the above definition, (1), calculate the response solely from a knowledge of the external field and of the equilibrium fluctuations of $Q(t)$. The theory should, (2), satisfy causality and, (3), reflect the time-reversal invariance of the underlying equation of motion. Points (2) and (3) ensure any approximate nonlinear response theory is an extension of linear response theory. As shown by Bochkov and Kuzovlev [13,14], time-reversal invariance is conveniently expressed in terms of the "path probability" $P_{E(\tau)}[\dot{Q}(t)]$ (the probability of a $\dot{Q}(t)$ -fluctuation in the external field $E(\tau)$), as

$$\frac{P_{E(\tau)}[\dot{Q}(t)]}{P_{E(-\tau)}[-\dot{Q}(-t)]} = \exp \left\{ \beta \int_{-\infty}^{\infty} E(t) \dot{Q}(t) dt \right\} \quad (1)$$

where β is the inverse temperature. Equation (1) is derived by assuming thermal equilibrium at $t = -\infty$ followed by a decoupling of the heat bath and subsequent evolution in time according to the canonical equations of motion for the system interacting with the external field. The requirements (1)-(3) are sine qua non for any approximate nonlinear response theory, but there are further requirements which such a theory should reasonably satisfy. In statistical mechanics the occurrence of nonlinearities always correlates to the existence of non-Gaussian equilibrium fluctua-

tions. For instance, a magnetic system has a field-independent susceptibility if and only if the magnetization fluctuations in equilibrium are Gaussian. In analogy to statistical mechanics it is reasonable to require that, (4), any approximate nonlinear response theory should predict an exactly linear response whenever the equilibrium $Q(t)$ -fluctuations are Gaussian. Finally, there is a requirement which is valid also for linear response theory, (5): If Q_1 and Q_2 fluctuate independently in equilibrium, their response should be uncorrelated. Thus, if Q_1 and Q_2 are coupled to two different fields, the field E_1 should not influence the Q_2 -response and vice versa. The case when the same field couples to Q_1 and Q_2 is important. Then requirement (5) ensures consistency for the response of a bulk degree of freedom, Q , since Q may be written $Q=Q_1+Q_2$ where Q_1 and Q_2 refer to different volumes of the system and therefore fluctuate independently.

The simplest solution of Eq. (1) is the "maximum entropy ansatz" [15]

$$P_{E(\tau)}[\dot{Q}(t)] = N^{-1} P_0[\dot{Q}(t)] \exp\left\{\beta/2 \int_{-\infty}^{\infty} E(t) \dot{Q}(t) dt\right\} \quad (2)$$

where $P_0[\dot{Q}(t)]$ is the equilibrium path probability and N is a normalization constant. Equation (2) obviously violates causality. Therefore Eq. (2) makes sense only for constant fields. In this case the response is given by [15]

$$\langle \dot{Q} \rangle_E = \sum_{n=1}^{\infty} \frac{1}{n!} \left(\frac{\beta E}{2}\right)^n \int_{-\infty}^{\infty} dt_1 \cdots dt_n \langle \dot{Q}(0), \dot{Q}(t_1), \cdots, \dot{Q}(t_n) \rangle_0 \quad (3)$$

where the sharp brackets on the right hand side denote equilibrium cumulant averages. An equivalent of Eq. (3) was first derived by Stratonovich for stochastic systems [16]. In this case Eq. (3) results from the assumption that the energy maximum to be overcome in a transition between two minima is placed midway between the two minima (in the direction of Q). To check the five requirements against Eq. (3), we note that requirements (1) and (3) are satisfied, while (2) is not. Requirement (4) is also satisfied since a system is Gaussian whenever all higher than second order cumulant averages are zero. It is easy to show that the generalization of Eq. (3) to N external fields is

$$\langle \dot{Q}_i \rangle_{\{E_j\}} = \sum_{n=1}^{\infty} \frac{1}{n!} \left(\frac{\beta}{2}\right)^n \sum_{i_1, \dots, i_n} E_{i_1} \dots E_{i_n} \times \int_{-\infty}^{\infty} dt_1 \dots dt_n \langle \dot{Q}_i(0), \dot{Q}_i(t_1), \dots, \dot{Q}_{i_n}(t_n) \rangle_0. \quad (4)$$

From this it follows that if, e. g. , the Q_1 and Q_2 equilibrium fluctuations are uncorrelated, there is no coupling from the field E_1 to Q_2 . Thus, Eq. (3) satisfies all 5 requirements for a nonlinear response theory except causality. Note that, despite violating causality, Eq. (3) for time-independent external fields is an extension of linear response theory. It should also be noted that Eq. (2) for constant fields does have non-trivial applications, e. g. , to the calculation of excess current noise in random walk models where Eq. (2) leads to the correct expression [15,17].

We now turn to the problem of deriving an approximate nonlinear response theory applicable to the case with a time-dependent

external field. This is achieved by approximating the exact density matrix by an expression referring to the equilibrium dynamics. For simplicity, we consider first the case of only one external field $E(t)$. The Hamiltonian is $H(t) = H_0 - E(t)Q$. Suppose that, for a system initially in thermal equilibrium, the field is turned on at $t=0$. For $t>0$ the "internal energy" $H_0(t)$ is determined from the Poisson bracket expression

$$\begin{aligned} \frac{dH_0}{dt} &= \{H, H_0\} \\ &= -E(t)\{Q, H_0\} = E(t)\{H, Q\} = E(t)\dot{Q}. \end{aligned} \quad (5)$$

If $X(0)$ and $X(t)$ denote, respectively, the starting and ending point of a path in phase space, an integration of Eq. (5) leads to

$$H_0(X(t)) - H_0(X(0)) = \int_0^t E(\tau) \dot{Q}(X(\tau)) d\tau. \quad (6)$$

Equation (6) just expresses the fact that the change in internal energy is equal to the work performed by the external field. Now the Liouville equation for the density matrix ρ , $\frac{d\rho}{dt} = 0$, implies $\rho(X(t)) = \rho(X(0))$. Initially, the density matrix is $\rho(X(0)) = \exp[-\beta H_0(X(0)) + \beta F_0]$ where F_0 is the equilibrium free energy. Thus, from Eq. (6) we get

$$\rho(X(t)) = \exp\left[-\beta H_0(X(t)) + \beta \int_0^t E(\tau) \dot{Q}(X(\tau)) d\tau + \beta F_0\right]. \quad (7)$$

Define now the functional $Z_E[E(\tau)]$ by

$$Z_{\varepsilon} [E(\tau)] = \text{Tr}_{\text{cl}, X(t)} \exp \left[-\beta H_0(X(t)) + \beta \int_0^{t+\varepsilon} E(\tau) \dot{Q}(X(\tau)) d\tau + \beta F_0 \right] \quad (8)$$

where $\text{Tr}_{\text{cl}, X(t)}$ denotes the classical trace, i. e. , an integration over all phase space points $X(t)$. We obviously have

$$\left\langle \dot{Q}(t) \right\rangle_{E(t)} = \beta^{-1} \lim_{\varepsilon \rightarrow 0} \frac{\delta}{\delta E(t)} \ln Z_{\varepsilon} [E(\tau)] . \quad (9)$$

This result is exact. To arrive at an approximation that allows a calculation of the response in terms of equilibrium averages, we replace the exact path in phase space from $X(0)$ to $X(t)$ by the unperturbed path that ends in $X(t)$. Then Eq. (8) reduces to an equilibrium average:

$$\begin{aligned} Z_{\varepsilon} [E(\tau)] &= \left\langle e^{\beta \int_0^{t+\varepsilon} E(\tau) \dot{Q}(\tau) d\tau} \right\rangle \\ &= \exp \left[\sum_{n=2}^{\infty} \frac{\beta^n}{n!} \int_0^{t+\varepsilon} dt_1 \cdots dt_n E(t_1) \cdots E(t_n) \left\langle \dot{Q}(t_1), \dots, \dot{Q}(t_n) \right\rangle_0 \right] . \end{aligned} \quad (10)$$

In this approximation the predicted response is easily found from Eqs. (9) and (10),

$$\left\langle \dot{Q}(t) \right\rangle_{E(t)} = \sum_{n=1}^{\infty} \frac{\beta^n}{n!} \int_{-\infty}^t dt_1 \cdots dt_n E(t_1) \cdots E(t_n) \left\langle \dot{Q}(t), \dot{Q}(t_1), \dots, \dot{Q}(t_n) \right\rangle_0 . \quad (11)$$

The generalization of this result to the case of several external fields is straightforward. One finds

$$\begin{aligned} \left\langle \dot{Q}_i(t) \right\rangle_{\{E_j(\tau)\}} &= \sum_{n=1}^{\infty} \frac{\beta^n}{n!} \sum_{i_1, \dots, i_n} \int_{-\infty}^t dt_1 \cdots dt_n E_{i_1}(t_1) \cdots E_{i_n}(t_n) \\ &\quad \times \left\langle \dot{Q}_i(t), \dot{Q}_{i_1}(t_1), \dots, \dot{Q}_{i_n}(t_n) \right\rangle_0 . \end{aligned} \quad (12)$$

It is also easy to show that, in the case of one external field the response of an arbitrary degree of freedom A is given by

$$\langle A(t) \rangle_{E(t)} = \sum_{n=1}^{\infty} \frac{\beta^n}{n!} \int_{-\infty}^t dt_1 \cdots dt_n E(t_1) \cdots E(t_n) \langle A(t), \dot{Q}(t_1), \dots, \dot{Q}(t_n) \rangle_0 \quad (13)$$

Equation (12) satisfies all 5 requirements for an approximate nonlinear response theory except, perhaps, time-reversal invariance. This requirement cannot be checked because Eq. (12) is not based on an expression for the path probability. On the other hand, there is no indication that Eq. (12) violates time-reversal invariance. Thus, Eq. (13) reduces to the correct expression in the linear limit which is not obvious since linear response theory is derived from time-reversal invariance. Furthermore, the second order term of Eq. (13) is also correct [8,13]. In many cases, of course, this term is zero.

As an application of Eq. (11) we now evaluate the nonlinear creep function. This quantity is defined as the average increase of Q in time t after a constant field E is introduced at $t=0$. Denoting the creep function by $\langle \Delta Q(t) \rangle_{E \theta(t)}$, we first note that Eq. (11) may be rewritten as

$$e^{\beta \int_{-\infty}^t E(\tau) \langle \dot{Q}(\tau) \rangle_{E(\tau')} d\tau} = \left\langle e^{\beta \int_{-\infty}^t E(\tau) \dot{Q}(\tau) d\tau} \right\rangle_0 \quad (14)$$

Since $E(t)=E \theta(t)$ Eq. (14) implies for $t>0$

$$e^{\beta E} \langle \Delta Q(t) \rangle_{E \theta(t)} = \left\langle e^{\beta E \Delta Q(t)} \right\rangle_0 \quad (15)$$

In the $E \rightarrow 0$ limit Eq. (15) reduces to the well-known expression for the linear creep function

$$\langle \Delta Q(t) \rangle_{E \theta(t)} = \frac{1}{2} \beta E \langle \Delta Q^2(t) \rangle_0 \quad (16)$$

Equations (11)-(15) were derived for a Hamiltonian system but make sense also for a stochastic system. An example is random walk in one dimension. To calculate the right hand side of Eq. (15) we note that the number of jumps in time t is Poisson distributed around $N = \gamma_0 t$ where γ_0 is the zero field jump frequency. From this it is easy to see that Eq. (15) implies

$$e^{\beta E} \langle \Delta Q(t) \rangle_{E \theta(t)} = e^{\gamma_0 t [\cosh(\beta E a) - 1]} \quad (17)$$

In this simple example there are no transient effects and the predicted average velocity is given by

$$\langle \dot{Q} \rangle_E = \gamma_0 a \frac{\cosh(\beta E a) - 1}{\beta E a} \quad (18)$$

The theory predicts an exponential nonlinearity which is typical for random walks. For large fields the velocity varies as $\exp(\beta E a)$ whereas for the commonly used "symmetric" jump rate assignment one has asymptotically $\dot{Q} \propto \exp(\beta E a / 2)$. On the other hand, for the "asymmetric" jump rate assignment $\gamma = \gamma_0 \exp(\beta E a)$ in the direction of the field and $\gamma = \gamma_0$ in the opposite direction, the predicted velocity is asymptotically correct. There are, however,

many other possible jump rate assignments in an external field, and this illustrates well the impossibility of constructing a generally applicable approximate nonlinear response theory.

Another simple example of Eq. (15) is the case of a free particle in a box. It is a simple matter to evaluate $\langle e^{\beta E \Delta Q(t)} \rangle_0$ in the $t \rightarrow \infty$ limit where Q is the box length coordinate. If L denotes the length of the box, one finds

$$\lim_{t \rightarrow \infty} \langle e^{\beta E \Delta Q(t)} \rangle_0 = \langle e^{\beta E Q} \rangle \langle e^{-\beta E Q} \rangle = \frac{2 [\cosh(\beta E L) - 1]}{(\beta E L)^2} \quad (19)$$

where it has been assumed that $Q(t)$ and $Q(0)$ are uncorrelated for $t \rightarrow \infty$. For large fields Eq. (19) predicts an average displacement equal to L . The correct result is $L/2$, of course. The theory gives a qualitatively correct result, for instance there is no drift of the particle after some time, but the result is not exact.

To summarize, the nonexistence of a useful exact nonlinear response theory raises the question whether any approximate nonlinear response theory exists. Five requirements have been proposed which such a theory should satisfy. It should, (1), calculate the response solely from a knowledge of the external field and of the equilibrium fluctuations of $Q(t)$. It should, (2), satisfy causality and, (3), time-reversal invariance, and also, (4), predict a linear response whenever the equilibrium fluctuations of $Q(t)$ are gaussian. Finally, (5), if Q_1 and Q_2 fluctuate independently in equilibrium, a field coupling to Q_1 should not influence the Q_2 -response and vice versa. It is not clear whether any theory exists which satisfies these five require-

ments. A candidate for such a theory has been proposed (Eq. (11), and more generally Eq. (12)). In deriving Eqs. (11) and (12) the external field density matrix was estimated by replacing the exact phase space paths by the unperturbed paths.

Whenever the cumulant averages of $Q(t)$ are smooth functions of time, the theory predicts the nonlinear effects to appear only some time after the field is introduced. This is a feature which is often seen in experiment where a system for a given external field may be almost linear on a short time scale while the DC response is strongly nonlinear [12].

The proposed approximate nonlinear response theory satisfies all five requirements except, perhaps, time-reversal invariance which cannot be checked. On the other hand, there are no indications of a violation of time-reversal invariance. Thus, the theory is exact to second order, which is as far as there are general results calculating the response from equilibrium fluctuations [14]. To properly check time-reversal invariance, the full path probability must be known. This is equivalent to knowing all cumulant averages of $\dot{Q}(t)$ in the external field. A possible generalization of Eq. (11) to the calculation of these averages is

$$\begin{aligned} \langle \dot{Q}(t_1), \dots, \dot{Q}(t_n) \rangle_{E(t)} &= \sum_{m=0}^{\infty} \frac{\beta^m}{m!} \int_{-\infty}^{t_n} dt'_1 \dots dt'_m E(t'_1) \dots E(t'_m) \\ &\times \langle \dot{Q}(t_1), \dots, \dot{Q}(t_n), \dot{Q}(t'_1), \dots, \dot{Q}(t'_m) \rangle_0 \quad (t_1 < \dots < t_n) \end{aligned} \quad (20)$$

with an obvious generalization to the case of several external fields. However, Eq. (20) explicitly violates causality which, as shown by Bochkov and Kuzovlev [14], implies the following exact

relation between the various cumulant averages

$$\langle \dot{Q}(t) \rangle_{E(t)} = \sum_{n=1}^{\infty} (-1)^{n-1} \frac{\beta^n}{n!} \int_{-\infty}^t dt_1 \cdots dt_n E(t_1) \cdots E(t_n) \quad (21)$$

$$\times \langle \dot{Q}(t), \dot{Q}(t_1), \dots, \dot{Q}(t_n) \rangle_{E(t)}$$

It is an open problem whether it is possible to derive Eqs. (11) and (12) from a path probability that satisfies time-reversal invariance (Eq. (1)). Another open problem is to derive a criterion for the applicability of Eqs. (11) and (12). As a matter of fact it is not clear whether any system exists for which the proposed response theory is satisfactory. On the other hand it is likely that no other reasonable approximate nonlinear response theory exists. Thus, accepting requirement (4), the occurrence of a nonlinearity must be coupled to the existence of nonzero higher than second order equilibrium cumulant averages of $\dot{Q}(t)$. Similarly, requirement (5) more or less dictates the occurrence of cumulant averages in the expression for the response, since cumulants are additive for independently fluctuating degrees of freedom. Finally, in the case where $\{\dot{Q}_i\}$ is a vector, the transformation properties of the average $\{\langle \dot{Q}_i \rangle_E\}$ almost dictates the n'th order term to involve n+1 \dot{Q} 's.

REFERENCES

1. H Nyquist, Phys. Rev. 32, 110 (1928).
2. L Onsager, Phys. Rev. 37, 405 (1931); 38, 2265 (1931).
3. J G Kirkwood, J. Chem. Phys. 14, 180 (1946).
4. H B Callen and T A Welton, Phys. Rev. 83, 34 (1951).
5. M S Green, J. Chem. Phys. 20, 1281 (1952).
6. R Kubo, J. Phys. Soc. Jpn. 12, 570 (1957).
7. L P Kadanoff and P C Martin, Ann. Phys. (N.Y.) 24, 419 (1963).
8. W Bernard and H B Callen, Rev. Mod. Phys. 31, 1017 (1959).
9. D J Evans and G P Morriss, Molec. Phys. 64, 521 (1988).
10. R L Stratonovich, Zh. Eksp. Teor. Fiz. 58, 1612 (1970) [Sov. Phys.-JETP 31, 864 (1970)].
11. W W Graessley, Adv. Polym. Sci. 16, 1 (1974).
12. R B Bird, R C Armstrong, O Hassager, "Dynamics of Polymeric Liquids", Vol. 1, 2nd Ed. (Wiley, New York, 1987).
13. G N Bochkov and Yu E Kuzovlev, Zh. Eksp. Teor. Fiz. 72, 238 (1977) [Sov. Phys.-JETP 45, 125 (1977)].
14. G N Bochkov and Yu E Kuzovlev, Physica 106A, 443 (1981); 106A, 480 (1981).
15. J C Dyre, Phys. Rev. A 40, 2207 (1989).
16. R L Stratonovich, Vestn. Mosk. Univ. Fiz. Astronomiya 5, 16 (1962).
17. J C Dyre, Phys. Rev B 37, 10143 (1988).

- 1/78 "TANKER OM EN PRAKSIS" - et matematikprojekt. Projekt rapport af: Anne Jensen, Lena Lindenskov, Marianne Kesselhahn og Nicolai Lomholt. Vejleder: Anders Madsen
- 2/78 "OPTIMERING" - Menneskets forøgede beherskelsesmuligheder af natur og samfund. Projekt rapport af: Tom J. Andersen, Tommy R. Andersen, Gert Krenøe og Peter H. Lassen. Vejleder: Bernhelm Boss.
- 3/78 "OPCAVESAMLING", breddekursus i fysik. Af: Lasse Rasmussen, Aage Bonde Kræmmer og Jens Højgaard Jensen.
- 4/78 "TRE ESSAYS" - om matematikundervisning, matematiklæreruddannelsen og videnskabsrindalismen. Af: Mogens Niss. Nr. 4 er p.t. udgået.
- 5/78 "BIBLIOGRAFISK VEJLEDNING til studiet af DEN MODERNE FYSIKS HISTORIE". Af: Helge Kragh. Nr. 5 er p.t. udgået.
- 6/78 "NOGLE ARTIKLER OG DEBATINDLÆG OM - læreruddannelse og undervisning i fysik, og - de naturvidenskabelige fags situation efter studenteroprøret". Af: Karin Beyer, Jens Højgaard Jensen og Bent C. Jørgensen.
- 7/78 "MATEMATIKKENS FORHOLD TIL SAMFUNDSØKONOMIEN". Af: B.V. Gnedenko. Nr. 7 er udgået.
- 8/78 "DYNAMIK OG DIAGRAMMER". Introduktion til energy-bond-graph formalismen. Af: Peder Voetmann Christiansen.
- 9/78 "OM PRAKSIS' INDFLYDELSE PÅ MATEMATIKKENS UDVIKLING". - Motiver til Kepler's: "Nova Stereometria Doliorum Vinarium". Projekt rapport af: Lasse Rasmussen. Vejleder: Anders Madsen.
-
- 10/79 "TERMODYNAMIK I GYMNASIET". Projekt rapport af: Jan Christensen og Jeanne Mortensen. Vejledere: Karin Beyer og Peder Voetmann Christiansen.
- 11/79 "STATISTISKE MATERIALER". Af: Jørgen Larsen.
- 12/79 "LINEÆRE DIFFERENTIALLIGNINGER OG DIFFERENTIALLIGNINGSSYSTEMER". Af: Mogens Brun Heefelt. Nr. 12 er udgået.
- 13/79 "CAVENDISH'S FORSØG I GYMNASIET". Projekt rapport af: Gert Kreinøe. Vejleder: Albert Chr. Paulsen.
- 14/79 "BOOKS ABOUT MATHEMATICS: History, Philosophy, Education, Models, System Theory, and Works of". Af: Else Høyrup. Nr. 14 er p.t. udgået.
- 15/79 "STRUKTUREL STABILITET OG KATASTROFER i systemer i og udenfor termodynamisk ligevægt". Specialeopgave af: Leif S. Striegler. Vejleder: Peder Voetmann Christiansen.
- 16/79 "STATISTIK I KRÆFTFORSKNINGEN". Projekt rapport af: Michael Olsen og Jørn Jensen. Vejleder: Jørgen Larsen.
- 17/79 "AT SPØRGE OG AT SVARE i fysikundervisningen". Af: Albert Christian Paulsen.
- 18/79 "MATHEMATICS AND THE REAL WORLD", Proceedings af an International Workshop, Roskilde University Centre, Denmark, 1978. Preprint. Af: Bernhelm Booss og Mogens Niss (eds.)
- 19/79 "GEOMETRI, SKOLE OG VIRKELIGHED". Projekt rapport af: Tom J. Andersen, Tommy R. Andersen og Per H.H. Larsen. Vejleder: Mogens Niss.
- 20/79 "STATISTISKE MODELLER TIL BESTEMMELSE AF SIKRE DOSER FOR CARCINOGENE STOFFER". Projekt rapport af: Michael Olsen og Jørn Jensen. Vejleder: Jørgen Larsen
- 21/79 "KONTROL I GYMNASIET-FORMÅL OG KONSEKVENSER". Projekt rapport af: Crilles Bacher, Per S.Jensen, Preben Jensen og Torben Nysteen.
- 22/79 "SEMIOTIK OG SYSTEMEGENSKABER (1)". 1-port lineært response og støj i fysikken. Af: Peder Voetmann Christiansen.
- 23/79 "ON THE HISTORY OF EARLY WAVE MECHANICS - with special emphasis on the role of reality". Af: Helge Kragh.
-
- 24/80 "MATEMATIKOPFATTELSE HOS 2.G'ERE". a+b 1. En analyse. 2. Interviewmateriale. Projekt rapport af: Jan Christensen og Knud Lindhardt Rasmussen. Vejleder: Mogens Niss.
- 25/80 "EKSAMENSOPGAVER", Dybdemodul/fysik 1974-79.
- 26/80 "OM MATEMATISKE MODELLER". En projekt rapport og to artikler. Af: Jens Højgaard Jensen m.fl.
- 27/80 "METHODOLOGY AND PHILOSOPHY OF SCIENCE IN PAUL DIRAC'S PHYSICS". Af: Helge Kragh.
- 28/80 "DILEMATERISK RELAXATION - et forslag til en ny model bygget på væskemes viscoelastiske egenskaber". Projekt rapport af: Gert Kreinøe. Vejleder: Niels Boye Olsen.
- 29/80 "ODIN - undervisningsmateriale til et kursus i differentiaalligningsmodeller". Projekt rapport af: Tommy R. Andersen, Per H.H. Larsen og Peter H. Lassen. Vejleder: Mogens Brun Heefelt.
- 30/80 "FUSIONSENERGIEN - - - ATOMSAMFUNDETS ENDESTATION". Af: Oluf Danielsen. Nr. 30 er udgået.
- 31/80 "VIDENSKABSTEORETISKE PROBLEMER VED UNDERVISNINGSSYSTEMER BASERET PÅ MÅNDELÆRE". Projekt rapport af: Troels Lange og Jørgen Karrebæk. Vejleder: Stig Andur Pedersen. Nr. 31 er p.t. udgået.
- 32/80 "POLYMERE STOFFERS VISCOELASTISKE EGENSKABER - BELYST VED HJÆLP AF MEKANISKE IMPEDANSMÅLINGER - GER MOSSBAUEREFFEKTIVITÄLINGER". Projekt rapport af: Crilles Bacher og Preben Jensen. Vejledere: Niels Boye Olsen og Peder Voetmann Christiansen.
- 33/80 "KONSTITUERING AF FAG INDEN FOR TEKNISK - NATURVIDENSKABELIGE UDDANNELSER. I-II". Af: Arne Jakobsen.
- 34/80 "ENVIRONMENTAL IMPACT OF WIND ENERGY UTILIZATION". ENERGY SERIES NO. I. Af: Bent Sørensen. Nr. 34 er udgået.

- 35/80 "HISTORISKE STUDIER I DEN NYERE ATOMFYSIKS UDVIKLING".
Af: Helge Kragh.
- 36/80 "HVAD ER MENINGEN MED MATEMATIKUNDERVISNINGEN?".
Fire artikler.
Af: Mogens Niss.
- 37/80 "RENEWABLE ENERGY AND ENERGY STORAGE".
ENERGY SERIES NO. 2.
Af: Bent Sørensen.
-
- 38/81 "TIL EN HISTORIE TEORI OM NATURERKENDELSE, TEKNOLOGI OG SAMFUND".
Projektrapport af: Erik Gade, Hans Hedal, Henrik Lau og Finn Physant.
Vejledere: Stig Andur Pedersen, Helge Kragh og Ib Thiersen.
Nr. 38 er p.t. udgået.
- 39/81 "TIL KRITIKKEN AF VÆKSTØKONOMIEN".
Af: Jens Højgaard Jensen.
- 40/81 "TELEKOMMUNIKATION I DANMARK - oplæg til en teknologivurdering".
Projektrapport af: Arne Jørgensen, Bruno Petersen og Jan Vedde.
Vejleder: Per Nørregaard.
- 41/81 "PLANNING AND POLICY CONSIDERATIONS RELATED TO THE INTRODUCTION OF RENEWABLE ENERGY SOURCES INTO ENERGY SUPPLY SYSTEMS".
ENERGY SERIES NO. 3.
Af: Bent Sørensen.
- 42/81 "VIDENSKAB TEORI SAMFUND - En introduktion til materialistiske videnskabsopfattelser".
Af: Helge Kragh og Stig Andur Pedersen.
- 43/81 1. "COMPARATIVE RISK ASSESSMENT OF TOTAL ENERGY SYSTEMS".
2. "ADVANTAGES AND DISADVANTAGES OF DECENTRALIZATION".
ENERGY SERIES NO. 4.
Af: Bent Sørensen.
- 44/81 "HISTORISKE UNDERSØGELSER AF DE EKSPERIMENTELLE FORUDSÆTNINGER FOR RUTHERFORDS ATOMMODEL".
Projektrapport af: Niels Thor Nielsen.
Vejleder: Bent C. Jørgensen.
-
- 45/82 Er aldrig udkommet.
- 46/82 "EKSEMPLARISK UNDERVISNING OG FYSISK ERKENDELSE-1+1 ILLUSTRERET VED TO EKSEMPLER".
Projektrapport af: Torben O. Olsen, Lasse Rasmussen og Niels Dreyer Sørensen.
Vejleder: Bent C. Jørgensen.
- 47/82 "BARSEBÄCK OG DET VÆRST OFFICIELT-TÆNKELIGE UHELD".
ENERGY SERIES NO. 5.
Af: Bent Sørensen.
- 48/82 "EN UNDERSØGELSE AF MATEMATIKUNDERVISNINGEN PÅ ADGANGSKURSUS TIL KØBENHAVNS TEKNIKUM".
Projektrapport af: Lis Eilertzen, Jørgen Karrebæk, Troels Lange, Preben Nørregaard, Lissi Pedersen, Laust Rishøj, Lill Røn og Isac Showiki.
Vejleder: Mogens Niss.
- 49/82 "ANALYSE AF MULTISPEKTRALE SATELLITBILLEDER".
Projektrapport af: Preben Nørregaard.
Vejledere: Jørgen Larsen og Rasmus Ole Rasmussen.
- 50/82 "HERSLEV - MULIGHEDER FOR VEDVARENDE ENERGI I EN LANDSBY".
ENERGY SERIES NO. 6.
Rapport af: Bent Christensen, Bent Hove Jensen, Dennis B. Møller, Bjarne Laursen, Bjarne Lillethorup og Jacob Mørch Pedersen.
Vejleder: Bent Sørensen.
- 51/82 "HVAD KAN DER GØRES FOR AT AFHJÆLPE PICERS BLOKERING OVERFOR MATEMATIK?".
Projektrapport af: Lis Eilertzen, Lissi Pedersen, Lill Røn og Susanne Stender.
- 52/82 "DESUSPENSION OF SPLITTING ELLIPTIC SYMBOLS".
Af: Bernhelm Booss og Krzysztof Wojciechowski.
- 53/82 "THE CONSTITUTION OF SUBJECTS IN ENGINEERING EDUCATION".
Af: Arne Jacobsen og Stig Andur Pedersen.
- 54/82 "FUTURES RESEARCH" - A Philosophical Analysis of Its Subject-Matter and Methods.
Af: Stig Andur Pedersen og Johannes Witt-Hansen.
- 55/82 "MATEMATISKE MODELLER" - Litteratur på Roskilde Universitetsbibliotek.
En biografi.
Af: Else Højrup.

Vedr. tekst nr. 55/82 se også tekst nr. 62/83.
- 56/82 "EN - TO - MANGE" -
En undersøgelse af matematisk økologi.
Projektrapport af: Troels Lange.
Vejleder: Anders Madsen.
-
- 57/83 "ASPECT EKSPERIMENTET"-
Skjulte variable i kvantemekanikken?
Projektrapport af: Tom Juul Andersen.
Vejleder: Peder Voetmann Christiansen.
Nr. 57 er udgået.
- 58/83 "MATEMATISKE VANDRINGER" - Modelbetragtninger over spredning af dyr mellem småbiotoper i agerlandet.
Projektrapport af: Per Hammershøj Jensen og Lene Vagn Rasmussen.
Vejleder: Jørgen Larsen.
- 59/83 "THE METHODOLOGY OF ENERGY PLANNING".
ENERGY SERIES NO. 7.
Af: Bent Sørensen.
- 60/83 "MATEMATISK MODEKSPERTISE"- et eksempel.
Projektrapport af: Erik O. Gade, Jørgen Karrebæk og Preben Nørregaard.
Vejleder: Anders Madsen.
- 61/83 "FYSIKS IDEOLOGISKE FUNKTION, SOM ET EKSEMPEL PÅ EN NATURVIDENSKAB - HISTORISK SET".
Projektrapport af: Annette Post Nielsen.
Vejledere: Jens Højrup, Jens Højgaard Jensen og Jørgen Vogelius.
- 62/83 "MATEMATISKE MODELLER" - Litteratur på Roskilde Universitetsbibliotek.
En biografi 2. rev. udgave.
Af: Else Højrup.
- 63/83 "CREATING ENERGY FUTURES: A SHORT GUIDE TO ENERGY PLANNING".
ENERGY SERIES No. 8.
Af: David Crossley og Bent Sørensen.
- 64/83 "VON MATEMATIK UND KRIEG".
Af: Bernhelm Booss og Jens Højrup.
- 65/83 "ANVENDT MATEMATIK - TEORI ELLER PRAKSIS".
Projektrapport af: Per Hedegård Andersen, Kirsten Habekost, Carsten Holst-Jensen, Annelise von Moos, Else Marie Pedersen og Erling Møller Pedersen.
Vejledere: Bernhelm Booss og Klaus Grünbaum.
- 66/83 "MATEMATISKE MODELLER FOR PERIODISK SELEKTION I ESCHERICHIA COLI".
Projektrapport af: Hanne Lisbet Andersen, Ole Richard Jensen og Klavs Frisdahl.
Vejledere: Jørgen Larsen og Anders Hede Madsen.
- 67/83 "ELEPSOIDE METODEN - EN NY METODE TIL LINEÆR PROGRAMMERING?".
Projektrapport af: Lone Billmann og Lars Boye.
Vejleder: Mogens Brun Heefelt.
- 68/83 "STOKASTISKE MODELLER I POPULATIONSGENETIK" - til kritikken af teoriladede modeller.
Projektrapport af: Lise Odgård Gade, Susanne Hansen, Michael Hviid og Frank Mølgård Olsen.
Vejleder: Jørgen Larsen.

- 69/83 "ELEVFORUDSÆTNINGER I FYSIK"
- en test i l.g med kommentarer.
Af: Albert C. Paulsen.
- 70/83 "INDLÆRINGS - OG FORMIDLINGSPROBLEMER I MATEMATIK PÅ VOKSENUNDERVISNINGSNIVEAU".
Projektrapport af: Hanne Lisbet Andersen, Torben J. Andreasen, Svend Åge Houmann, Helle Glerup Jensen, Keld Fl. Nielsen, Lene Yagn Rasmussen.
Vejleder: Klaus Grünbaum og Anders Hede Madsen.
- 71/83 "PIGER OG FYSIK"
- et problem og en udfordring for skolen?
Af: Karin Beyer, Sussanø Blegaa, Birthe Olsen, Jette Reich og Mette Vedelsby.
- 72/83 "VERDEN IFØLGE PEIRCE" - to metafysiske essays, om og af C.S Peirce.
Af: Peder Voetmann Christiansen.
- 73/83 ""EN ENERGIANALYSE AF LANDBRUG"
- økologisk contra traditionelt.
ENERGY SERIES NO. 9
Specialeopgave i fysik af: Bent Hove Jensen.
Vejleder: Bent Sørensen.
-
- 74/84 "MINIATURISERING AF MIKROELEKTRONIK" - om videnskabeliggjort teknologi og nytten af at lære fysik.
Projektrapport af: Bodil Harder og Linda Szkotak Jensen.
Vejledere: Jens Højgaard Jensen og Bent C. Jørgensen.
- 75/84 "MATEMATIKUNDERVISNINGEN I FREMTIDENS GYMNASIUM"
- Case: Lineær programmering.
Projektrapport af: Morten Blomhøj, Klavs Frisdahl og Frank Mølgaard Olsen.
Vejledere: Mogens Brun Heefelt og Jens Bjørneboe.
- 76/84 "KERNEKRAFT I DANMARK?" - Et høringsvar indkaldt af miljøministeriet, med kritik af miljøstyrelsens rapporter af 15. marts 1984.
ENERGY SERIES No. 10
Af: Niels Boye Olsen og Bent Sørensen.
- 77/84 "POLITISKE INDEKS - FUP ELLER FAKTA?"
Opinionsundersøgelser belyst ved statistiske modeller.
Projektrapport af: Svend Åge Houmann, Keld Nielsen og Susanne Stender.
Vejledere: Jørgen Larsen og Jens Bjørneboe.
- 78/84 "JÆVNSTRØMSLEDNINGSEVNE OG GITTERSTRUKTUR I AMORFT GERMANIUM".
Specialrapport af: Hans Hedal, Frank C. Ludvigsen og Finn C. Physant.
Vejleder: Niels Boye Olsen.
- 79/84 "MATEMATIK OG ALMENDANNELSE".
Projektrapport af: Henrik Coster, Mikael Wennerberg Johansen, Povl Kattler, Birgitte Lydholm og Morten Overgaard Nielsen.
Vejleder: Bernhelm Booss.
- 80/84 "KURSUSMATERIALE TIL MATEMATIK B".
Af: Mogens Brun Heefelt.
- 81/84 "FREKVENSafhængig LEDNINGSEVNE I AMORFT GERMANIUM".
Specialrapport af: Jørgen Wind Petersen og Jan Christensen.
Vejleder: Niels Boye Olsen.
- 82/84 "MATEMATIK - OG FYSIKUNDERVISNINGEN I DET AUTOMATISEREDE SAMFUND".
Rapport fra et seminar afholdt i Hvidovre 25-27 april 1983.
Red.: Jens Højgaard Jensen, Bent C. Jørgensen og Mogens Niss.
- 83/84 "ON THE QUANTIFICATION OF SECURITY":
PEACE RESEARCH SERIES NO. 1
Af: Bent Sørensen
nr. 83 er p.t. udgået
- 84/84 "NOGLE ARTIKLER OM MATEMATIK, FYSIK OG ALMENDANNELSE".
Af: Jens Højgaard Jensen, Mogens Niss m. fl.
- 85/84 "CENTRIFUGALREGULATORER OG MATEMATIK".
Specialrapport af: Per Hedegård Andersen, Carsten Holst-Jensen, Else Marie Pedersen og Erling Møller Pedersen.
Vejleder: Stig Andur Pedersen.
- 86/84 "SECURITY IMPLICATIONS OF ALTERNATIVE DEFENSE OPTIONS FOR WESTERN EUROPE".
PEACE RESEARCH SERIES NO. 2
Af: Bent Sørensen.
- 87/84 "A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY IN DISORDERED SOLIDS".
Af: Jeppe C. Dyre.
- 88/84 "RISE, FALL AND RESURRECTION OF INFINITESIMALS".
Af: Detlef Laugwitz.
- 89/84 "FJERNVARMEOPTIMERING".
Af: Bjarne Lillethorup og Jacob Mørch Pedersen.
-
- 90/84 "ENERGI I L.G - EN TEORI FOR TILRETTELÆGGELSE".
Af: Albert Chr. Paulsen.
-
- 91/85 "KVANTETEORI FOR GYMNASIET".
1. Lærervejledning
Projektrapport af: Biger Lundgren, Henning Sten Hansen og John Johansson.
Vejleder: Torsten Meyer.
- 92/85 "KVANTETEORI FOR GYMNASIET".
2. Materiale
Projektrapport af: Biger Lundgren, Henning Sten Hansen og John Johansson.
Vejleder: Torsten Meyer.
- 93/85 "THE SEMIOTICS OF QUANTUM - NON - LOCALITY".
Af: Peder Voetmann Christiansen.
- 94/85 "TRENIGHEDEN BOURBAKI - generalen, matematikeren og ånden".
Projektrapport af: Morten Blomhøj, Klavs Frisdahl og Frank M. Olsen.
Vejleder: Mogens Niss.
- 95/85 "AN ALTERNATIV DEFENSE PLAN FOR WESTERN EUROPE".
PEACE RESEARCH SERIES NO. 3
Af: Bent Sørensen
- 96/85 "ASPEKTER VED KRAFTVARMEFORSYNING".
Af: Bjarne Lillethorup.
Vejleder: Bent Sørensen.
- 97/85 "ON THE PHYSICS OF A.C. HOPPING CONDUCTIVITY".
Af: Jeppe C. Dyre.
- 98/85 "VALGMULIGHEDER I INFORMATIONSDALDEREN".
Af: Bent Sørensen.
- 99/85 "Der er langt fra Q til R".
Projektrapport af: Niels Jørgensen og Mikael Klinton.
Vejleder: Stig Andur Pedersen.
- 100/85 "TALSYSTEMETS OPBYGNING".
Af: Mogens Niss.
- 101/85 "EXTENDED MOMENTUM THEORY FOR WINDMILLS IN PERTURBATIVE FORM".
Af: Ganesh Sengupta.
- 102/85 OPSTILLING OG ANALYSE AF MATEMATISKE MODELLER, BELYST VED MODELLER OVER KØERS FODEROPFØDELSE OG - OMSÆTNING".
Projektrapport af: Lis Eilertzen, Kirsten Habekost, Lill Røn og Susanne Stender.
Vejleder: Klaus Grünbaum.

- 103/85 "ØDSLE KOLDKRIGERE OG VIDENSKABENS LYSE IDEER".
 Projektrapport af: Niels Ole Dam og Kurt Jensen.
 Vejleder: Bent Sørensen.
- 104/85 "ANALOCREGNEMASKINEN OG LORENZLIGNINGER".
 Af: Jens Jøger.
- 105/85 "THE FREQUENCY DEPENDENCE OF THE SPECIFIC HEAT OF THE GLASS TRANSITION".
 Af: Tage Christensen.
- "A SIMPLE MODEL OF AC HOPPING CONDUCTIVITY".
 Af: Jeppe C. Dyre.
 Contributions to the Third International Conference on the Structure of Non - Crystalline Materials held in Grenoble July 1985.
- 106/85 "QUANTUM THEORY OF EXTENDED PARTICLES".
 Af: Bent Sørensen.
- 107/85 "EN MYG GØR INGEN EPIDEMI".
 - flodblindhed som eksempel på matematisk modellering af et epidemiologisk problem.
 Projektrapport af: Per Hedegård Andersen, Lars Boye, Carsten Holst Jensen, Else Marie Pedersen og Erling Møller Pedersen.
 Vejleder: Jesper Larsen.
- 108/85 "APPLICATIONS AND MODELLING IN THE MATHEMATICS CURRICULUM" - state and trends -
 Af: Mogens Niss.
- 109/85 "COX I STUDIETIDEN" - Cox's regressionsmodel anvendt på studenteroplysninger fra RUC.
 Projektrapport af: Mikael Wennerberg Johansen, Poul Kattler og Torben J. Andreasen.
 Vejleder: Jørgen Larsen.
- 110/85 "PLANNING FOR SECURITY".
 Af: Bent Sørensen
- 111/85 "JORDEN RUNDT PÅ FLADE KORT".
 Projektrapport af: Birgit Andresen, Beatriz Quinones og Jimmy Staal.
 Vejleder: Mogens Niss.
- 112/85 "VIDENSKABELIGGØRELSE AF DANSK TEKNOLOGISK INNOVATION FREM TIL 1950 - BELYST VED EKSEMPLER".
 Projektrapport af: Erik Odgaard Gade, Hans Hedal, Frank C. Ludvigsen, Annette Post Nielsen og Finn Physant.
 Vejleder: Claus Bryld og Bent C. Jørgensen.
- 113/85 "DESUSPENSION OF SPLITTING ELLIPTIC SYMBOLS 11".
 Af: Bernhelm Booss og Krzysztof Wojciechowski.
- 114/85 "ANVENDELSE AF GRAFISKE METODER TIL ANALYSE AF KONFIGURATIONSTABELLER".
 Projektrapport af: Lone Biilmann, Ole R. Jensen og Anne-Lise von Moos.
 Vejleder: Jørgen Larsen.
- 115/85 "MATEMATIKKENS UDVIKLING OP TIL RENESSANCEN".
 Af: Mogens Niss.
- 116/85 "A PHENOMENOLOGICAL MODEL FOR THE MEYER-NELDEL RULE".
 Af: Jeppe C. Dyre.
- 117/85 "KRAFT & FJERNVARMEOPTIMERING".
 Af: Jacob Mørch Pedersen.
 Vejleder: Bent Sørensen
- 118/85 "TILFÆLDIGHEDEN OG NØDVENDIGHEDEN IFØLGE PEIRCE OG FYSIKKEN".
 Af: Peder Voetmann Christiansen
- 120/86 "ET ANTAL STATISTISKE STANDARDMODELLER".
 Af: Jørgen Larsen
- 121/86 "SIMULATION I KONTINUERT TID".
 Af: Peder Voetmann Christiansen.
- 122/86 "ON THE MECHANISM OF GLASS IONIC CONDUCTIVITY".
 Af: Jeppe C. Dyre.
- 123/86 "GYMNASIEFYSIKKEN OG DEN STORE VERDEN".
 Fysiklærerforeningen, IMFUFA, RUC.
- 124/86 "OPGAVESAMLING I MATEMATIK".
 Samtlige opgaver stillet i tiden 1974-jan. 1986.
- 125/86 "UVBYG - systemet - en effektiv fotometrisk spektral-klassifikation af B-, A- og F-stjerner".
 Projektrapport af: Birger Lundgren.
- 126/86 "OM UDVIKLINGEN AF DEN SPECIELLE RELATIVITETSTEORI".
 Projektrapport af: Lise Odgaard & Linda Szkotak Jensen
 Vejledere: Karin Beyer & Stig Andur Pedersen.
- 127/86 "GALOIS' BIDRAG TIL UDVIKLINGEN AF DEN ABSTRAKTE ALGEBRA".
 Projektrapport af: Pernille Sand, Heine Larsen & Lars Frandsen.
 Vejleder: Mogens Niss.
- 128/86 "SMÅKRYB" - en ikke-standard analyse.
 Projektrapport af: Niels Jørgensen & Mikael Klintorp.
 Vejleder: Jeppe Dyre.
- 129/86 "PHYSICS IN SOCIETY"
 Lecture Notes 1983 (1986)
 Af: Bent Sørensen
- 130/86 "Studies in Wind Power"
 Af: Bent Sørensen
- 131/86 "FYSIK OG SAMFUND" - Et integreret fysik/historie-projekt om naturanskuelsens historiske udvikling og dens samfundsmæssige betingethed.
 Projektrapport af: Jakob Heckscher, Søren Brønd, Andy Wierød.
 Vejledere: Jens Høyrup, Jørgen Vogelius, Jens Højgaard Jensen.
- 132/86 "FYSIK OG DANNEELSE"
 Projektrapport af: Søren Brønd, Andy Wierød.
 Vejledere: Karin Beyer, Jørgen Vogelius.
- 133/86 "CHERNOBYL ACCIDENT: ASSESSING THE DATA. ENERGY SERIES NO. 15.
 Af: Bent Sørensen.
-
- 134/87 "THE D.C. AND THE A.C. ELECTRICAL TRANSPORT IN AsSeTe SYSTEM"
 Authors: M.B.El-Den, N.B.Olsen, Ib Høst Pedersen, Petr Visčor
- 135/87 "INTUITIONISTISK MATEMATIKS METODER OG ERKENDELSESTEORETISKE FORUDSÆTNINGER"
 MATEMATIKSPECIALE: Clays Larsen
 Vejledere: Anton Jensen og Stig Andur Pedersen
- 136/87 "Mystisk og naturlig filosofi: En skitse af kristendommens første og andet møde med græsk filosofi"
 Projektrapport af Frank Colding Ludvigsen
 Vejledere: Historie: Ib Thiersen
 Fysik: Jens Højgaard Jensen
- 137/87 "HOPMODELLER FOR ELEKTRISK LEDNING I UORDNEDE FASTE STOFFER" - Resume af licentiatforhandling
 Af: Jeppe Dyre
 Vejledere: Niels Boye Olsen og Peder Voetmann Christiansen.
- 119/86 "DET ER CANSKE VIST - - EUKLIDS FEMTE POSTULAT KUNNE NOK SKABE RØRE I ANDEDAMMEN".
 Af: Iben Møj Christiansen
 Vejleder: Mogens Niss.

- 138/87 "JOSEPHSON EFFECT AND CIRCLE MAP."
Paper presented at the International Workshop on Teaching Nonlinear Phenomena at Universities and Schools, "Chaos in Education". Balaton, Hungary, 26 April-2 May 1987.
By: Peder Voetmann Christiansen
- 139/87 "Machbarkeit nichtbeherrschbarer Technik durch Fortschritte in der Erkennbarkeit der Natur"
Af: Bernhelm Booss-Bavnbek
Martin Bohle-Carbonell
- 140/87 "ON THE TOPOLOGY OF SPACES OF HOLOMORPHIC MAPS"
By: Jens Gravesen
- 141/87 "RADIOMETERS UDVIKLING AF BLODGASAPPARATUR - ET TEKNOLOGIHISTORISK PROJEKT"
Projektrapport af Finn C. Physant
Vejleder: Ib Thiersen
- 142/87 "The Calderón Projektor for Operators With Splitting Elliptic Symbols"
by: Bernhelm Booss-Bavnbek og
Krzysztof P. Wojciechowski
- 143/87 "Kursusmateriale til Matematik på NAT-IVS"
af: Mogens Brun Heefelt
- 144/87 "Context and Non-Locality - A Peircan Approach
Paper presented at the Symposium on the Foundations of Modern Physics The Copenhagen Interpretation 60 Years after the Como Lecture. Joensuu, Finland, 6 - 8 august 1987.
By: Peder Voetmann Christiansen
- 145/87 "AIMS AND SCOPE OF APPLICATIONS AND MODELLING IN MATHEMATICS CURRICULA"
Manuscript of a plenary lecture delivered at ICMTA 3, Kassel, FRG 8.-11.9.1987
By: Mogens Niss
- 146/87 "BESTEMMELSE AF BULKRESISTIVITETEN I SILICIUM"
- en ny frekvensbaseret målemetode.
Fysikspeciale af Jan Vedde
Vejledere: Niels Boye Olsen & Petr Višćor
- 147/87 "Rapport om BIS på NAT-BAS"
redigeret af: Mogens Brun Heefelt
- 148/87 "Naturvidenskabsundervisning med Samfundsperspektiv"
af: Peter Golding-Jørgensen DLH
Albert Chr. Paulsen
- 149/87 "In-Situ Measurements of the density of amorphous germanium prepared in ultra high vacuum"
by: Petr Višćor
- 150/87 "Structure and the Existence of the first sharp diffraction peak in amorphous germanium prepared in UHV and measured in-situ"
by: Petr Višćor
- 151/87 "DYNAMISK PROGRAMMERING"
Matematikprojekt af:
Birgit Andresen, Keld Nielsen og Jimmy Staal
Vejleder: Mogens Niss
- 152/87 "PSEUDO-DIFFERENTIAL PROJECTIONS AND THE TOPOLOGY OF CERTAIN SPACES OF ELLIPTIC BOUNDARY VALUE PROBLEMS"
by: Bernhelm Booss-Bavnbek
Krzysztof P. Wojciechowski
- 153/87 "HALVLEDERTEKNOLOGIENS UDVIKLING MELLEM MILITÆRE OG CIVILE KRÆFTER"
Et eksempel på humanistisk teknologihistorie
Historiespeciale
Af: Hans Hedal
Vejleder: Ib Thiersen
- 154/87 "MASTER EQUATION APPROACH TO VISCOUS LIQUIDS AND THE GLASS TRANSITION"
By: Jeppe Dyre
- 155/87 "A NOTE ON THE ACTION OF THE POISSON SOLUTION OPERATOR TO THE DIRICHLET PROBLEM FOR A FORMALLY SELFADJOINT DIFFERENTIAL OPERATOR"
by: Michael Pedersen
- 156/87 "THE RANDOM FREE ENERGY BARRIER MODEL FOR AC CONDUCTION IN DISORDERED SOLIDS"
by: Jeppe C. Dyre
- 157/87 "STABILIZATION OF PARTIAL DIFFERENTIAL EQUATIONS BY FINITE DIMENSIONAL BOUNDARY FEEDBACK CONTROL: A pseudo-differential approach."
by: Michael Pedersen
- 158/87 "UNIFIED FORMALISM FOR EXCESS CURRENT NOISE IN RANDOM WALK MODELS"
by: Jeppe Dyre
- 159/87 "STUDIES IN SOLAR ENERGY"
by: Bent Sørensen
- 160/87 "LOOP GROUPS AND INSTANTONS IN DIMENSION TWO"
by: Jens Gravesen
- 161/87 "PSEUDO-DIFFERENTIAL PERTURBATIONS AND STABILIZATION OF DISTRIBUTED PARAMETER SYSTEMS: Dirichlet feedback control problems"
by: Michael Pedersen
- 162/87 "PIGER & FYSIK - OG MEGET MERE"
Af: Karin Beyer, Sussanne Blegaa, Birthe Olsen, Jette Reich, Mette Vedelsby
- 163/87 "EN MATEMATISK MODEL TIL BESTEMMELSE AF PERMEABILITETEN FOR BLOD-NETHINDE-BARRIEREN"
Af: Finn Langberg, Michael Jarden, Lars Frellesen
Vejleder: Jesper Larsen
- 164/87 "Vurdering af matematisk teknologi
Technology Assessment
Technikfolgenabschätzung"
Af: Bernhelm Booss-Bavnbek, Glen Pate med
Martin Bohle-Carbonell og Jens Højgaard Jensen
- 165/87 "COMPLEX STRUCTURES IN THE NASH-MOSER CATEGORY"
by: Jens Gravesen

- 166/88 "Grundbegreber i Sandsynlighedsregningen"
Af: Jørgen Larsen
- 167a/88 "BASISSTATISTIK 1. Diskrete modeller"
Af: Jørgen Larsen
- 167b/88 "BASISSTATISTIK 2. Kontinuerte modeller"
Af: Jørgen Larsen
- 168/88 "OVERFLADEN AF PLANETEN MARS"
Laboratorie-simulering og MARS-analoger undersøgt ved Mössbauerspektroskopi.
Fysikspeciale af:
Birger Lundgren
Vejleder: Jens Martin Knudsen
Fys.Lab./HCØ
- 169/88 "CHARLES S. PEIRCE: MURSTEN OG MØRTEL TIL EN METAFYSIK."
Fem artikler fra tidsskriftet "The Monist" 1891-93.
Introduktion og oversættelse:
Peder Voetmann Christiansen
- 170/88 "OPGAVESAMLING I MATEMATIK"
Samtlige opgaver stillet i tiden 1974 - juni 1988
- 171/88 "The Dirac Equation with Light-Cone Data"
af: Johnny Tom Ottesen
- 172/88 "FYSIK OG VIRKELIGHED"
Kvantemekanikkens grundlagsproblem i gymnasiet.
Fysikprojekt af:
Erik Lund og Kurt Jensen
Vejledere: Albert Chr. Paulsen og Peder Voetmann Christiansen
-
- 173/89 "NUMERISKE ALGORITMER"
af: Mogens Brun Heefelt
- 174/89 "GRAFISK FREMSTILLING AF FRAKTALER OG KAOS"
af: Peder Voetmann Christiansen
- 175/89 "AN ELEMENTARY ANALYSIS OF THE TIME DEPENDENT SPECTRUM OF THE NON-STATIONARY SOLUTION TO THE OPERATOR RICCATI EQUATION"
af: Michael Pedersen
- 176/89 "A MAXIMUM ENTROPY ANSATZ FOR NONLINEAR RESPONSE THEORY"
af: Jeppe Dyre
- 177/89 "HVAD SKAL ADAM STÅ MODEL TIL"
af: Morten Andersen, Ulla Engström, Thomas Gravesen, Nanna Lund, Pia Madsen, Dina Rawat, Peter Torstensen
Vejleder: Mogens Brun Heefelt
- 178/89 "BIOSYNTESEN AF PENICILLIN - en matematisk model"
af: Ulla Eghave Rasmussen, Hans Oxvang Mortensen, Michael Jarden
vejleder i matematik: Jesper Larsen
biologi: Erling Lauridsen
- 179a/89 "LÆRERVEJLEDNING M.M. til et eksperimentelt forløb om kaos"
af: Andy Wierød, Søren Brønd og Jimmy Staal
Vejledere: Peder Voetmann Christiansen
Karin Beyer
- 179b/89 "ELEVHÆFTE: Noter til et eksperimentelt kursus om kaos"
af: Andy Wierød, Søren Brønd og Jimmy Staal
Vejledere: Peder Voetmann Christiansen
Karin Beyer
- 180/89 "KAOS I FYSISKE SYSTEMER eksemplificeret ved torsions- og dobbeltpendul".
af: Andy Wierød, Søren Brønd og Jimmy Staal
- 181/89 "A ZERO-PARAMETER CONSTITUTIVE RELATION FOR PURE SHEAR VISCOELASTICITY"
by: Jeppe Dyre
- 183/89 "MATHEMATICAL PROBLEM SOLVING, MODELLING. APPLICATIONS AND LINKS TO OTHER SUBJECTS - State. trends and issues in mathematics instruction"
by: WERNER BLUM, Kassel (FRG) og MOGENS NISS, Roskilde (Denmark)
- 184/89 "En metode til bestemmelse af den frekvensafhængige varmfylde af en underafkølet væske ved glasovergangen"
af: Tage Emil Christensen
-
- 185/90 "EN NÆSTEN PERIODISK HISTORIE"
Et matematisk projekt
af: Steen Grode og Thomas Jessen
Vejleder: Jacob Jacobsen
- 186/90 "RITUAL OG RATIONALITET i videnskabers udvikling"
redigeret af Arne Jakobsen og Stig Andur Pedersen
- 187/90 "RSA - et kryptisk system"
af: Annemette Sofie Olufsen, Lars Frellesen og Ole Møller Nielsen
Vejledere: Michael Pedersen og Finn Munk
- 188/90 "FERMICONDENSATION - AN ALMOST IDEAL GLASS TRANSITION"
by: Jeppe Dyre
- 189/90 "DATAMATER I MATEMATIKUNDERVISNINGEN PÅ GYMNASIET OG HØJERE LÆREANSVALTER"
af: Finn Langberg